



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County Rankin Date 06-26-2019
 Facility Name _____ License Number _____
 Purpose Temp-to-Regular Capacity 165

All Items In Red Are Critical

Qualified director present
 Proper staff to child ratio present
 Room and playground capacity met
 Center capacity met
 License/complaint visible
 Certified food manager

In	Out	COS	N/A
☒	☒	☒	☐
☒	☒	☒	☐
☒	☒	☒	☐
☒	☒	☒	☐
☒	☒	☒	☐

Sanitation Approved

Garbage and garbage bins maintained
 Vector control maintained
 Water system approved and functioning
 Waste water system approved and functioning
 Food service approved

In	Out	COS	N/A
☒	☒	☒	☐
☒	☒	☒	☐
☒	☒	☒	☐
☒	☒	☒	☐
☒	☒	☒	☐

Possible Monetary Penalty

Rule	Monetary Penalty
1. <u>Rule 1.5.2(2)</u>	\$ _____
2. <u>Rule 1.5.2(3)</u>	\$ _____
3. <u>Rule 1.8.1(1)</u>	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	<u>1-2 year. 15. Caregiver 1</u>
2.	<u>Infants. 7. Caregiver 2</u>
3.	<u>8 months - 1 year. 11. Caregiver 3, 4</u>
4.	<u>School Age. 1. Caregiver 5</u>
5.	_____
6.	_____
7.	_____

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	☒	☐	☐	☐
Evacuation plans posted	☒	☐	☐	☐
Menus posted and served	☒	☐	☐	☐
Plan of activities	☒	☐	☐	☐

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair

In	Out	COS	N/A
☒	☐	☐	☐

Lighting approved

In	Out	COS	N/A
☒	☐	☐	☐

Heating/cooling approved

In	Out	COS	N/A
☒	☐	☐	☐

Ventilation adequate

In	Out	COS	N/A
☒	☐	☐	☐

Glass approved and shielded

In	Out	COS	N/A
☒	☐	☐	☐

Telephone on premises, available, and functioning

In	Out	COS	N/A
☒	☐	☐	☐

Electrical outlets protected

In	Out	COS	N/A
☒	☐	☐	☐

Large appliances located properly

In	Out	COS	N/A
☒	☐	☐	☐

Sinks and toilets working properly

In	Out	COS	N/A
☒	☐	☐	☐

Hot water at all sinks, not to exceed 120°

In	Out	COS	N/A
☒	☐	☐	☐

Children barred from kitchen

In	Out	COS	N/A
☒	☐	☐	☐

Vending machine snacks meet nutritional guidelines, if present

In	Out	COS	N/A
☐	☐	☐	☒

Exits, doors and fastening devices single action approved and in good working order

In	Out	COS	N/A
☒	☐	☐	☐

Exits unobstructed

In	Out	COS	N/A
☒	☐	☐	☐

Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order

In	Out	COS	N/A
☒	☐	☐	☐

First aid kits stocked and easily accessible

In	Out	COS	N/A
☒	☐	☐	☐

Playground area clean, shaded, well drained and equipped and fence in good repair

In	Out	COS	N/A
☒	☐	☐	☐

Playground equipment meets standards

In	Out	COS	N/A
☐	☐	☐	☒

Pool area clean, fenced, and adequately maintained

In	Out	COS	N/A
☐	☐	☐	☒

Diaper changing stations adequate in number and each fully supplied (number 6)

In	Out	COS	N/A
☐	☐	☐	☒

Center Director/Individual Janet Hill

Child Care Representative J. Adams



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 5

Date 06.26.2019

Name _____ License No. _____
Address _____
Purpose Temp-to-Regular / TA Center/Organization/Individual _____
Director _____
Mileage Start _____ Mileage End _____
County Rahkhi Telephone No. _____
Time In 9:31 am Time Out 11:59 am Total Time _____

Findings/Comments Upon arrival, the licensing officials met with designee, A. Hill.

The purpose of this visit was announced. (Temp-to-Regular inspection.)

Technical assistance was provided on the following:

Rule 1.6.3 (2) LO observed no roster for students.
Rule 1.6.3 (3) LO observed no updated roster for staff.
Rule 1.6.3 (8) LO observed (2) staff w/o a valid MSDH 121 form on file. LO provided technical assistance, a current alphabetical roster of children, to include the child's full name and date of birth, a current alphabetical roster of staff employed, to include date of hire and each facility shall maintain a notebook containing copies of MSDH 121 form for both staff and children at facility was explained to designee Amber Hill. Staff shall not return back to work until a valid MSDH 121 form is provided to licensing official by 06.28.2019. Per ms Hill, the directors in the process of updating the roster for both staff and students and it will be emailed on tomorrow, 06.29.2019.

Amber Hill
Center Director/Designee/Individual

Geneva Davis
Child Care Representative
White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

**Child Care Encounter
(Continuation)**

Date 06.26.2019

Facility Name _____

License No. _____

Subchapter 5
Deficiency: Rule 1.5.2 (2) - states in part, at no time shall the facility allow that individual to provide unsupervised care or be left alone with a child until the facility receives notification from MSBH verifying that employee's suitability for employment.
Findings: The licensing official observed (2) staff left alone with children that did not have a valid letter of suitability on file. The staff began employment on March 2019 and May, 2019.

Deficiency: Rule 1.5.2 (3) - states in part, suitability for employment is valid for a period of five years, however if there is no break in service from the submitting licensed provider of origin and/or the same campus.
Findings: The licensing official observed (1) staff with an expired letter of suitability dated December 2013. Per Ms. Hill, this staff left a Fresh Start and Time to Learn and returned back to the facility for employment. The letter on file was provided through another licensed facility.

POC/TA

1. What measures will you, as a facility, put into place to correct the immediate violation and how will you prevent recurrence of the violation?
2. Who will be responsible for monitoring to prevent recurrence of the violation?
3. What is the date of expected completion for compliance?

per Ms. Hill, she and the director will make sure there is adequate staff present at the facility and also require that the staff completes a valid background check upon hiring to make sure they are always in compliance. Ms. Hill and Mrs. Johnson will be responsible for monitoring to prevent recurrence. The date of expected will be 06.26.2019. Ms. Hill stated that she will be going into a classroom with one teacher that did not have a FBI letter and the other staff will be placed with a teacher who has a valid FBI letter.

Center Director/Designee/Individual _____

Child Care Representative _____

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter (Continuation)

Date 06.26.2019

Facility Name

License No.

Subchapter 8

Deficiency: Rule 1.8.10 - States in part, the staff-child ratio shall be maintained at all times.

Findings: The licensing official observed the staff-child ratio over in the following classrooms:

Classroom #6: 1-2 year olds. 15. Staff-to-child ratio was over by 6 children. There was 1 caregiver present.

Classroom #3: Infants. 7. Staff-to-child ratio was over by 2 children. There was 1 caregiver present.

Classroom #2: 8 months - 1 year. 11. Staff-to-child ratio was over by 1 child. There was 2 caregivers present.

POC/TA

1. What measures will you, as a facility, put into place to correct the immediate violation and how will you prevent recurrence of the violation?
2. Who will be responsible for monitoring to prevent recurrence of the violation?
3. What is the date of expected completion for compliance?

per ms. Hill, a staff called out due to an emergency which left the center short handed. ms. Hill stated that there are floaters in place to step in, but had to go on a

field trip today ms. Hill stated that she and Mrs. Johnson do a routine walkthrough daily to make staff-to-child ratio is in compliance in all rooms. The date of expected completion will be 06.26.2019.

Customer survey card provided to, A. Hill.

Class I II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension or revocation of license.

Amber Hill
Center Director/Designee/Individual

Emeria Davis
Child Care Representative
Lera Herman

White Copy - Facility File
Yellow Copy - Operator

Food Service Facility Inspection Results

A Fresh Start and Time to Learn
214 Lonnie T Jenkins Drive
Pearl, MS 39208
Ph.: 769-251-1697
Lic.: 61CFPFA-7422
Director: Georgia Johnson

PIMS ID	Facility Name, /	Date
		06.26.2019

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

Observed no critical violations (A)	
---	--

☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	☒ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00
Permit Date	Environmental Code
Please Remit within 10 days to:	

Certified Manager exp: 02-11-2024	Licence Number 920 safe
Facility Signature	Environmental Signature
White Copy - Facility	Yellow Copy - PIMS
Pink Copy - Environmental	

A Fresh Start and Time to Learn
 214 Lonnie T Jenkins Drive
 Pearl, MS 39208
 Ph.: 769-251-1697
 Lic.: 61CFPFA-7422
 Director: Georgia Johnson

Child Care Licensure Playground Checklist

Center Name _____ Inspection Date 6.26.2019

- | YES | NO | N/A | |
|-------------------------------------|--------------------------|-------------------------------------|--|
| ☒ | ☐ | ☐ | 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60) |
| ☒ | ☐ | ☐ | 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60) |
| ☐ | ☐ | ☒ | 3. Is surfacing adequate? If not, where is it inadequate? (CPSC 2.4.2, pg 9-10 & 4.3)
<u>no equipment</u> |
| ☐ | ☐ | ☒ | 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59) |
| ☒ | ☐ | ☐ | 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) |
| ☒ | ☐ | ☐ | 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46) |
| ☒ | ☐ | ☐ | 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17) |
| ☒ | ☐ | ☐ | 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) |
| ☒ | ☐ | ☐ | 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16) |
| ☐ | ☐ | ☒ | 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41) |
| ☐ | ☐ | ☒ | 11. If swings are present, are S-hooks in good repair? If not, state deficiency

(CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) |
| ☐ | ☐ | ☒ | 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency

(CPSC 5.3.6.4-5 pgs 34-35) |
| ☐ | ☐ | ☒ | 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7, pg 36-37) |
| ☐ | ☐ | ☒ | 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate
<u>no equipment</u>
(Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) |
| ☒ | ☐ | ☐ | 15. Is playground area clean & free of hazards? If not, state deficiency.

(Rule 1.11.11 (1), pg 61) |
| ☒ | ☐ | ☐ | 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) |
| ☒ | ☐ | ☐ | 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17) |
| ☐ | ☐ | ☒ | 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15) |

Director

Amber Hill

Licensing Official

Genevieve Davis
John A. Stroman