



MISSISSIPPI STATE DEPARTMENT OF HEALTH

**Child Care Facility Inspection**

County <u>Grenada</u>	Date <u>8/03/2021</u>
Facility Name <u>Grenada Head Start</u>	License Number <u>0098</u>
Purpose <u>mid-year</u>	Capacity _____

**All Items In Red Are Critical**

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Sanitation Approved**

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Possible Monetary Penalty**

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	
2.	<u>See encounter</u>
3.	<u>page 2.</u>
4.	
5.	
6.	
7.	

**Other Items - Must be corrected**

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Building and Grounds**

Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pool area clean, fenced, and adequately maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Diaper changing stations adequate in number and each fully supplied (number _____)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual Ella FordChild Care Representative Keema



MISSISSIPPI STATE DEPARTMENT OF HEALTH

# Child Care Encounter

District 7Date 3/03/2021

Name <u>Grenada Head Start</u>	License No. <u>0098</u>
Address <u>1102 Telegraph Street, Grenada MS.</u> <small>Center/Organization/Individual</small>	
Purpose <u>mid-year</u>	Director <u>Ella Ford</u>
Mileage Start <u>    </u>	Mileage End <u>    </u>
County <u>Grenada</u>	Telephone No. <u>(662) 226-6852</u>
Time In <u>11:15</u>	Time Out <u>1:15</u>
Total Time <u>    </u>	

Findings/Comments Here for mid-year inspection. The licensing official met with Ella Ford, director.

Children/Staff - MSDH 121 form - compliance during today inspection.

Staff - Letter of Sustainability - compliance during today inspection.

Kitchen - "A"

Building Ground - compliance,

Class 1 and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of the license.

Ella Ford  
Center Director/Designee/Individual

Freelma Shoggy  
Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

# Child Care Encounter (Continuation)

Date 3/03/2021

Facility Name Grenada Head Start License No. 0098

Classroom	Age	Staff #
B	4 1/2 yrs - 11	Staff # 1, 2
C	4 yrs - 9	Staff # 3, 4
D	4 yrs - 8	Staff # 5, 6
E	3 yrs - 11	Staff # 7, 8
A	4 yrs - 10	Staff # 9, 10
G	4 yrs - 8	Staff # 11, 12
H	3 yrs - 10	Staff # 13, 14
I	3 yrs - 8	Staff # 15
J	3 1/4 yrs - 10	Staff # 16, 17

Room	Age	Staff #
2	2 1/2 yrs - 8	Staff # 18, 19
3	1 1/2 yrs - 5	Staff # 20, 21
4	1 - 3 yrs - 8	Staff # 22, 23
1	1 - 3 yrs - 4	Staff # 24, 25

Ella Ford  
 Center Director/Designee/Individual

Sherma Shogof  
 Child Care Representative

White Copy - Facility File  
 Yellow Copy - Operator

# Food Service Facility Inspection Results

PIMS ID 0098	Facility Name, Address Grenada Head Street 1102 Telegraph Street Grenada, MS.	Date 3/03/2021
-----------------	--	-------------------

## CRITICAL VIOLATIONS

## CORRECTION PLAN AND SCHEDULE

<p>No critical violations</p>	<p>(1A)</p>
-------------------------------	-------------

<input type="checkbox"/> 92020 Scheduled <input type="checkbox"/> 92030 Followup <input type="checkbox"/> 92040 Complaint <input type="checkbox"/> 92050 Consultation <input type="checkbox"/> 92070 Plan Review/Const. <input type="checkbox"/> 92080 No Inspection <input type="checkbox"/> 92090 Restaurant Training	<input checked="" type="checkbox"/> 92010 Permit No Charge <input type="checkbox"/> 92015 Permit 1 \$30.00 <input type="checkbox"/> 92011 Permit 2 \$100.00 <input type="checkbox"/> 92012 Permit 3 \$150.00 <input type="checkbox"/> 92013 Permit 4 \$200.00
Permit Date	Environmental Code ITS
Please Remit within 10 days to:	

<u>Junice Taylor</u> Certified Manager	<u>Seni Sofo</u> Licence Number
Expire date: 4/25/2022	
Facility Signature <u>Ellen Ford</u>	
Environmentalist Signature <u>Phelma Shaggy</u>	
White Copy - Facility Yellow Copy - PIMS Pink Copy - Environmentalist	

Center Name Grenada Head Start CenterInspection Date 3/03/2021

YES NO N/A

- ☒ ☐ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
- ☒ ☐ ☐ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 8)
- ☒ ☐ ☐ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
- ☒ ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
- ☒ ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
- ☒ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
- ☒ ☐ ☐ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
- ☒ ☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
- ☒ ☐ ☐ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
- ☒ ☐ ☐ 11. If swings are present, are S-hooks in good repair? If not, state deficiency \_\_\_\_\_ (CPSC 3.2, pg 13)
- ☒ ☐ ☐ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency \_\_\_\_\_ (CPSC 5.3.6.4-5 pgs 34-35)
- ☒ ☐ ☐ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
- ☒ ☐ ☐ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate \_\_\_\_\_ (Rule 1.10.2, pg 36)
- ☒ ☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency. \_\_\_\_\_ (Rule 1.11.11 (1), pg 49)
- ☒ ☐ ☐ 16. Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
- ☒ ☐ ☐ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
- ☒ ☐ ☐ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)

Director Ellen FordLicensing Official Reelma Shoggy