Mississippi State Department of Health



 $_{\text{ige}} 1_{\text{of}} 3$

Form No. 287



District	Date
Name	License No
Address	Center/Organization/Individual
Purpose Kenewal / TA	Director
Mileage Start	Mileage End
County +M/S	Telephone No
Quita Que	e Out Total Time
Findings/Comments UDM QYNVA	the CoG met with the director Leslie
The Chic	this to be a decided and a second
and provided TA: W	Visit is to conduct a renewal inspection
Rule Ing () lon	IU)
Technical Assistance	e was provided with the director
2.0.C. Plan of Corre	iction toys Pleguipment.
P.O.C	
What measures will you put into place to correct the violation and how will you prevent recurrence of the violation? 2. Who will be	
responsible for monitoring violation from recurrence?3. What is the date of completion?	
Director Laglie Win	rem Stated that she would contact
the building & group	ds committee to make arrangements
to have the rust co	Vened With Using Paint. This
Correction WIII be	e completed by Thesauy, March 31,2020
Rule 1.11.11(1)	a didant la sida Madalia da tanta
Technical Assistance	m Funce line the whole fence.
P.O.C-Plan of Correct	ion
Senier Director/Designee/Individual	White Copy - Facility File Yellow Copy - Operator



Page 2 of 3

Date 2 · 26 · 2020

Child Care Encounter (Continuation)

Facility Name	License No
P.O.C 1. What measures will you put into place to correct the violation and how will you prevent recurrence of the violation? 2. Who will be responsible for monitoring violation from recurrence?3. What is the date of completion?	•
Director Lestie War The Duilding 8 m TO have the rust Correction will be 3, 2020.	ren stated that she would contact round s committee to make arrangement covered with using paint. This completed by Tuesday, march
Subchapter 6: RECORDS Deficiency: Rule 1.6.3(8) States in part, each facility shall maintain a notebook containing copies of MSDH Certificate of Immunization (MSDH Form #121) for both staff and students on file at the facility.	
Findings Observed & TA. WILSOMOVIDED WILL STORY THESE STATE MEDICAL TO A MSDH I	D) two children MSDH 121 form expired. Alrector on getting updated MSDH 121 Hidents, Please Sabmit to fine 40. 14 days, or mail. by March 17, 2020. LO: Observe 5 to get the 121 form Wansferred 21 form.
Class I II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension or revocation of license.	
Center Director Designee Individual	Child Cafe Representative White Copy - Facility File Yellow Copy - Operator

Facility Name_____



License No.

Page 3 of 3

Date 2.26.2020

P.O.C	Han of Correction
1. What measures will you put into place to correct the violation and how will you prevent recurrence of the violation? 2. Who will be responsible for monitoring violation from recurrence?3. What is the date of completion?	Director stated that she would send telters home for the children who MSDH 121 forms have excived to
the Work staff the Work staff out her form to the new form to	of rectords for children. Also, send to a local Health department to ansferred over to the msb H121 be before the 14days, will send an
A requested rein	neasurement was organded on today!
Mill Send a cop	of new license to the director through
Reminders: Helpful Hints: Renewal Process see form: #289	
Vislie Waren	White Copy - Facility File Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection							
County TINOS	Date 2 26 202	20					
Facility Name License Number							
Purpose Capacity 175							
All Items In Red Are Critical Qualified director present In Out COS N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	IN THE SECOND	Out	COS	N/A		
Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair	A					
Sanitation Approved Garbage and garbage bins maintained Vector control maintained	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,	THE STATE OF THE S					
Water system approved and functioning Waste water system approved and functioning Food service approved	and functioning Electrical outlets protected Large appliances located properly Sinks and toilets working properly	NA A					
Possible Monetary Penalty Monetary Penalty \$	Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet	夕					
2\$	nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order				ttv o		
4. \$ 5. \$	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers	Z					
1. Infants 6 CG 1, 2	and thermometers placed properly and in good working order First aid kits stocked and easily accessible						
3. Tyr. 4. CG4 4 2vr. 7. CG5	Playground area clean, shaded, well drained and equipped and fence in good repair						
5. 2-3yr. 4. CG 6	Playground equipment meets standards	d					
6. 2-3yr. 5·CG7 3yr. 7. CG8	Pool area clean, fenced, and adequately maintained						
5yr. 6. CG9	Diaper changing stations adequate in number and each fully supplied (number)	d	P				
Center Director/Individual	Child Care Representative	4	de	4	Tip.		
White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health 12-10	1-08	N	WY.	rm No	281		

Mississippi State Department of Health

White Copy - Facility File Yellow Copy - Operator



Child Care Program Review

O	21-1
License No	Date 2/26/2020
	7 7
cedures (Parent's Handbook) {Rule 1.4.1}	
t/Liability Insurance or documentation that parent l	has been notified that no
fect {Rule 1.4.1 (i) & (j)}	
and departure procedures {Rule 1.4.1 (2)}	
ical roster of children (includes date of birth) {Rule	
	5.3 (3)}
of fire/disaster drills {Rule 1.6.3 (5)}	
	1.6.3 (6)}
,	
	,
	pter 9}
	· \(\D_1 \ 140\(\)
	<i>nan)</i> {Rule 1.12.6}
ledules posied (Appenaix C, VII)	
	tems needed to be submitted to your licensing
Go online to www.healthyms.com	official to complete your renewal process:
1 COMBINE VOID ONLINE ADDITIONALION AND	4 or 6 weeks menus
ay fees and print your license on or	Fire form, zoning letter (Hinds County Only) -Contact hours
efore 5 3 2020, to avoid late —	Catering Contract (If Applicable)
ees and reinstatement fees.	
MASSOCIATION WHICH I I I I I I I I I I I I I I I I I I	
r Probational Restricted	
1	1 . 0
Chile waner	Kryda Ellis
Director Designee	Child Gore Representative
	cedures (Parent's Handbook) {Rule 1.4.1} Lability Insurance or documentation that parent fect {Rule 1.4.1 (i) & (j)} and departure procedures {Rule 1.4.1 (2)} ty for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)} ds for children and staff {Rule 1.6.3 (1)} cal roster of children (includes date of birth) {Rule 1.6.3 (at lost of fire/disaster drills {Rule 1.6.3 (5)} rd with date, time, signature for 90 days {Rule 1.6.3 (s)} ds (attach employee's records form) {Rule 1.6.4} Rule 1.6.5 & Rule 1.6.6} s (attach children's records form) {Rule 1.6.7} diseases reported as required {Rule 1.7.1} diseases reported as required {Rule 1.7.3} borts provided to parents for infants and toddlers {Rule 1.6.8 and First Aid Certification {Rule 1.10.1 (2)} seent in infant room {Rule 1.10.1 (2)} seent in toddler room {Rule 1.10.1 (4)} attrol contractor {Rule 1.11.14} and of immunization as required, signed by veterinary cipline policy followed {Subchapter 14} asportation policy followed {Subchapter 15} and complete your online application and any fees and print your license on or efore 5 3 2020, to avoid late are Probational Restricted are Probational Restricted

Revised 12-19-13

Food Service Facility Inspection Results

First Baptist Church of Byram K/Daycare PIMS ID 7541 Siwell Rd. Jackson, MS 39272 601-372-3400 Lic. No. 25CCRFA-0097 Director Leslie Warren CORRECTION PLAN AND SCHEDULE CRITICAL VIOLATIONS cited on today's visit. 2 92010 Permit No Charge Certified Manager ☐ 92020 Scheduled 92015 Permit 1 \$30.00 ☐ 92030 Followup ☐ 92011 Permit 2 \$100.00 92040 Complaint ☐ 92012 Permit 3 \$150.00 ☐ 92050 Consultation \$200.00 ☐ 92070 Plan Review/Const. 92013 Permit 4 ☐ 92080 No Inspection Facility Signature ☐ 92090 Restaurant Training Environmentalist Signature Permit Date Environmentalist Code White Copy - Facility Please Remit within 10 days to: Yellow Copy - PIMS Pink Copy- Environmentalist

Child Care Licensure Playground Checklist

Child Care Ex
Inspection Date 2. 26.2020
VES NO N/A Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60) 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60) 2 entrances/exits, with one being remote from the building? (CPSC, 2.4.2, pg 9-10 & 4.3)
AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59) AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59) No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) (CPSC 3.6, pg 16-17) Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17) All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
3.4, 3.5, pg 10) Are use zones adequate? If not, where are they inadequate? (c) be started.
If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 1 2.5.2, pg 1 & 5.3.8.1, pg 37) 2.5.2, pg 1 & 5.3.8.1, pg 37) (CPSC 5.3.6.4-5 pgs 34-3 (CPSC 5.3.6.4-5 pgs 34-3 (CPSC 5.3.6.4-5 pgs 34-3 (CPSC 5.3.6.4-5 pgs 34-3
☐ ☐ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 50-57) ☐ ☐ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg & CPSC 2.2.6, pg 6
☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency. ☐ ☐ 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg ☐ ☐ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17) ☐ ☐ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPsc 2.5.5, pg 1.5) ☐ ☐ 18. Licensing Official ☐ ☐ 18. Licensing Official