

Child Care Encounter

			Cilia Ca	ile Lilebuillei		0
Distric	1_9					Date Sept. 10, 19
Name	YMCA	activi	ties Center	License No	4200	
Addre	ss_711 m	agnolie	Que . Occ	License No	395	64
Purpo	se Renew	al Foll	low rep	_ Director_ Bra	ndy Dr	ren
Milea	ge Start			Mileage End		
Count	y gaces	20m		Telephone No228	-872.0.	322
	n_1:45		Time Out_ 2:130	Total	tal Time	
			Pation of	he playgion ewid Oppendix	D.	Necorde
			<i>y y y y y y y y y y</i>	7-	-(*) 	
Re	cords =					
54	behapter	12. A e	eth, Hyge	ene, and I	fetz	
Of de	iciency to Oli are mainta	Rule 1.12 require	dand a stee facel	the fire du econd of e	sailér e	vacution ill shall
						ed that Dence Feb. 2019
Pp	c. ms	Theen	Stated Chai	t she wow	ed be	responsible
(m)	Les mud	be comp stated	recited in	fire drille under 2 m	in Rule	1.5.1(2a))
To	nmora a	1-11-19.	de fre a	ulo wast	eld du	ing this
Q	staff.	meeting "	will be he	ed today	Concern	in fire dice
T, E	- Provi	ded on K	ule 1.12.7	4 1.5.1(2a)	
	1			. /		
Br	ndyk	anaa/Individual	ann	I Walten	Ye	/hite Copy - Facility File Ellow Copy - Operator



Page 2 of 2

Date 9-10-19

Facility Name Ymch ac	License No	4200
Chlinen Recorde in a	ompliance	
Staff Ready in Comple	liane	
E- 0 1		
1) fire form - Dend to	- me	
2) Generation J Send to 3) Dec Onlin	- yne	
3) fee Onlin	2	

×	E E	
		- C14540-
Branks - aniu	of Waller	White Copy - Facility File Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Facility Name 4mcA achieve Center License No. 4200 Date 9-10-19

,	Yes	No	N/A	W.				
1.	4			Policies and procedures (Parent's Handbook) {Rule 1.4.1}				
2.	4			Proof of Accident/Liability Insurance or documentation that parent has been notified that no				
	-			insurance is in effect {Rule 1.4.1 (i) & (j)}				
3.				Approved arrival and departure procedures {Rule 1.4.1 (2)}				
4. 5.				Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)} Attendance records for children and staff {Rule 1.6.3 (1)}				
6.	<u>a</u>			Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}				
7.	<u>a</u> /	<u> </u>	0	Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}				
8.	ā	1		Monthly records of fire/disaster drills {Rule 1.6.3 (5)}				
9.	1			Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}				
10.				Immunization Records for Children and Staff {Rule 1.6.3 (8)}				
11.	4		☐ Personnel records (attach employee's records form) {Rule 1.6.4}					
	12. U Volunteer records {Rule 1.6.5 & Rule 1.6.6}							
13.				Children records (attach children's records form) {Rule 1.6.7}				
14.				Reports of serious occurences made as required (Rule 1.7.1)				
15.								
	16. Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} 17. Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}							
			0	Age appropriate program of activities posted in each room {Subchapter 9}				
19.				Required toys present in infant room {Rule 1.10.1 (2)}				
20.				Required toys present in toddler room {Rule 1.10.1 (3)}				
21.				Required toys present preschool room {Rule 1.10.1 (4)}				
	1			Licensed pest control contractor {Rule 1.11.14}				
23.				Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}				
	9			Appropriate discipline policy followed (Subchapter 14)				
25.				Appropriate transportation policy followed {Subchapter 15} Infant feeding schedules posted (Appendix C, VII)				
20.	_	_	2	iniant feeding schedules posted (Appendix C, VII)				
Comments/Recommendations								
			1100					
1								
	Pass	_						
	Lice	nse t	o be i	issued: Regular Probational Restricted				
Grant								
Follow-up within days								
				Director Designee Child Care Representative				

Child Care Licensure Playground Checklist

Center Name		41	nca actuaties Center Inspection Date 9-10-19					
		N/A	0					
			l _{inc}	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)				
3			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)				
			3.	Is surfacing adequate? If not, where is it inadequate? (CPSC. 2.4.2. pg8)				
			4,	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)				
			5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)				
			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)				
			7	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)				
d			8.0	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)				
\square			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)				
Ø			10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)				
Z			11-	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13)				
			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35)				
			13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)				
Ø			14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36)				
A			15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 49)				
\angle			16.	Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)				
7			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)				
			18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC				
Direct	or J	Bu	ndyf	Licensing Official Conne of Wollen				