



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

Date 5-24-21District IVName A3ALicense No. 7391Address 485 Parish St. Houston, MS 38851

Center/Organization/Individual

Purpose Follow upDirector Nevenke Gamble

Mileage Start

Mileage End

County ChickasawTelephone No. 662-631-5088Time In 10:50Time Out 11:40

Total Time

Findings/Comments Here to conduct a Follow up at the facility from last site visit.

T.A. provided on Rule 1.11.9 All licensed Child Care facilities shall have an adequate outdoor playground. LO observed Surfacing still needed for the Spring rocker 9in depth, left all the way around. Also the barrier for air unit needing replaced. LO will give two weeks 14 day for playground deficiencies to be corrected. Also please place covering around each pole or turn poles toward the outer part of gate to assure safety. All corrections must be made by June 9, 2021. XNG

T.A. provided on Rule 1.11.5(4) All hand washing lavatories shall have both hot and cold running water. Hot water temperature shall not exceed 120° degrees Fahrenheit. LO observed no hot running water in Room 3. Director purchased a water heater but on next week the sink will be installed and infants will be moved to area with sink and LO will be back to Follow up at the facility within next 14 days. X

LO rec'd 121 on Staff and Child.

"Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of the license."

Questionnaire provided to the director.

Nevenke Gamble
Center Director/Designee/Individual

Child Care Representative

White Copy - Facility File
Yellow Copy - Operator