



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County JacksonDate June 18, 18Facility Name Learning DepotLicense Number 1172Purpose RenewalCapacity 39**All Items In Red Are Critical**

	In	Out	COS	N/A
Qualified director present	☒	☐	☐	☐
Proper staff to child ratio present	☒	☐	☐	☐
Room and playground capacity met	☒	☐	☐	☐
Center capacity met	☒	☐	☐	☐
License/complaint visible	☒	☐	☐	☐
Certified food manager	☒	☐	☐	☐

Sanitation Approved

Garbage and garbage bins maintained	☒	☐	☐	☐
Vector control maintained	☒	☐	☐	☐
Water system approved and functioning	☒	☐	☐	☐
Waste water system approved and functioning	☒	☐	☐	☐
Food service approved	☒	☐	☐	☐

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. <u>0</u>	\$ _____
3. <u>1</u>	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	Form #277
2.	
3.	
4.	
5.	
6.	
7.	

Center Director/Individual

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	☒	☐	☐	☐
Evacuation plans posted	☒	☐	☐	☐
Menus posted and served	☒	☐	☐	☐
Plan of activities	☒	☐	☐	☐

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	☒	☐	☐	☐
Lighting approved	☒	☐	☐	☐
Heating/cooling approved	☒	☐	☐	☐
Ventilation adequate	☒	☐	☐	☐
Glass approved and shielded	☒	☐	☐	☐
Telephone on premises, available, and functioning	☒	☐	☐	☐
Electrical outlets protected	☒	☐	☐	☐
Large appliances located properly	☒	☐	☐	☐
Sinks and toilets working properly	☒	☐	☐	☐
Hot water at all sinks, not to exceed 120°	☒	☐	☐	☐
Children barred from kitchen	☒	☐	☐	☐
Vending machine snacks meet nutritional guidelines, if present	☐	☐	☐	☒
Exits, doors and fastening devices single action approved and in good working order	☒	☐	☐	☐
Exits unobstructed	☒	☐	☐	☐
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	☒	☐	☐	☐
First aid kits stocked and easily accessible	☒	☐	☐	☐
Playground area clean, shaded, well drained and equipped and fence in good repair	☒	☐	☐	☐
Playground equipment meets standards	☒	☐	☐	☐
Pool area clean, fenced, and adequately maintained	☐	☐	☐	☒
Diaper changing stations adequate in number and each fully supplied (number _____)	☒	☐	☐	☐

Child Care Representative



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 9Date June 18, 13

Name <u>Learning Depot</u>	License No. <u>1173</u>
Address <u>2594 Government St. Ocean Springs 39564</u> Center/Organization/Individual	
Purpose <u>Renewal</u>	Director <u>Karla Owens</u>
Mileage Start _____	Mileage End _____
County <u>Jackson</u>	Telephone No. <u>228-875-1804</u>
Time In <u>9:30</u>	Time Out <u>10:40</u> Total Time _____

Findings/Comments

Building - no violation observedKitchen - "A"Playground - no violation observedTA provided on Appendix D - SurfacingStaff Records - in complianceChildren Records in complianceFor Renewal1) Staff Contact House

Karla Owens
Center Director/Designee/Individual

Anna L. Walker
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Facility Name Learning Report License No. 1173 Date 6-18-18

- | | Yes | No | N/A | |
|-----|-------------------------------------|--------------------------|-------------------------------------|--|
| 1. | ☒ | ☐ | ☐ | Policies and procedures (Parent's Handbook) {Rule 1.4.1} |
| 2. | ☒ | ☐ | ☐ | Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)} |
| 3. | ☒ | ☐ | ☐ | Approved arrival and departure procedures {Rule 1.4.1 (2)} |
| 4. | ☒ | ☐ | ☐ | Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)} |
| 5. | ☒ | ☐ | ☐ | Attendance records for children and staff {Rule 1.6.3 (1)} |
| 6. | ☒ | ☐ | ☐ | Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)} |
| 7. | ☒ | ☐ | ☐ | Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)} |
| 8. | ☒ | ☐ | ☐ | Monthly records of fire/disaster drills {Rule 1.6.3 (5)} |
| 9. | ☒ | ☐ | ☐ | Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)} |
| 10. | ☒ | ☐ | ☐ | Immunization Records for Children and Staff {Rule 1.6.3 (8)} |
| 11. | ☒ | ☐ | ☐ | Personnel records (attach employee's records form) {Rule 1.6.4} |
| 12. | ☐ | ☐ | ☒ | Volunteer records {Rule 1.6.5 & Rule 1.6.6} |
| 13. | ☒ | ☐ | ☐ | Children records (attach children's records form) {Rule 1.6.7} |
| 14. | ☐ | ☐ | ☒ | Reports of serious occurrences made as required {Rule 1.7.1} |
| 15. | ☐ | ☐ | ☒ | Communicable diseases reported as required {Rule 1.7.3} |
| 16. | ☐ | ☐ | ☒ | Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} |
| 17. | ☒ | ☐ | ☐ | Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} |
| 18. | ☒ | ☐ | ☐ | Age appropriate program of activities posted in each room {Subchapter 9} |
| 19. | ☐ | ☐ | ☒ | Required toys present in infant room {Rule 1.10.1 (2)} |
| 20. | ☒ | ☐ | ☐ | Required toys present in toddler room {Rule 1.10.1 (3)} |
| 21. | ☒ | ☐ | ☐ | Required toys present preschool room {Rule 1.10.1 (4)} |
| 22. | ☒ | ☐ | ☐ | Licensed pest control contractor {Rule 1.11.14} |
| 23. | ☐ | ☐ | ☒ | Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6} |
| 24. | ☒ | ☐ | ☐ | Appropriate discipline policy followed {Subchapter 14} |
| 25. | ☒ | ☐ | ☐ | Appropriate transportation policy followed {Subchapter 15} |
| 26. | ☐ | ☐ | ☒ | Infant feeding schedules posted (Appendix C, VII) |

Comments/Recommendations _____

- ☒ Pass –
 License to be issued: ☐ Regular ☐ Probational ☐ Restricted
☐ Fail
☐ Follow-up within _____ days

☐ Director ☐ Designee

Anna L. Hallen
 Child Care Representative

Food Service Facility Inspection Results

PIMS ID <i>1173</i>	Facility Name, Address <i>Learning Depot</i>	Date <i>6-18-08</i>
------------------------	---	------------------------

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

	<i>No Violations Observed</i> <i>(H)</i>
--	---

☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00
Permit Date <i>8-31-08</i>	Environmental Code <i>1159</i>
Please Remit within 10 days to:	

Karen Owens
 Certified Manager

Therese Soble
 Licence Number
36-11-17470

Facility Signature <i>Karla Owens</i>
Environmental Signature <i>Dana L. Hillman</i>

White Copy - Facility
 Yellow Copy - PIMS
 Pink Copy - Environmentalist

Child Care Licensure Playground Checklist

Center Name Learning Depot Inspection Date 6-18-18

YES NO N/A

- ☒ ☐ ☐ 1. Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
- ☒ ☐ ☐ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)

- ☒ ☐ ☐ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
- ☒ ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
- ☒ ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
- ☒ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
- ☒ ☐ ☐ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
- ☒ ☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
- ☒ ☐ ☐ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)

- ☐ ☐ ☒ 11. If swings are present, are S-hooks in good repair? If not, state deficiency _____ (CPSC 3.2, pg13)
- ☒ ☐ ☐ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency _____ (CPSC 5.3.6.4-5 pgs 34-35)
- ☒ ☐ ☐ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
- ☒ ☐ ☐ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate _____ (Rule 1.10.2, pg 36)
- ☒ ☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency. _____ (Rule 1.11.11 (1), pg 49)

- ☒ ☐ ☐ 16. Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
- ☒ ☐ ☐ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
- ☒ ☐ ☐ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)

Director Karla Owens Licensing Official Anna L. Wilson