

# **Child Care Facility Inspection Report**

CLAY COUNTY HEAD START CENTER

License #: 2651

Director: THERESA CLAYTON

Inspection Date: 09/21/2021

Annual/Mid Inspection

Inspector: Paulette Elliott

## **Program Administration Violations Cited**

No violations cited

#### **Kitchen Violations Cited**

No violations cited.

### **Nutritional Guidelines Violations Cited**

No violations cited.

## **Playground Violations Cited**

- 1. **COS:** The outdoor playground is free of hazards and not less than 30 feet (measured horizontally parallel to the ground) from electrical transformers, high voltage cabling/wires, electrical substations, railroad tracks, or sources of toxic fumes or gases. Hazards including but not limited to air conditioner units and utility mains, meters, tanks, and/or cabling are inaccessible. (Rule 1.11.9(5) Page 59)
- 2. **Out of Compliance:** No standing water is present on playground or in/on playground equipment or walkways. (CPSC 2.4.2.2(5) Page 10)

#### **Infant Classroom Violations Cited**

EHS - Classroom Number: 6

No violations cited.

Infant Classroom - Classroom Number: 6

**Preschool Classroom Violations Cited** 

# Preschool Classroom - Classroom Number: 1 B - Classroom Number: 2 No violations cited. Preschool Classroom - Classroom Number: 2 E - Classroom Number: 3 No violations cited. Preschool Classroom - Classroom Number: 3 C - Classroom Number: 4 No violations cited. Preschool Classroom - Classroom Number: 4 D - Classroom Number: 5 No violations cited. Preschool Classroom - Classroom Number: 5 J - Classroom Number: 7 No violations cited. Preschool Classroom - Classroom Number: 7 F - Classroom Number: 8 No violations cited. Preschool Classroom - Classroom Number: 8 G - Classroom Number: 10 No violations cited. Preschool Classroom - Classroom Number: 10


#### Legend

COS: Corrected on SitePOC: Plan of Correction

A - Classroom Number: 1

No violations cited.

## **Child Care Director Signature**



# **MSDH Licensure Representative Signature**

Paylette Dirott