



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County Attala Date 10/29/2020

Facility Name First United Methodist After school License Number 04CBRA-1601

Purpose Renewal Capacity 30

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	<u>Schoolage / 1 / one Caregiver</u>
2.	<u>Schoolage / 2 / two Caregivers</u>
3.	
4.	
5.	
6.	
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Electrical outlets protected	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------	--------------------------	--------------------------

Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
---	-------------------------------------	--------------------------	--------------------------	--------------------------

Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------

Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--	--------------------------	--------------------------	--------------------------	-------------------------------------

Diaper changing stations adequate in number and each fully supplied (number _____)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--	--------------------------	--------------------------	--------------------------	--------------------------

Center Director/Individual Virtual InspectionChild Care Representative Shonda



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 3

Date 10/29/2020

Name <u>First United Methodist Church Attala</u>	License No. <u>04CBRA-1601</u>
Address <u>110-114 East Washington Kosciusko, MS 39090</u>	
Center/Organization/Individual	
Purpose <u>Renewal</u>	Director <u>Cindy Glazier</u>
Mileage Start _____	Mileage End _____
County <u>Attala</u>	Telephone No. <u>662-289-1412</u>
Time In <u>3:13</u>	Time Out _____ Total Time _____

Findings/Comments This is a virtual renewal inspection.

The licensing official did not observe any concerns with the building, kitchen or playground.

The LO informed director to be sure to maintain all required records for future inspections.

The licensing official informed if there were any questions or concerns please contact the licensing official via email @shundra.givens@msdh.ms.gov or call the licensing agency at 601-364-2827.

Virtual Inspection
Center Director/Designee/Individual

Shundra Givens
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

 Facility Name First United Methodist Church License No. 04CBRA-1601 Date 10/29/2020

	Yes	No	N/A	
1.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Policies and procedures (Parent's Handbook) {Rule 1.4.1}
2.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)}
3.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Approved arrival and departure procedures {Rule 1.4.1 (2)}
4.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
5.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Attendance records for children and staff {Rule 1.6.3 (1)}
6.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
7.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}
8.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
9.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}
10.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Immunization Records for Children and Staff {Rule 1.6.3 (8)}
11.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Personnel records (attach employee's records form) {Rule 1.6.4}
12.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Volunteer records {Rule 1.6.5 & Rule 1.6.6}
13.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Children records (attach children's records form) {Rule 1.6.7}
14.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Reports of serious occurrences made as required {Rule 1.7.1}
15.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Communicable diseases reported as required {Rule 1.7.3}
16.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
17.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}
18.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Age appropriate program of activities posted in each room {Subchapter 9}
19.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Required toys present in infant room {Rule 1.10.1 (2)}
20.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Required toys present in toddler room {Rule 1.10.1 (3)}
21.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Required toys present preschool room {Rule 1.10.1 (4)}
22.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Licensed pest control contractor {Rule 1.11.14}
23.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}
24.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Appropriate discipline policy followed {Subchapter 14}
25.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Appropriate transportation policy followed {Subchapter 15}
26.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Infant feeding schedules posted (Appendix C, VII)

Comments/Recommendations _____

☒ Pass –
 License to be issued: ☐ Regular ☐ Probational ☐ Restricted
☐ Fail
☐ Follow-up within _____ days

Virtual Inspection
☒ Director ☐ Designee

Sharon
 Child Care Representative

Food Service Facility Inspection Results

PIMS ID 04CBPA-1601	Facility Name, Address First United Methodist After School 110-114 East Washington Kosciusko, MS	Date 10/29/2020
-------------------------------	--	---------------------------

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

NO violations

- ☐ 92020 Scheduled
- ☐ 92030 Followup
- ☐ 92040 Complaint
- ☐ 92050 Consultation
- ☐ 92070 Plan Review/Const.
- ☐ 92080 No Inspection
- ☐ 92090 Restaurant Training

- ☒ 92010 Permit No Charge
- ☐ 92015 Permit 1 \$30.00
- ☐ 92011 Permit 2 \$100.00
- ☐ 92012 Permit 3 \$150.00
- ☐ 92013 Permit 4 \$200.00

Permit Date

Environmental Code

863

Please Remit within 10 days to:

Certified Manager

Licence Number

Facility Signature

Virtual Inspection

Environmental Signature

[Signature]

White Copy - Facility

Yellow Copy - PIMS

Pink Copy- Environmentalist

Child Care Licensure Playground Checklist

Center Name First United Methodist Afterschool Inspection Date 10/29/2020

YES NO N/A

- | | | | | |
|-------------------------------------|--------------------------|-------------------------------------|-----|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1. | Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 2. | 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 3. | Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8) |
| <hr/> | | | | |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 4. | AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 5. | No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 6. | Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 7. | Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 8. | All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 9. | Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 10. | Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40) |
| <hr/> | | | | |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 11. | If swings are present, are S-hooks in good repair? If not, state deficiency
(CPSC 3.2, pg13) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 12. | If slide is present, is exit height/exit zone adequate? If not, state deficiency
(CPSC 5.3.6.4-5 pgs 34-35) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 13. | Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 14. | Is age-appropriate equipment being used? If not, state which pieces are inappropriate
(Rule 1.10.2, pg 36) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 15. | Is playground area clean & free of hazards? If not, state deficiency.
(Rule 1.11.11 (1), pg 49) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 16. | Is adequate shade present on the playground? (CPSC 2.1.1, pg 5) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 17. | Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 18. | Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5) |

Director Virtual Inspection Licensing Official Shelley B.