



MISSISSIPPI STATE DEPARTMENT OF HEALTH

**Child Care Facility Inspection**County DeKalbDate 4-12-21Facility Name DeKalb CenterLicense Number 3764Purpose midyear

Capacity \_\_\_\_\_

**All Items In Red Are Critical**

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Sanitation Approved**

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Possible Monetary Penalty**

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	_____
2.	_____
3.	_____
4.	_____
5.	_____
6.	_____
7.	_____

**Other Items - Must be corrected**

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Building and Grounds**

Walls, ceilings, floors, toys, equipment clean and in good repair

Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------	--------------------------	--------------------------

Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
---	-------------------------------------	--------------------------	--------------------------	--------------------------

Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------

Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--	--------------------------	--------------------------	--------------------------	-------------------------------------

Diaper changing stations adequate in number and each fully supplied (number <u>3</u> )	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------	--------------------------	--------------------------

Center Director/Individual \_\_\_\_\_

Child Care Representative \_\_\_\_\_



SECTION OF A T. 1000

SECTION OF A T. 1000

SECTION OF A T. 1000

SECTION OF A T. 1000

SECTION OF A T. 1000



MISSISSIPPI STATE DEPARTMENT OF HEALTH

# Child Care Encounter

District 6

Date 4-12-21

Name DeKalb Center License No. 3764

Address 21 willow Ave. DeKalb ms  
Center/Organization/Individual

Purpose midyear Director Deborah Spencer

Mileage Start \_\_\_\_\_ Mileage End \_\_\_\_\_

County DeKalb Telephone No. 601-743-2707

Time In \_\_\_\_\_ Time Out \_\_\_\_\_ Total Time \_\_\_\_\_

Findings/Comments No violations observed during this inspection. No children on site at this inspection.

During the record review 5 children were found that needed updated 121's. Children with shots due need updated 121 within 14 days.

Deborah Spencer  
Center Director/Designee/Individual

Min Brown  
Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator

# Handwritten Title

1871

1872

1873

1874

1875

1876

1877

1878

1879

1880

1881

1882

1883

1884

1885

1886

1887



# Food Service Facility Inspection Results

PIMS ID 3769	Facility Name, Address 4000 Kall Road Street	Date 4-12
-----------------	---	--------------

## CRITICAL VIOLATIONS

## CORRECTION PLAN AND SCHEDULE

<p>No violations observed during this inspection</p>	<p>7/11</p>
--	-------------

- ☐ 92020 Scheduled
- ☐ 92030 Followup
- ☐ 92040 Complaint
- ☐ 92050 Consultation
- ☐ 92070 Plan Review/Const.
- ☐ 92080 No Inspection
- ☐ 92090 Restaurant Training

- ☐ 92010 Permit No Charge
- ☐ 92015 Permit 1 \$30.00
- ☐ 92011 Permit 2 \$100.00
- ☐ 92012 Permit 3 \$150.00
- ☐ 92013 Permit 4 \$200.00

Permit Date

Environmental Code

Please Remit within 10 days to:

Tummy Sal  
Certified Manager

D. B. Smith  
Licence Number

Facility Signature

Environmental Signature

White Copy - Facility  
Yellow Copy - PIMS  
Pink Copy - Environmentalist

# Food Service Facility Inspection Results

Date	Inspector Name	Facility Name
------	----------------	---------------

Overall Score: \_\_\_\_\_

Inspected On: \_\_\_\_\_

<p>Comments:</p>	<p>Notes:</p>
------------------	---------------

<p>Inspector Signature:</p>	<p>Facility Representative Signature:</p>	<p>Inspection Date:</p>
<p>Inspector Title:</p>	<p>Facility Representative Title:</p>	<p>Inspection Time:</p>

Center Name Dr. Kallb Head StartInspection Date 4-12-21

YES NO N/A

- ☒ ☐ ☐ 1 Playground fence less than 3 1/2" from surface (Rule 1119 (8) pg 48) In good repair, with no gaps? (Rule 1119 (8) pg 48)
- ☒ ☐ ☐ 2 2 entrances/exits, with one being remote from the building? (Rule 1119 (8) pg 48)
- ☒ ☐ ☐ 3 Is surfacing adequate? If not, where is it inadequate? (CPSC 242 pg 8)
- ☒ ☐ ☐ 4 AC units, high-voltage cabling/wires inaccessible? (Rule 1119 (3) pg 47)
- ☒ ☐ ☐ 5 No standing water present on playground or in/on playground equipment or walkways? (CPSC 242 2-5 pg 10)
- ☒ ☐ ☐ 6 Toys & equipment in good repair? (none broken/deteriorating) (Rule 1102 (2) pg 36)
- ☒ ☐ ☐ 7 Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 36 pg 15)
- ☒ ☐ ☐ 8 All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1119 (5) pg 47)
- ☒ ☐ ☐ 9 Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 34, 35, pg 15)
- ☒ ☐ ☐ 10 Are use zones adequate? If not, where are they inadequate? (CPSC 539 pg 40)
- ☐ ☒ ☐ 11 If swings are present, are S-hooks in good repair? If not, state deficiency \_\_\_\_\_ (CPSC 32 pg 13)
- ☒ ☐ ☐ 12 If slide is present, is exit height/exit zone adequate? If not, state deficiency \_\_\_\_\_ (CPSC 536 4-5 pgs 34-35)
- ☐ ☒ ☐ 13 Are spring rockers a minimum of 6 ft. apart? (ASTM 95.12 pg 15)
- ☒ ☐ ☐ 14 Is age-appropriate equipment being used? If not, state which pieces are inappropriate \_\_\_\_\_ (Rule 1102, pg 36)
- ☒ ☐ ☐ 15 Is playground area clean & free of hazards? If not, state deficiency \_\_\_\_\_ (Rule 1111 (1) pg 49)
- ☒ ☐ ☐ 16 Is adequate shade present on the playground? (CPSC 211 pg 5)
- ☒ ☐ ☐ 17 Are concrete footings located at least 6" beneath the surface? (Rule 1102 (2) pg 36)
- ☒ ☐ ☐ 18 Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 255)

Director

Licensing Official

Mil Brun

