



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection Report

YAZOO GIFTED ACADEMY

License #: 7352

Director: CAROLYN JOHNSON

Inspection Date: 06/23/2021

Annual/Mid Inspection

Inspector: Lisa Allen

Program Administration Violations Cited

No violations cited.

Plan of Correction

1. **POC:** The following documents are needed in order to process your facility license: fire inspection form, 2-4 week menu, all staff contact hours and a updated staff roster. Please submit your menus as soon as possible in order for them to get approved. A approved menu is also needed before your license can be release.

Person Responsible: Ms. Johnson **Date for Completion:** July 31, 2021

Kitchen Violations Cited

No violations cited.

Nutritional Guidelines Violations Cited

No violations cited.

Playground Violations Cited

1. **Out of Compliance:** Tree limbs and other suspended hazards at least seven feet above play surfaces. Fence is free of brush and overgrowth. (CPSC 3.5 Page 16)

Infant Classroom Violations Cited

Infants - Classroom Number: 2

1. **COS:** Thermometers that are not hazardous to children are placed on interior walls at children's height.
(Rule 1.11.8(9) Page 58)

Infant Classroom - Classroom Number: 2

Toddler Classroom Violations Cited

One Year Olds - Classroom Number: 3

No violations cited.

Toddler Classroom - Classroom Number: 3

Twos Classroom Violations Cited

2 Year Olds - Classroom Number: 1

1. **COS:** Thermometers that are not hazardous to children are placed on interior walls at children's height.
(Rule 1.11.8(9) Page 58)

Twos Classroom - Classroom Number: 1

Preschool Classroom Violations Cited

4 Year Olds - Classroom Number: 6

1. **COS:** Thermometers that are not hazardous to children are placed on interior walls at children's height.
(Rule 1.11.8(9) Page 58)

Preschool Classroom - Classroom Number: 6

Three Year Olds - Classroom Number: 8

No violations cited.

Preschool Classroom - Classroom Number: 8

School Age Room Violations Cited

Afterschool - Classroom Number: 5

No violations cited.

School Age Room - Classroom Number: 5

1. **POC:** During the facility inspection the licensing official observed that the wall thermometers in most of the facility classrooms has broken. Per Ms. Johnson she has new thermometers and will place them on the classroom walls. The new thermometers were showed to the licensing official
Person Responsible: Ms. Johnson **Date for Completion:** June 23, 2021

Afterschool - Classroom Number: 7

1. **COS:** Thermometers that are not hazardous to children are placed on interior walls at children's height.
(Rule 1.11.8(9) Page 58)

School Age Room - Classroom Number: 7

Legend

- COS: Corrected on Site
- POC: Plan of Correction

Child Care Director Signature

A handwritten signature in black ink, appearing to read "Carolyn A. John". The signature is written in a cursive, flowing style.

MSDH Licensure Representative Signature

A handwritten signature in black ink, appearing to read "L. Allen". The signature is written in a cursive, flowing style.