Child Care Facil					
County 200	Date 7-30-	.01	5		. ]
Facility Name SUDVC DEURING Hib	10n n	30	 		
2/minal Depart	License Number	57	6		
Purpose III TUUL INCICUUL Cap	pacity				
All Items In Red Are Critical In Out COS N/A Qualified director present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	akkd7	Out		N/A
Qualified director present       Image: Constraint of the sector of the se	<b>Building and Grounds</b> Walls, ceilings, floors, toys, equipment clean and in good repair	ø			
Sanitation Approved Garbage and garbage bins maintained	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,	рдда			
Water system approved and functioningImage: Image: Ima	and functioning Electrical outlets protected Large appliances located properly				
Possible Monetary Penalty       Monetary Penalty         1	Sinks and toilets working properly Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet	A A			
2 \$ 3 \$	nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good				Z
4 \$ 5 \$	working order Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers	Ø Ø			
Age/Child/Staff Name	and thermometers placed properly and in good working order First aid kits stocked and easily accessible				
2. 2. 4000 0 000 -11 - 10000 vers 52 - 3. 34000 6400 -8 - 10000 vers 5 4. 0.5 /2 10000000 2 - 10000 vers 65	Playground area clean, shaded, well drained and equipped and fence in good repair	/			
5. 3years of ale -10 - Mindel ver 8 6. 4 K -19 - Mindel ver 8	Pool area clean, fenced, and adequately	_			
7.	maintained Diaper changing stations adequate in number and each fully supplied				
Center Director/Individual	_ Child Care Representative	me	a	314	toper

White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health

12-10-08

Page \_\_\_\_ of \_\_\_\_ MISSISSIPPI STATE DEPARTMENT OF HEALTH **Child Care Encounter** 9-30-91 District Date Name License No. Address enter/Organization/Indivi ades Purpose Director Mileage Start Mileage End esoft County Telephone No. Time In Time Out **Total Time** ρ r Findings/Comments mauch NIL P nap PO P he C Ch Irm Childnen Chal 10 nader CSted Dr g alchen White Copy - Facility File Yellow Copy - Operator  $(\mathbf{m})$ Center Director/Designee/Individual Child Care Representative Department of Health Form M. Ann

Revised 6-24-09

Page 1 of 2

MISSISSIPPI STATE	DEPARTMENT OF HEALTH

Facility Name ENDING	f Child	Care Hub	Program License No.	<b>Revi</b>

**`** 

2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2				Insurance is in effi Approved arrival a Letter of suitabilit Attendance record Current alphabetic Current staff roste Monthly records of Medication record Immunization Records Volunteer records Children records Reports of seriou Communicable di Daily written repor Staff present who Age appropriate pr Required toys pres	Liability Insura ect {Rule 1.4.1 and departure pro- y for staff {Rul is for children a cal roster of children a cal roster of children of fire/disaster d d with date, the cords for Children (attach employ {Rule 1.6.5 & F (attach children s occurences m iseases reporter the provided to p hold valid CP ogram of activitient in infant roce ent in toddler roce	ance or documentar (i) & (j)} rocedures {Rule 1.4 e 1.5.2 & Rule 1.6 nd staff {Rule 1.6.1 ldren (includes date of birth & date of lrills {Rule 1.6.3 (5 <b>me, signature for</b> 1 en and Staff {Rule yee's records form) {1 rade as required {Rule parents for infants and <b>R and First Aid C</b> ties posted in each ties p	tion that paren 4.1 (2)} .4 (1) (f)} 3 (1)} e of birth) {R: <i>hire</i> ) {Rule 1 5)} <b>90 days</b> {Rule 1 6.3 (8)} {Rule 1.6.4} Rule 1.6.7} Rule 1.7.1} le 1.7.3} and toddlers { ertification { room {Subch )} 3)}	.6.3 (3)} e 1.6.3 (6)} Rule 1.7.4} Rule 1.8.1 (4) & (5)}		
2	2. <b>D</b>			Required toys pres	ent preschool ro	oom {Rule 1.10.1 (				
23	<ul> <li>22. Licensed pest control contractor {Rule 1.11.14}</li> <li>23. D Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}</li> <li>24. D Appropriate discipline policy followed {Subchapter 14}</li> </ul>									
				Appropriate trans			napter 15}			
C	omme	ents/	Reco	mmendations _						
_										
_										
_										
	Fail	se to		ued: Regular	Probational	Restricted		Tamiha	Brotono	1,
	Follo	w-up	within	I uujo	Director	Designee	1	Child Care Represen	ntative	
Mississippi State Department of Health White Copy - Facility File Yellow Copy - Operator				Revised 1	2-19-13		Form 2	89		

		y Inspection	
PIMS ID Facility I	Name Address & COINNY HUB	UC 2441 MOUGH 38638	blekil Date 930-20
CRITICAL VIOLATI	ONS	CORRECTION	N PLAN AND SCHEDULE
no Critical Violeu Gited on Zodayis Michility Rec Yan	huna		
□ 92020 Scheduled         □ 92030 Followup         □ 92040 Complaint         □ 92050 Consultation         □ 92070 Plan Review/Const.         □ 92080 No Inspection         □ 92090 Restaurant Training	2010 Permit No Charge 2015 Permit 1 \$30.00 2011 Permit 2 \$100.00 2012 Permit 3 \$150.00 2013 Permit 4 \$200.00	Facility Signature Environmentalist Signature White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmenta	31 auchor

## Mississippi State Department of Health

## **Child Care Licensure Playground Checklist**

Cer	nter N	lame	Ev	olve dearning Hub Laspection Date 9-30-20
YES	s no	N/A		<i>i</i> )
			1.	Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
ď			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
Z			3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
ø	٦,		4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
Ø			5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
ø			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6. pg 16-17)
Þ			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
Ø			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
			10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
			11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14)
				2.5.2, pg 1 & 5.3.8.1, pg 37)
			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35)
Z			13	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3 7 pg 36-37)
			14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46
			15.	& CPSC 2.2.6. pg 6) Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11 11 (1), pg 6)
			16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
₽			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
			18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5. pg 15)
Direct	tor			Licensing Official //MIACL Matcher