



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County GreeneDate 8/31/17Facility Name Union/Greene Head Start CenterLicense Number 21C4IHF-1079Purpose midyearCapacity 99

All Items In Red Are Critical

Qualified director present
 Proper staff to child ratio present
 Room and playground capacity met
 Center capacity met
 License/complaint visible
 Certified food manager

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained
 Vector control maintained
 Water system approved and functioning
 Waste water system approved and functioning
 Food service approved

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name		
Unit C	3s	13	1 Powell
Unit D	4s	17	1 Harrison & Lacey
Unit A	3s	15	1 Shanks & Phillips
Unit B			
5.			
6.			
7.			

Other Items - Must be corrected

Children's belongings separated/stored
 Evacuation plans posted
 Menus posted and served
 Plan of activities

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, ceilings, floors, toys, equipment
 clean and in good repair

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Lighting approved
 Heating/cooling approved
 Ventilation adequate
 Glass approved and shielded
 Telephone on premises, available,
 and functioning

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Electrical outlets protected
 Large appliances located properly
 Sinks and toilets working properly
 Hot water at all sinks, not to
 exceed 120°
 Children barred from kitchen
 Vending machine snacks meet
 nutritional guidelines, if present
 Exits, doors and fastening devices
 single action approved and in good
 working order

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Exits unobstructed
 Required smoke detectors, carbon
 monoxide monitors, fire extinguishers
 and thermometers placed properly and
 in good working order

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

First aid kits stocked and easily accessible

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Playground area clean, shaded, well
 drained and equipped and fence in good
 repair

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Playground equipment meets standards

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Pool area clean, fenced, and adequately
 maintained

In	Out	COS	N/A
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Diaper changing stations adequate in
 number and each fully supplied
 (number 0)

In	Out	COS	N/A
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Center Director/Individual

Shirley D. Phipps

Child Care Representative

Lacey J. Jossaint
Janice Neap

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District VIIIDate 8/31/17Name Union/Greene Head Start Center
37765 Hwy 63 N, Richton, MS 39476Address 601-989-2794 Lic. No.: 1079Director: Elouise Walley

License No. _____

Organization/Individual _____

Purpose mid-yearDirector Shirley Griffin

Mileage Start _____

Mileage End _____

County Greene

Telephone No. _____

Time In 10:05Time Out 12:10

Total Time _____

Findings/Comments

All in compliance. No deficiencies observed.Survey card given to director, Shirley Griffin.

* Jessica Heap & I have spoken w/ Mr. Arvin Albert
Center, facility coordinator about use zones that
need correcting between the rock wall & spring bouncer.
He will have a work order in and it will be corrected
in 30 days.

Shirley Griffin
 Center Director/Designee/Individual

Lindsay Bussaint
 Child Care Representative
Janica

White Copy - Facility File
 Yellow Copy - Operator

Food Service Facility Inspection Results

PIMS ID	Facility Name, Address Union/Greene HSC 37765 Hwy 63 N., Richton, MS 39476	Date 8/31/17
---------	---	-----------------

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

all in compliance.

none required.

11A

<input checked="" type="checkbox"/> 92020 Scheduled <input type="checkbox"/> 92030 Followup <input type="checkbox"/> 92040 Complaint <input type="checkbox"/> 92050 Consultation <input type="checkbox"/> 92070 Plan Review/Const. <input type="checkbox"/> 92080 No Inspection <input type="checkbox"/> 92090 Restaurant Training	<input checked="" type="checkbox"/> 92010 Permit No Charge <input type="checkbox"/> 92015 Permit 1 \$30.00 <input type="checkbox"/> 92011 Permit 2 \$100.00 <input type="checkbox"/> 92012 Permit 3 \$150.00 <input type="checkbox"/> 92013 Permit 4 \$200.00
Permit Date	Environmentalist Code J8P
Please Remit within 10 days to:	

Charlotte Whidden Tummy Safe
Certified Manager Licence Number

Certified Manager

Licence Number

Facility Signature	<i>Shirley Deffen</i>
Environmentalist Signature	<i>Rinse Lonsaint</i>

White Copy - Facility
Yellow Copy - PIMS
Pink Copy- Environmentalist

Child Care Licensure Playground Checklist

Center Name Union Greene Headstart Inspection Date 8/31/17

- | YES | NO | N/A | |
|-------------------------------------|-------------------------------------|-------------------------------------|--|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15) |
| <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
<u>rock climbing wall & double seated spring rocker</u> |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 11. If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 15. Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 49) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 16. Is adequate shade present on the playground? (CPSC 2.1.1, pg 5) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5) |

Director Shirley Coffer Licensing Official Luisa Lousaint
Jessica Neap