

Child Care Facility Inspection

County_Lee	Date_ 2-8-21
Facility Name For Little People Only	
Purpose Ca	pacity37
All Items In Red Are Critical Qualified director present Table Proper staff to child ratio present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities
Room and playground capacity met Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved	Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available, and functioning
Possible Monetary Penalty Monetary Penalty	Electrical outlets protected Large appliances located properly Sinks and toilets working properly Hot water at all sinks, not to
1	exceed 120° Children barred from kitchen Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good
4\$\$\$\$\$\$	working order Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers
1. 7. Caregive 1-2 2. No Children	and thermometers placed properly and in good working order
3. No Children 4.	Playground area clean, shaded, well drained and equipped and fence in good repair
5.	Playground equipment meets standards
6	Pool area clean, fenced, and adequately maintained
Center Director/Individual Some W Seat	Diaper changing stations adequate in number and each fully supplied (number)
White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health 12-10-	Child Care Representative Chart Form No. 281

Form No. 287



Child Care Encounter

TI	Child Care Encounter	
District_		Date 2-8-21
Name FOr	Little People Only License No. 1203	
Address 24	1 Nelle St. Tupelo, MK 3880	
Purpose_PR	Center/Organization/Individual Director Director Seals	
Mileage Start	Mileage End_	
County	in the state of th	573
Time In 2	Time Out 3.45 Total Time	
Findings/Comm	nents Here to conclust a program Penewal and fee must be paid online at while	1. healthoms.com
Eine torm		ector,
010	Sacris.	
	fact hours are du by April 15, 20	
Carnel	Certificate to fy email address	Py Of each
above.	Certificate to the circuit werest	11310
Class-L	as Child in ta in Can die	
Kitchen	- reid an A; NO Critical Violations	
Playmon	d'in Compliance	
Staff	ond children 121's in compliance	
STATI	Loss in Compliance	
director	vided the auestionaire Survey	to the
- Carector	1 sold seas.	
monetary penalty. I result in the doubling	ations may result in a Repeated violations may ng of a monetary penalty, ocation of the license."	
suspension, or revo		
Ronola	Leds Crany Pratt White	e Copy - Facility File
	Designee/Individual Child Care Representative Yellow	e Copy - Facility File w Copy - Operator

Mississippi State Department of Health

Food Service Facility Inspection Results

PIMS ID	Facility Nama Address	AM. A Sala	
	Facility Name, Address For L 1247 Nelle St.	Tupelo, MS	Date 2-97/
CRITICAL VIOLATIONS		CORRECTION PLA	N AND SCHEDULE
-No Crit	ical Violation		
on today	a UISIT.		
	- Company Comp		
Pass			
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection	92010 Permit No Charge 92015 Permit 1 \$30.00 92011 Permit 2 \$100.00 92012 Permit 3 \$150.00 92013 Permit 4 \$200.00	Certified Manager **Tummy So	Licence Number
☐ 92090 Restaurant Training Permit Date	Environmentalist Code	Facility Signature Environmentalist Signature	1x
Please Remit within 10 days to		White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Facility Name For Little People Only License No. 1203 Date 2-8-21

		·
11.		Policies and procedures (Parent's Handbook) {Rule 1.4.1} Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)} Approved arrival and departure procedures {Rule 1.4.1 (2)} Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.3 (1)} Current alphabetical roster of children and staff {Rule 1.6.3 (1)} Current staff roster (includes date of birth & date of birth) {Rule 1.6.3 (2)} Current staff roster (includes date of birth & date of birth) {Rule 1.6.3 (3)} Monthly records of fire/disaster drills {Rule 1.6.3 (5)} Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)} Immunization Records for Children and Staff {Rule 1.6.3 (8)} Personnel records (attach employee's records form) {Rule 1.6.4} Volunteer records (Rule 1.6.5 & Rule 1.6.6) Children records (Rule 1.6.5 & Rule 1.6.6) Children records (attach children's records form) {Rule 1.6.7} Reports of serious occurences made as required {Rule 1.7.1} Communicable diseases reported as required {Rule 1.7.3} Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} Staff present who hold velid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} Required toys present in infant room {Rule 1.10.1 (2)} Required toys present in infant room {Rule 1.10.1 (3)} Required toys present in infant room {Rule 1.10.1 (4)} Licensed pest control contractor {Rule 1.10.1 (4)} Licensed pest control contractor {Rule 1.11.14} Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6} Appropriate discipline policy followed {Subchapter 15} Infant feeding schedules posted (Appendix C, VII) Dommendations
Pass – License to be issued: Regular Probational Restricted Fail		
☐ Follow-up) with	in days flower Designer Child Care Consequenting

Mississippi State Department of Health

Revised 12-19-13

Form 289

Child Care Licensure Playground Checklist

Center Name	or little People Inspection Date 2-8-21
YES NO N/A	· · · · · · · · · · · · · · · · · · ·
YES NO N/A	Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
<u> </u>	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
□ □ ,□ 3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
0 0 0 4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
2 0 0 5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
□ □ □ 6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
0 0 7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
0 0 8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
<u>P</u> 0 0 9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
☐ ☐ ☐ 10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13)
	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35)
0 0 13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36)
D 0 15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 49)
0 0 16.	Is adequate shade present on the playground? (CPSC 2.1.1. pg 5)
<u>d</u> 0 0 17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
d 0 0 18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC
Director forme Ca	Licensing Official Licensing Official