Kindercare Learning Center Llc 15267 Dedeaux Rd 39503 228-832-3123 Lic. No.: 3629

Director: Tammy Keys

Micole Lewis Shelby



Child Care Facility Inspection

County Havison						Date 05 - 27 - 202						
Facility Name License Number 3639												
Purpose Panal Capacity 99												
All Items In Red Are Critical Qualified director present	In 🔀	Out	cos	N/A		Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In 知知知以	Out	cos	N/A		
Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible	10 10 10 10 10 10 10 10 10 10 10 10 10 1]			Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair						
Certified food manager Sanitation Approved Garbage and garbage bins maintained Vector control maintained	A BAB					Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded	XXXXX					
Water system approved and functioning Waste water system approved						Telephone on premises, available, and functioning	\$					
and functioning Food service approved	THE					Electrical outlets protected Large appliances located properly Sinks and toilets working properly	MAN					
Possible Monetary Penalty 1	M \$_	onetar	y Pena	lty		Hot water at all sinks, not to exceed 120° Children barred from kitchen						
3	_ \$_ \$					Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good				A		
4						working order	A					
5						Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and	P					
1.						in good working order	K					
2.						First aid kits stocked and easily accessib	le 🛣					
3. 4.						Playground area clean, shaded, well drained and equipped and fence in good repair	#					
5.						Playground equipment meets standards	4					
6.						Pool area clean, fenced, and adequately maintained				4		
7. L 8.			,			Diaper changing stations adequate in number and each fully supplied (number)	4	-		4-		
Center Director/Individual L	wig		10	0		Child Care Representative	DINC	ubd	eh.	de		



Child Care Encounter

District	Date 05-27-262
NameAddress	Kindercare Learning Center Llc 15267 Dedeaux Rd 39503 228-832-3123 Lic. No.: 3629 Director: Tammy Keys Nicole Lewis Shelby
Purpose	Thore construction
Mileage Start	Mileage End
County	Telephone No
Time In 9:53 Am	Time Out Total Time
Findings/Comments	
Subchapter 8 Dieficiency of Dieficiency of the Sinding of the adjoining adjoining the de adjoining the deal adjoining the	classroom # 2 Stopped Completely on of Classroom # 2 Seawing light (8) the playround unottended alone with not on the play ground with the will be play ground with the the play ground. Lo
In provider 6	
Center Director/Designee/Individua	White Copy - Facility File Yellow Copy - Operator

Mississippi State Department of Health

Revised 6-24-09

Form No. 287



Date 05-27-2021

Facility Name License No. 3629
The provided on Draft intraction and organizate with Children on the play sound, including Draft Ditting while on the play stound.
For Prenewal? Application Fee 333 Menus
a follow up inspection will be conducted to
Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of the license.
Center Director/Designee/Individual Child Care Representative White Copy - Facility File Yellow Copy - Operator

Date 05-27-2021

Director: Tammy Keys





Child Care Program Review License No. 3029

	Yes	No	N/A							
1.	D			Policies and procedures (Parent's Handbook) {Rule 1.4.1}						
2.				Proof of Accident/Liability Insurance or documentation that parent has been notified that no						
				insurance is in effect {Rule 1.4.1 (i) & (j)}						
. 3.	D'			Approved arrival and departure procedures {Rule 1.4.1 (2)}						
4.				Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}						
5.	0			Attendance records for children and staff {Rule 1.6.3 (1)}						
6.	4			Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}						
7.				Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}						
8.	2			Monthly records of fire/disaster drills {Rule 1.6.3 (5)}						
9.	10			Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}						
10	/			Immunization Records for Children and Staff (Rule 1.6.3 (8))						
11	/			Personnel records (attach employee's records form) {Rule 1.6.4}						
	9			Volunteer records {Rule 1.6.5 & Rule 1.6.6}						
	a			Children records (attach children's records form) {Rule 1.6.7}						
	M			Reports of serious occurences made as required {Rule 1.7.1}						
	9			Communicable diseases reported as required {Rule 1.7.3}						
	0			Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}						
	0			Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}						
18	0			Age appropriate program of activities posted in each room {Subchapter 9}						
				Required toys present in infant room {Rule 1.10.1 (2)}						
				Required toys present in toddler room {Rule 1.10.1 (3)}						
				Required toys present preschool room {Rule 1.10.1 (4)}						
-		0		Licensed pest control contractor {Rule 1.11.14} Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}						
		0		Appropriate discipline policy followed {Subchapter 14}						
				Appropriate discipline policy followed {Subchapter 14} Appropriate transportation policy followed {Subchapter 15}						
26										
20	20. 4 1 Infant feeding schedules posted (Appendix C, VII)									
C	Comments/Recommendations									
	Pass	-								
	Lice	nse t	o be i	ssued: Regular Probational Restricted						
4	Fail			January Mark						
Ø	Foll	ow-u	p with	nin days Work was a limited to the state of						
	☐ Director ☐ Designee Child Care Representative									

Food Service Facility Inspection Results

	ility No. 15267 Dedeaux Rd 3950 228-832-3123 Lic. No. Director: Tammy Keys	03 :: 3629		Date 05-27-202
CRITICAL VIOL		Shelly	CTION PLAN AN	DSCHEDULE
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training Permit Date	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00 Environmentalist Code	Certified Manag	re I	Tunny Sabe
Please Remit within 10 days to:		White Copy - Fac Yellow Copy - PII Pink Copy- Enviro	MS	

Child Care Licensure Playground Checklist

Cer	nter l	Name	V	Undervare Inspection Date 05° 27-20
YES	3 140) N/A		(acade ad addressed and accommod
			1.	Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
J			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg. 48)
Ø			3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
D			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
-			5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
D			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
10			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
B			10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
		1	11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13)
H			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35)
		D	13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
-			14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36)
D			15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 49)
T			16.	Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
-0			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
		B	18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)
Direct	or		Vei	Licensing Official Manual S