



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection Report

THE CHRISTIAN MISSION LEARNING CENTER INC., II

License #: 1610

Director: MARY KING

Inspection Date: 09/06/2023

Annual/Mid Inspection

Inspector: Lisa Allen

Program Administration Violations Cited

1. **Out of Compliance:** All staff members have a valid Letter of Suitability on file. (Rule 1.5.2 Page 21)

Plan of Correction

1. **POC:** During the staff record review, it was observed that one staff had an expired letter of suitability on file. According to rule 1.5.2 3a, the letter of suitability is valid for a period of five years from the date of the letter. This caregiver was asked to leave the facility and not return until a valid letter of suitability is on file. The facility has until the timeframe given to submit a current letter of suitability.

Person Responsible: Mrs. King Director **Date for Completion:** September 11, 2023

Kitchen Violations Cited

No violations cited.

Nutritional Guidelines Violations Cited

No violations cited.

Playground Violations Cited

No violations cited.

Infant Classroom Violations Cited

Infants - Classroom Number: 1

1. **Out of Compliance:** Television not permitted in infant classroom. (Rule 1.9.6 Page 42)

Infant Classroom - Classroom Number: 1

1. **POC:** During the classroom inspection, the licensing official observed a television on with the infants placed in front watching. Technical assistance was given on using the television for music only and covering the screen. It was explained that children are not allowed to watch television for this age group. Per Ms. Anderson (director 2) this will be changed today.

Person Responsible: Mrs. King Director **Date for Completion:** September 6, 2023

Toddler Classroom Violations Cited

One Year Olds - Classroom Number: 3

1. **COS:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

Toddler Classroom - Classroom Number: 3

1. **POC:** During this classroom inspection, the licensing official observed that the wall thermometer should be replaced. Ms. Anderson director 2 was able to do this during the inspection.

Person Responsible: Mrs. King Director **Date for Completion:** September 6, 2023

Twos Classroom Violations Cited

Two Year Olds - Classroom Number: 2

No violations cited.

Twos Classroom - Classroom Number: 2

Preschool Classroom Violations Cited

Three Year Olds - Classroom Number: 4

No violations cited.

Preschool Classroom - Classroom Number: 4

Six - Eight Year Olds - Classroom Number: 5

No violations cited.

Preschool Classroom - Classroom Number: 5

Four Year Olds - Classroom Number: 6

No violations cited.

Preschool Classroom - Classroom Number: 6

Legend

- COS: Corrected on Site
- POC: Plan of Correction

Child Care Director Signature

Crystal Anderson

MSDH Licensure Representative Signature

Dwisa
Allen