



**MISSISSIPPI STATE DEPARTMENT OF HEALTH**

# **Child Care Facility Inspection Report**

CROWNS & TIARAS ACADEMY

License #: 6149

Director: CELESTE MAPLES

Inspection Date: 08/12/2021

Annual/Mid Inspection

Inspector: LeKesha Sandifer

---

## **Program Administration Violations Cited**

No violations cited.

## **Kitchen Violations Cited**

No violations cited.

## **Nutritional Guidelines Violations Cited**

No violations cited.

## **Playground Violations Cited**

No violations cited.

## **Infant Classroom Violations Cited**

Infant - Classroom Number: 1

No violations cited.

Infant Classroom - Classroom Number: 1

## **Toddler Classroom Violations Cited**

1 Year Old - Classroom Number: 2

1. **Out of Compliance:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)
2. **COS:** Daily reports are made available for toddlers and include: liquid intake, child's disposition, bowel movements, and eating and sleeping patterns. (Rule 1.7.4 Page 35)

Toddler Classroom - Classroom Number: 2

1. **POC:** While touring facility the facility failed to have thermometers present at the children's height. The director stated she will notify owner to purchase thermometers to be placed on interior of classroom wall at the children's height. This will be monitored by the director daily to ensure compliance.

**Person Responsible:** Owner/Director **Date for Completion:** August 16, 2021

**Twos Classroom Violations Cited**

2 Year Old - Classroom Number: 3

1. **Out of Compliance:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

Twos Classroom - Classroom Number: 3

1. **POC:** While touring facility the facility failed to have thermometers present at the children's height. The director stated she will notify owner to purchase thermometers to be placed on interior of classroom wall at the children's height. This will be monitored by the director daily to ensure compliance.

**Person Responsible:** Owner/director **Date for Completion:** July 16, 2021

**Preschool Classroom Violations Cited**

3 And 4 Year Old - Classroom Number: 5

1. **COS:** Evacuation route is posted in classroom. (Rule 1.4.6(d) Page 18)
2. **Out of Compliance:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

Preschool Classroom - Classroom Number: 5

1. **POC:** While touring facility the facility failed to have thermometers present at the children's height. The director stated she will notify owner to purchase thermometers to be placed on interior of classroom wall at the children's height. This will be monitored by the director daily to ensure compliance.

**Person Responsible:** Owner/director **Date for Completion:** July 16, 2021

**Legend**

- COS: Corrected on Site
- POC: Plan of Correction

**Child Care Director Signature**

*Barbara Jenner*

**MSDH Licensure Representative Signature**

Leksha Sandif