

## MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

County Chickasa W	Date 2-20-20		
Facility Name Barnett's Day care	License Number	51	
D O	<u> </u>		
Tarpose	Capacity		
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	COS N/A
Room and playground capacity met  Center capacity met  License/complaint visible  Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair	20	
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,		
and functioning Food service approved	and functioning  Electrical outlets protected  Large appliances located properly		
Possible Monetary Penalty  Monetary Penalty	Sinks and toilets working properly Hot water at all sinks, not to		
1\$	exceed 120° Children barred from kitchen		
2\$	Vending machine snacks meet nutritional guidelines, if present		
3	Exits, doors and fastening devices single action approved and in good		
4\$	working order	<b>A</b> , 0	
5 \$ Age/Child/Staff Name	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and		
1. 2-3yrs, 6, Caregiver	in good working order		
2.	First aid kits stocked and easily accessible		
<ul><li>3.</li><li>4.</li></ul>	Playground area clean, shaded, well drained and equipped and fence in good repair Not Inspected		пК
5.	Playground equipment meets standards		
6	Pool area clean, fenced, and adequately maintained		
1.100.	Diaper changing stations adequate in number and each fully supplied (number)		
Center Director/Individual	Child Care Representative	Jana	Prec
White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health 12-1	0-08	Forn	n No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

## **Child Care Encounter**

District	2-20-20
Name Barnetts Daycare License No. 145	
Address 147 CR 420 Houlka US 3880	
Purpose Director	
Mileage Start Mileage End	
County Chickasau Telephone No	
Time In 9.50 Time Out 11.80 Total Time_	
	inspection. rector, aid online
All Confact hours were Checked and Completed visit- (CM)	On todays
Staff to Child ratio in Compliance Staff los's and 121's in compliance Children 121's in Compliance Dayground was not inspected due to inclement Weat Kitchen vecid an A, No critical violations.	
T.A. was provided on Subchapter I. Buildings are (Rule 1.11.5(5) Toilets, Urinals, had washing 19 and Sinks Shall be Clean and operational.	d Grouds vatories,
Poc.	
The director, Judy Bornett will replace at and replace the line to the toitet to Keep unteruning. This will be completed by March 20, to prevent from reoccuring the director will in Sinks and toilets in a timely manner to ensure ( Lo will follow up at the facility to ensure con	Sinks er from 2020, replace Compliance, upliance XJEB.
Center Director/Designee/Individual  Child Care Representative  White Copy Yellow Copy  Wellow Copy  White Copy  Yellow Copy  White Copy  Yellow Copy  White Copy  Yellow Copy  The Copy of the Copy o	py - Facility File py - Operator

~	
Page _	of

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

(Continuation)

Facility Name Barnett's Daycare License No. 1481
Questionaire Provided to the director, Judy Barrett.
facility children and Staff were very friendly.
LO rec'd a Copy of updated food Certification to also veid a copy of updated CPP/First Aid:
epeated violations may result in the doubling of a monetary penalty.  Never Director/Designee/Individual Child Care/Representative  Chiss I ad Violations May result in the doubling of a monetary penalty. Suspense,  White Copy - Facility File  Yellow Copy - Operator



Rarnotts Day are Program Review

Facility Name	Barnetts	Daycare	License No	1451	_ Date	0-20
1.	Proof of Acci insurance is in Approved arrium Letter of suita Attendance recommend of the Approved arrium Letter of suita Attendance recommend of the Appropriate Appropriate in Appropria	procedures (Parent's Haddent/Liability Insurance of effect {Rule 1.4.1 (i) & val and departure procedubility for staff {Rule 1.5 coords for children and stabetical roster of children are sterious of children are stated with date, time, so a Records for Children are cords (attach employee's ords {Rule 1.6.5 & Rule ords (attach children's reprious occurences made alle diseases reported as reports provided to parent who hold valid CPR and the program of activities present in infant room { present in toddler room present preschool room control contractor {Rule proof of immunization as discipline policy followed transportation policy for schedules posted (Appendix).	or documentation that particles of the composition	Rule 1.6.3 (2)}  {Rule 1.6.3 (3)}  {Rule 1.6.3 (6)}  }  .6.4}  .7}  .1}  lers {Rule 1.7.4}  tion {Rule 1.8.1 (4)  Subchapter 9}	£) & (5)}	
☐ Fail	o be issued: Reg	Juo	Restricted  Designee	Child Care	MM +	nutt
Mississippi Stat White Copy - Fe	te Department of Hea acility File	lth	Revised 12-19-13	6)		Form 289

Yellow Copy - Operator

## Food Service Facility Inspection Results

PIMS ID Fa	cility Name, Address Para +1 CR 420 Ho	elts Day Care	Date 2-2020
CRITICAL VIO		CORRECTION PLAN A	
	cal Violations 's Visit	CORRECTION PLAN A	ND SCHEDULE
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training Permit Date  Please Remit within 10 days to:	92010 Permit No Charge   92015 Permit 1 \$30.00   92011 Permit 2 \$100.00   92012 Permit 3 \$150.00   92013 Permit 4 \$200.00	Facility Signature  Environmentalist Signature  White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	Licence Number

## Child Care Licensure Playground Checklist

	Center	Nam	ie K	Darnett's Daycare Inspection Date 2-20-2
Y	ES N	O N	/A	
	_			Playground fence less than 3-1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
			1 3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
			4.	AC units, high-voltage cabling wires inaccessible? (Rule 1.11.9 (5), pg 47)
			5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
			10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
			11.	If swings are present, are S-hooks in good repair? If not, state deficiency
			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency
			13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
			14.	Is age-appropriate equipment being and 12 15
	-	-		Is age-appropriate equipment being used? If not, state which pieces are inappropriate  (Rule 1.10.2, pg 36)
<u></u>	Ч		15.	Is playground area clean & free of hazards? If not, state deficiency.
			16.	[s adequate shade present on the playground? (CPSC 2.1.1, pg 5)
			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
			18.	Is wood smooth? Documentation provided that wood has been asset to be a second or the second of the second or the
Direc	tor		Ju	2.5.5)  Cly Barnott Licensing Official Ame Party treated. 7CPSC  inclement Weather the Playground was not  1. (Laining)
* I	Du	0	to	inclement weather the Playgrand was not
	ins	Pe	eter	1. (Kaining)