Kids Konnection Christian Learning Center

111 Industrial Drive Richland, MS 39218 Ph.: 601-939-7429 Lic.: **61CFPFA-5225** Director: Tina Taylor



MISSISSIPPI STATE DEPARTMENT OF HEALTH **Child Care Facility Inspection** License Number Facility Name Capacity Out COS N/A Other Items - Must be corrected ln<sup>-</sup> Children's belongings separated/stored Evacuation plans posted COS N/A Out All Items In Red Are Critical Menus posted and served Oualified director present Plan of activities Proper staff to child ratio present Room and playground capacity met **Building and Grounds** Center capacity met Walls, ceilings, floors, toys, equipment License/complaint visible clean and in good repair Certified food manager Lighting approved Heating/cooling approved **Sanitation Approved** Ventilation adequate Garbage and garbage bins maintained Glass approved and shielded Vector control maintained Telephone on premises, available, Water system approved and functioning and functioning  $\Box$ Waste water system approved and functioning Electrical outlets protected Food service approved Large appliances located properly Sinks and toilets working properly **Possible Monetary Penalty** Hot water at all sinks, not to Monetary Penalty exceed 120° Children barred from kitchen Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order  $\Box$ Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers Age/Child/Staff Name and thermometers placed properly and in good working order First aid kits stocked and easily accessible [1] 2. Playground area clean, shaded, well 3. drained and equipped and fence in good + 4. Playground equipment meets standards 5. Pool area clean, fenced, and adequately 6. maintained Diaper changing stations adequate in number and each fully supplied (number \_\_\_ Child Care Representative Center Director/Individual

12-10-08

Form No. 281

Yellow Copy - Facility Operator

White Copy - Facility File

Mississippi State Department of Health

Mississippi State Department of Health

111 Industrial Drive Richland, MS 39218 Ph.: 601-939-7429

Lic.: 61CFPFA-5225 Director: Tina Taylor

District\_



Date 12.11.2018

Form No. 287



Name\_ License No. Address Center/Organization/Individual Director\_ Mileage Start Mileage End\_ Telephone No. Time Out **Total Time** White Copy - Facility File Yellow Copy - Operator


Child Care Representative

Revised 6-24-09

Kids Konnection Christian Learning Center 111 Industrial Drive

Richland, MS 39218 Ph.: 601-939-7429 Lic.: 61CFPFA-5225 Director: Tina Taylor





 $\begin{array}{c|c}
 & 2 & 2 \\
 & \text{Date} & 2 \cdot | \cdot 20 | 8
\end{array}$ 

Facility Name License No
child care count continued
3/ear.7. caregiver 9
Please submit two week menus and fire form #333 for license renewal before 02/28/2019.
customer survey card provided to mrs. Ting taylor.
"Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of the license"
White Copy - Facility File Yellow Copy - Operator

Form 289

Kids Konnection Christian Learning Center 111 Industrial Drive Richland, MS 39218 Ph.: 601-939-7429 Lic.: 61CFPFA-5225

Mississippi State Department of Health

White Copy - Facility File Yellow Copy - Operator

Director: Tina Taylor



**Child Care Program Review** 

	Child Care Program Review						
Facility Name	-	License No Date 2. 1.208					
1.	s/Rec	Policies and procedures (Parent's Handbook) {Rule 1.4.1} Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)} Approved arrival and departure procedures {Rule 1.4.1 (2)} Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)} Attendance records for children gutegiff {Rule 1.6.3 (1)} Current alphabetical roster of children includes date of birth) {Rule 1.6.3 (2)} Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)} Monthly records of fire/disaster drills {Rule 1.6.3 (8)} Monthly records of fire/disaster drills {Rule 1.6.3 (8)} Monthly records of Includes date of birth & date of hire) {Rule 1.6.3 (6)} Immunization Records for Children and Staff {Rule 1.6.3 (8)} Personnel records (attach employee's records form) {Rule 1.6.4} **Volunteer records (attach employee's records form) {Rule 1.6.7} Reports of serious occurences made as required {Rule 1.7.1} Communicable diseases reported as required {Rule 1.7.3} Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} Age appropriate program of activities posted in each room {Subchapter 9} Required toys present in infant room {Rule 1.10.1 (2)} Required toys present in infant room {Rule 1.10.1 (3)} Required toys present in toddler room {Rule 1.10.1 (4)} Licensed pest control contractor {Rule 1.11.14} Pets present (proof of immunication as required, signed by veterinarian) {Rule 1.12.6} Appropriate transportation policy followed {Subchapter 15} Infant feeding schedules posted (Appendix C, VII)  commendations					
☐ Fail		issued:					

Revised 12-19-13

## **Food Service Facility Inspection Results**

PIMS ID Faci	Rids Konnection Christian Learning 111 Industrial Drive Richland, MS 39218 Ph.: 601-939-7429 Lic.: 61CFPFA-5225 ATIC Director: Tina Taylor		Date   2   20   S		
Observed Critical Violatio					
□ 92020 Scheduled □ 92030 Followup □ 92040 Complaint □ 92050 Consultation □ 92070 Plan Review/Const. □ 92080 No Inspection □ 92090 Restaurant Training Permit Date  Please Remit within 10 days to:	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00  Environmentalist Code	Facility Signate Environmental White Copy - Fa Yellow Copy - P Pink Copy - Environmental	ger I	Licence Number	2016

	ayground Checklist		
	Kids Konnection Christian Learning Center L11 Industrial Drive Richland, MS 39218 Ph.: 601-939-7429 List SCENES 5225		
	Richland, MS 39218  Inspection Date		
Center Name	Ph.: 601-939-7429 Inspection Date		
YES NO N/A	Discrete Tina Taylor		
	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with		
	no gaps? (Rule 1.11.9 (8), pg 60)		
□ □ 2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)		
□ <b>□</b> 3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)  (SMA   U		
m	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)		
-	No standing water present on playground or in/on playground equipment of walkways:		
<b>q</b> 0 0 5.			
п п 6.	(CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)		
ф п п 7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)		
	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing		
П П 9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC		
<u>и</u> и у.	3.4, 3.5, pg 16)  3.4 and there in a dequate? (CPSC 5.3.9, pg 41)		
	3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)		
0 0 11.	If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)		
	505c		
□ 12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35)		
	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)		
13.	heing used? If not state which pieces are improved		
□ □ 14.	Is age-appropriate equipment being used: If not, state 1.10.2, pg 46 & CPSC 2.2.6, pg 6)		
□ <b>□</b> □ 15.	Is playground area clean & free of hazards? If not, state deficiency.  (Rule 1.11.11 (1), pg 61)		
- 46	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)		
□ □ 16.	1 and at least 6" heneath the surface? (Kule 1.10.2 (2), P8 70 W		
	# Description of the second of		
Director 18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg A5)  Licensing Official		
DEGLES			

A supplied to the supplied to