

Praying Handz
654 Simpson Hwy 28 W
Pinola MS 39149
(601) 858-2438 Lic# 6849
Cap. 24



Facility Inspection

County Simpson

Date 3/11/19

Facility Name _____

License Number _____

Purpose Mid Year Inspection

Capacity _____

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	<u>Infant (3)</u>
2.	<u>3/5 (2)</u>
3.	
4.	<u>After schoolers (1)</u>
5.	
6.	
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and <u>thermometers placed properly</u> and in good working order	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Diaper changing stations adequate in number and each fully supplied (number <u>1</u>)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual Leann P. Johnson

Child Care Representative Anthony Slag



MISSISSIPPI STATE DEPARTMENT OF HEALTH

District 5

Name _____

Address _____

Purpose Mid Year Inspection

Mileage Start _____ Mileage End _____

County Simpson

Telephone No. _____

Time In 11:50 Time Out 1:15 Total Time _____

Center/Organization/Individual _____

Director Tearria Johnson

Praying Handz
654 Simpson Hwy 28 W
Pinola MS 39149
(601) 858-2438 Lic# 6849
Cap. 24

Inter _____

Date 3/11/19

License No. _____

Findings/Comments Arrived at the facility met w/ director Tearria Johnson.

Acknowledge reason for today's visit was to conduct MYI, after a tour of the facility, the following violation was observed.

Subchapter Playground Safety Standards

Deficiency: CPSC 3.6 pg. 15 states in part, Sidewalks provide smooth walking surface, no trip hazard.

Finding: LO observed on playground, at the exit door to enter the playground the walking surface is not smooth, pieces are broken which makes it a trip hazard.

POC 1) Replace the concrete

2.) Director

3.) No later than March 25, 2019

Technical assistance was provided on CPSC 3.6(15) Pictures of corrected violation can be faxed, mailed or emailed to LO within 10 days of inspection.

Tearria P. Johnson
Center Director/Designee/Individual

D. Henry Say
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter (Continuation)

Date 3/11/19

Facility Name Praying Handz

License No.

Rule 1.11.8(9) Licensing official observed in afterschoolers classroom, no thermometer in classroom at child height. LO provided TA by explaining that all classrooms shall have a working thermometer in each classroom at child height. Teacher informed administration of missing thermometer, a new thermometer was placed immediately in classroom at child height. This violation was corrected on site on 3/11/19.

Kitchen - "A" issued

Records - Great Keep up the good work

Playground - See encounter

Green survey card was provided

Per conversation w/ director owner Tearra Johnson requesting that her facility capacity be increase from 24 to 36 children upon approval of installed waste water disposal system which will allow facility to increase to 36 children. MS Johnson agree and understand that the increase will also increase the cost of her license from \$150.00 to 200.00. The approval letter (email) was received from Duncan Welch, PE MSDH Division of On-site Wastewater. Copy of email will be placed in file for future reference. Correction will be made in the LARS system by Licensing official and a new updated license will be available to print.

"Class I and II violations may result in a monetary penalty.

Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of the license."

White Copy - Facility File
Yellow Copy - Operator

Jeanie L. Johnson
Center Director/Designee/Individual

Diffany Slay
Child Care Representative

5

Facility Inspection Results

Praying Handz
654 Simpson Hwy 28 W
Pinola MS 39149
(601) 858-2438 Lic# 6849
Cap. 24

Date

3/11/19

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

No critical violations
during this visit

A issued

- ☒ 92020 Scheduled
- ☐ 92030 Followup
- ☐ 92040 Complaint
- ☐ 92050 Consultation
- ☐ 92070 Plan Review/Const.
- ☐ 92080 No Inspection
- ☐ 92090 Restaurant Training

- ☐ 92010 Permit No Charge
- ☐ 92015 Permit 1 \$30.00
- ☐ 92011 Permit 2 \$100.00
- ☐ 92012 Permit 3 \$150.00
- ☐ 92013 Permit 4 \$200.00

Permit Date

Environmentalism Code

Please Remit within 10 days to:

TERRIA JOHNSON
Certified Manager

6849
Licence Number

Facility Signature

Environmentalism Signature

White Copy - Facility
Yellow Copy - PIMS
Pink Copy - Environmentalism

Praying Handz
654 Simpson Hwy 28 W
Pinola MS 39149
(601) 858-2438 Lic# 6849
Cap. 24

Ensure Playground Checklist

6

Inspection Date 3/11/19

~~YES~~ NO N/A

- | | | | | |
|-------------------------------------|-------------------------------------|-------------------------------------|-----|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1. | Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 2. | 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 3. | Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8) |
| <hr/> | | | | |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 4. | AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 5. | No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 6. | Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36) |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 7. | Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 8. | All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 9. | Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 10. | Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40) |
| <hr/> | | | | |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 11. | If swings are present, are S-hooks in good repair? If not, state deficiency
(CPSC 3.2, pg13) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 12. | If slide is present, is exit height/exit zone adequate? If not, state deficiency
(CPSC 5.3.6.4-5 pgs 34-35) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 13. | Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 14. | Is age-appropriate equipment being used? If not, state which pieces are inappropriate
(Rule 1.10.2, pg 36) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 15. | Is playground area clean & free of hazards? If not, state deficiency.
(Rule 1.11.11 (1), pg 49) |
| <hr/> | | | | |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 16. | Is adequate shade present on the playground? (CPSC 2.1.1, pg 5) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 17. | Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 18. | Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5) |

Director

Jeannine P. John

Licensing Official

Tiffany Gray