



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 5Date 10/23/2019Name MADISON PRE-SCHOOLLicense No. 45CFPFA-6794Address 45CFPFA-6794
107 HOMESTEAD DRIVE
MADISON MS 39110

Center/Organization/Individual

Purpose 601-260-7877

Director

Midyear Technical AssistanceAnshika Singh, April Hartfield, Jazman Turner

Mileage Start

Mileage End

County MadisonTelephone No. 601 260-7877Time In 9:28amTime Out 11:45am

Total Time

Findings/Comments Upon arrival, MSDH licensing official Tonya Brager met with Director Designees, April Hartfield and Jazman Turner. The purpose of the visit was acknowledged and the following observations were made: Please note, Owner/Director Anshika Singh arrived at approx. 9:35am.

- No critical violations were observed regarding the building facility and grounds.
- Technical assistance was provided regarding the hot water temperatures for the Creeper room handwashing/diaper sink (hot water was delayed in warming) and the After-school restrooms (the hot water may have reached temps over 120°).
Recommendation were made to Director #1 to monitor and adjust the water temps. as needed. (Subchapter II, Rule 1.11.5(4))

- No critical violations were observed regarding the facility Kitchen/meal prep area.

- Staff records: The facility will have 14 days to provide verification of a valid FBI LOS for one (1) staff and two Form 1211s for two (2) staff.
See Form 289.

- Children's records: All observed child Form 1211s were compliant with MSDH regulatory guidelines

- A green survey card and MSDH contact information was provided to Director #1
Class I and Class II violations may result in a monetary penalty. Repeated violations may result in the doubling of monetary penalties, suspension, or revocation of the license.

Anshika Singh
Center Director/Designee/Individual

[Signature]
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter (Continuation)

Date 10/23/2019

Facility Name _____ License No. # 6794

Subchapter 12: Health, Hygiene, and Safety

Rule 1.12.2 (1-2), states, (2) A child having a serious contagious condition shall not be allowed to return to the child care facility until they have been certified by a physician to be no longer contagious. 3) Parents of all children shall be notified of a contagious illness in the child care facility as soon as possible.

Findings: Per facility self report by Director #1, the Young One year old room has (6) six children absent due to a possible stomach virus. Per Director #1, the facility has not been provided any definitive information regarding the illness but will require a doctor's return notice for each child upon their return to the facility.

Technical assistance provided regarding the reporting of communicable diseases present in the facility to MSDH eCL and the parents of the facility.

Information regarding additional technical assistance from the Office of Epidemiology and local Epi nurse (for 5 or more cases) will be provided to Director #1.

See Appendix I - Communicable Diseases and Return to Child Care Guidelines

Philip S.

Center Director/Designee/Individual

YB

Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

Madison

MADISON PRE-SCHOOL

County 45CFPFA-6794

107 HOMESTEAD DRIVE

Facility Name MADISON MS 39110

601-260-7877

Date 10/23/2019

License Number 45CFPFA-6794

Purpose

Capacity

179

Midyear Technical Assistance

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	☒	☐	☐	☐
Proper staff to child ratio present	☒	☐	☐	☐
Room and playground capacity met	☒	☐	☐	☐
Center capacity met	☒	☐	☐	☐
License/complaint visible	☒	☐	☐	☐
Certified food manager	☒	☐	☐	☐

Sanitation Approved

Garbage and garbage bins maintained	☒	☐	☐	☐
Vector control maintained	☒	☐	☐	☐
Water system approved and functioning	☒	☐	☐	☐
Waste water system approved and functioning	☒	☐	☐	☐
Food service approved	☒	☐	☐	☐

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	Infant 1 9 Caregivers #1, #2
2.	Creeper 1 10 Caregivers #3, #4
3.	Young Yr 1 11 Caregivers #5, #6
4.	Older Yr-3yr 1 16 Caregivers #7, #8 (D.D. Day)
5.	Older Yrs 1 16 Caregivers #9, #10
6.	3yrs 1 14 Caregiver #11 (Designee)
7.	Old Yr 1 16 Caregivers #12, #13

* 8. 4yrs 1 8 | Caregiver #14

Center Director/Individual

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	☒	☐	☐	☐
Evacuation plans posted	☒	☐	☐	☐
Menus posted and served	☒	☐	☐	☐
Plan of activities	☒	☐	☐	☐

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	☒	☐	☐	☐
Lighting approved	☒	☐	☐	☐
Heating/cooling approved	☒	☐	☐	☐
Ventilation adequate	☒	☐	☐	☐
Glass approved and shielded	☒	☐	☐	☐
Telephone on premises, available, and functioning	☒	☐	☐	☐
Electrical outlets protected	☒	☐	☐	☐
Large appliances located properly	☒	☐	☐	☐
Sinks and toilets working properly	☒	☐	☐	☐
Hot water at all sinks, not to exceed 120° (TA) (Afterschool ne)	☒	☐	☐	☐
Children barred from kitchen	☒	☐	☐	☐
Vending machine snacks meet nutritional guidelines, if present	☐	☐	☐	☒
Exits, doors and fastening devices single action approved and in good working order	☒	☐	☐	☐
Exits unobstructed	☒	☐	☐	☐
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	☒	☐	☐	☐
First aid kits stocked and easily accessible	☒	☐	☐	☐
Playground area clean, shaded, well drained and equipped and fence in good repair	☒	☐	☐	☐
Playground equipment meets standards	☒	☐	☐	☐
Pool area clean, fenced, and adequately maintained	☐	☐	☐	☒
Diaper changing stations adequate in number and each fully supplied (number 4)	☒	☐	☐	☐

Child Care Representative

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281

Please note: 4mng 4yrs 10lder 4yrs on field trip - 8 children traveled by facility van, 14 car riders per Director #1.

Food Service Facility Inspection Results

MADISON PRE-SCHOOL

45CFPFA-6794

107 HOMESTEAD DRIVE

MADISON MS 39110

601-260-7877

PIMS ID

Facility Name, Address

Date

10/23/2019

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

- No critical violations were observed regarding the facility kitchen area.
- Menu substitutions were observed during the inspection.
Recommendations for general organization and cleaning of the pantry area. Also, TA provided regard expiration of the Food Managers Certificate (Turning Sale).
- Letter grade "A" rec'd.

- ☐ 92020 Scheduled
- ☐ 92030 Followup
- ☐ 92040 Complaint
- ☐ 92050 Consultation
- ☐ 92070 Plan Review/Const.
- ☐ 92080 No Inspection
- ☐ 92090 Restaurant Training

- ☐ 92010 Permit No Charge
- ☐ 92015 Permit 1 \$30.00
- ☐ 92011 Permit 2 \$100.00
- ☐ 92012 Permit 3 \$150.00
- ☐ 92013 Permit 4 \$200.00

Permit Date

Environmental Code

TB, DS

Please Remit within 10 days to:

Anshika Singh
Certified Manager

Turning Sale
Licence Number

Exp. 01/30/2020

Facility Signature

Environmental Signature

White Copy - Facility
Yellow Copy - PIMS
Pink Copy - Environmentalist

Child Care Licensure Playground Checklist

MADISON PRE-SCHOOL
45CFPFA-6794

Inspection Date 10/23/2019

Center Name _____

107 HOMESTEAD DRIVE
MADISON MS 39110

601-260-7877

YES NO N/A

☒ ☐ ☐ 1.

Playground surface is in good repair, with no gaps? (Rule 1.11.9 (8), pg 48)

☒ ☐ ☐ 2.

2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)

☒ ☐ ☐ 3.

Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)

Unitary surfacing

☒ ☐ ☐ 4.

AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)

☒ ☐ ☐ 5.

No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)

☒ ☐ ☐ 6.

Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)

☒ ☐ ☐ 7.

Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)

☒ ☐ ☐ 8.

All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)

☒ ☐ ☐ 9.

Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)

☒ ☐ ☐ 10.

Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)

☐ ☐ ☒ 11.

If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 1)

☒ ☐ ☐ 12.

If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-3)

☐ ☐ ☒ 13.

Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)

☒ ☐ ☐ 14.

Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 1)

☒ ☐ ☐ 15.

Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 1)

☒ ☐ ☐ 16.

Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)

☒ ☐ ☐ 17.

Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)

☒ ☐ ☐ 18.

Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)

Director [Signature]

Licensing Official [Signature]

Please note: Per Director #1, due to the damage cause by sever weather. the wooden support postings on the playground area were re-enforced with additional beams. This repair was observed by MDSH LO during the inspection.