



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County Lighthouse LakeDate 1-14-20Facility Name LighthouseLicense Number 7201Purpose RenewalCapacity 92

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	
2.	
3.	
4.	
5.	
6.	
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Diaper changing stations adequate in number and each fully supplied (number <u>5</u>)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual

Child Care Representative

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH


Child Care Encounter

District 6Date 1-14-20

Name <u>Light house Learning Center</u>	License No. <u>7201</u>
Address <u>211 East Main Carthage MS</u> Center/Organization/Individual	
Purpose <u>Renewal</u>	Director <u>Felicia Chipky</u>
Mileage Start _____	Mileage End _____
County <u>Leake</u>	Telephone No. <u>601-464-8373</u>
Time In <u>9:30</u>	Time Out _____ Total Time _____

Findings/Comments During the facility review 1 staff was found without a letter of suitability. The staff was not left alone with children. Please submit to licensing official within 14 days. This staff has not official started at the facility. The staff started coming in on Jan. 7, 2020 to volunteer until the letter of suitability comes in from the finger print office.

A survey was given to the director.
Please submit letter of suitability, ~~12~~, ~~menus~~, fire form


Center Director/Designee/Individual


Child Care Representative

White Copy - Facility File
Yellow Copy - Operator

Food Service Facility Inspection Results

PIMS ID 7201	Facility Name, Address Felicity Chipky (Lighthouse)	Date 1-14-20
-----------------	--	-----------------


CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

<p>NO violations observed during this inspection</p> <p>Expires 9-25-15 9-25-20</p>	
---	--

<input type="checkbox"/> 92020 Scheduled <input type="checkbox"/> 92030 Followup <input type="checkbox"/> 92040 Complaint <input type="checkbox"/> 92050 Consultation <input type="checkbox"/> 92070 Plan Review/Const. <input type="checkbox"/> 92080 No Inspection <input type="checkbox"/> 92090 Restaurant Training	<input type="checkbox"/> 92010 Permit No Charge <input type="checkbox"/> 92015 Permit 1 \$30.00 <input type="checkbox"/> 92011 Permit 2 \$100.00 <input type="checkbox"/> 92012 Permit 3 \$150.00 <input type="checkbox"/> 92013 Permit 4 \$200.00
Permit Date	Environmental Code
Please Remit within 10 days to:	

Felicity Chipky Tummy Safe
 Certified Manager Licence Number

Facility Signature 
Environmental Signature <u>Mike Boren</u>

White Copy - Facility
 Yellow Copy - PIMS
 Pink Copy - Environmentalist



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Facility Name Light house License No. 7201 Date 1-14-20

	Yes	No	N/A	
1.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Policies and procedures (Parent's Handbook) {Rule 1.4.1}
2.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)}
3.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Approved arrival and departure procedures {Rule 1.4.1 (2)}
4.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
5.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Attendance records for children and staff {Rule 1.6.3 (1)}
6.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
7.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}
8.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
9.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}
10.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Immunization Records for Children and Staff {Rule 1.6.3 (8)}
11.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Personnel records (attach employee's records form) {Rule 1.6.4}
12.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Volunteer records {Rule 1.6.5 & Rule 1.6.6}
13.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Children records (attach children's records form) {Rule 1.6.7}
14.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Reports of serious occurrences made as required {Rule 1.7.1}
15.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Communicable diseases reported as required {Rule 1.7.3}
16.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
17.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}
18.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Age appropriate program of activities posted in each room {Subchapter 9}
19.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Required toys present in infant room {Rule 1.10.1 (2)}
20.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Required toys present in toddler room {Rule 1.10.1 (3)}
21.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Required toys present preschool room {Rule 1.10.1 (4)}
22.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Licensed pest control contractor {Rule 1.11.14}
23.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}
24.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Appropriate discipline policy followed {Subchapter 14}
25.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Appropriate transportation policy followed {Subchapter 15}
26.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Infant feeding schedules posted (Appendix C, VII)

Comments/Recommendations _____

☐ Pass –
 License to be issued: ☐ Regular ☐ Probational ☐ Restricted
☐ Fail
☐ Follow-up within _____ days

☒ Director ☐ Designee

M. Burch
 Child Care Representative

Child Care Licensure Playground Checklist

Center Name Lighthouse Learning Inspection Date 1-14-20

YES NO N/A

- ☒ ☐ ☐ 1 Playground fence less than 3 1/2" from surface (Rule 1119 (8) pg 48) In good repair, with no gaps? (Rule 1119 (8) pg 48)
- ☒ ☐ ☐ 2 2 entrances/exits, with one being remote from the building? (Rule 1119 (8) pg 48)
- ☒ ☐ ☐ 3 Is surfacing adequate? If not, where is it inadequate? (CPSC 2 4 2 pg 8)
- ☒ ☐ ☐ 4 AC units, high-voltage cabling/wires inaccessible? (Rule 1119 (5) pg 47)
- ☒ ☐ ☐ 5 No standing water present on playground or in/on playground equipment or walkways? (CPSC 2 4 2 2-5 pg 10)
- ☒ ☐ ☐ 6 Toys & equipment in good repair? (none broken/deteriorating) (Rule 1102 (2) pg 36)
- ☒ ☐ ☐ 7 Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3 6 pg 15)
- ☒ ☐ ☐ 8 All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1119 (5) pg 47)
- ☒ ☐ ☐ 9 Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3 4, 3 5, pg 15)
- ☒ ☐ ☐ 10 Are use zones adequate? If not, where are they inadequate? (CPSC 5 3 9 pg 40)
- ☐ ☐ ☒ 11 If swings are present, are S-hooks in good repair? If not, state deficiency _____ (CPSC 3 2 pg 13)
- ☒ ☐ ☐ 12 If slide is present, is exit height/exit zone adequate? If not, state deficiency _____ (CPSC 5 3 6 4-5 pgs 34-35)
- ☒ ☐ ☐ 13 Are spring rockers a minimum of 6 ft. apart? (ASTM 9 5.1 2 pg 15)
- ☒ ☐ ☐ 14 Is age-appropriate equipment being used? If not, state which pieces are inappropriate _____ (Rule 1102, pg 36)
- ☒ ☐ ☐ 15 Is playground area clean & free of hazards? If not, state deficiency _____ (Rule 1111 (1) pg 49)
- ☒ ☐ ☐ 16 Is adequate shade present on the playground? (CPSC 2 1 1 pg 5)
- ☒ ☐ ☐ 17 Are concrete footings located at least 6" beneath the surface? (Rule 1102 (2) pg 36)
- ☒ ☐ ☐ 18 Is wood smooth? Documentation provided that wood has been properly treated (CPSC 2 5 5)

Director _____

Licensing Official _____

Min Brun