



## MISSISSIPPI STATE DEPARTMENT OF HEALTH

# Child Care Facility Inspection Report

TIKES 2 TOTS FAMILY CHILDCARE

License #: 5893

Director: KIMBERLY LANGSTON

Inspection Date: 08/23/2021

Annual/Mid Inspection

Inspector: Jemeria Davis

### Program Administration Violations Cited

1. **Out of Compliance:** All required facility records are present and up-to-date: (1) child and employee attendance records, (2) alphabetical roster of children, (3) alphabetical roster of staff and volunteers, (4) current license, (5) records of monthly fire /disaster drills, (6) medication log, (7) volunteer log, (8) notebook of 121 forms for staff members and children w/roster, (9) notebook with Letters of Suitability for all employees w/roster. (Rule 1.6.3 Page 29)
2. **Out of Compliance:** All vehicles have current licenses and registrations. (Rule 1.15.2 Page 75)

#### Plan of Correction

1. **POC:** Director will submit 2 staff MSDH 121 Form immediately.  
**Person Responsible:** Director **Date for Completion:** 8/25/2021
2. **POC:** The director stated the facility has not utilized the van recently. Up to date inspection sticker will be submitted immediately.  
**Person Responsible:** Director **Date for Completion:** 8/25/2021

### Kitchen Violations Cited

No violations cited.

### Nutritional Guidelines Violations Cited

No violations cited.

### Playground Violations Cited

No violations cited.

## Infant Classroom Violations Cited

### Infants - Classroom Number: 5

1. **Out of Compliance:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

### Infant Classroom - Classroom Number: 5

1. **POC:** Director will be sure to place thermometers on classroom walls throughout the facility at the tallest child height level in each room.  
**Person Responsible:** Director **Date for Completion:** 8/25/2021

## Toddler Classroom Violations Cited

### 1 Year Olds - Classroom Number: 1

1. **Out of Compliance:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

### Toddler Classroom - Classroom Number: 1

1. **POC:** Director will be sure to place thermometers on classroom walls throughout the facility at the tallest child height level in each room.  
**Person Responsible:** Director **Date for Completion:** 8/25/2021

## Preschool Classroom Violations Cited

### 3 And 4 Year Olds - Classroom Number: 3

1. **Out of Compliance:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

### Preschool Classroom - Classroom Number: 3

1. **POC:** Director will be sure to place thermometers on classroom walls throughout the facility at the tallest child height level in each room.  
**Person Responsible:** Director **Date for Completion:** 8/25/2021

### 3 And 4 Year Olds - Classroom Number: 4

1. **Out of Compliance:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

### Preschool Classroom - Classroom Number: 4

1. **POC:** Director will be sure to place thermometers on classroom walls throughout the facility at the tallest child height level in each room.  
**Person Responsible:** Director **Date for Completion:** 8/25/2021

## Legend

- COS: Corrected on Site
- POC: Plan of Correction

**Child Care Director Signature**

A handwritten signature in black ink, appearing to read "Kampt", written in a cursive style.

**MSDH Licensure Representative Signature**

A handwritten signature in black ink, appearing to read "Joan S", written in a cursive style.A handwritten signature in black ink, appearing to read "Alyda E", written in a cursive style.