1635 BOLING ST, Jackson, MS 39213 Lic. 25CFPFA-1314 P. 601-366-0123 Attn: RASHEEDAH HOLMES



pg. 1

MISSISSIPPI STATE DEPARTMENT OF HEALTH

**\_hild** Care Facility Inspection

County_HMdS		Date 1 0 2020			
Facility Name		License Number			
Purpose KM LWM / TA	Cap	pacity 246			
All Items In Red Are Critical Qualified director present	N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	cos	<b>N/A</b>
Proper staff to child ratio present  Room and playground capacity met  Center capacity met  License/complaint visible		Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair			
Certified food manager  Sanitation Approved  Garbage and garbage bins maintained  Vector control maintained		Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,	GERGE		
Water system approved and functioning  Waste water system approved and functioning  Food service approved		and functioning  Electrical outlets protected  Large appliances located properly  Sinks and toilets working properly	0000		
Possible Monetary Penalty  Monetary Penalty  S	<b>y</b>	Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet			
2\$		nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order			
Age/Child/Staff Name - NO	Children	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	M 0		
1. Class 1. 24r. 2 CG		First aid kits stocked and easily accessib  Playground area clean, shaded, well	le 🗹 🗆		
4. 0. 3. 106		drained and equipped and fence in good repair SU WWW.  Playground equipment meets standards			
5. 5 · C · 3/4 · 2 · C · 6. 6 · A · Hyr. 2 · C · G		Pool area clean, fenced, and adequately maintained			□
11 Byr 2 CG	0	Diaper changing stations adequate in number and each fully supplied (number)  Child Care Representative			El
White Copy - Facility File  Yellow Copy - Facility Operator	or	Ciliu Care Representative	ga		

WILLOWOOD DEVELOPMENTAL CENTER

1635 BOLING ST, Jackson, MS 39213 Lic. 25CFPFA-1314 P. 601-366-0123

Attn: RASHEEDAH HOLMES

M	ISSISSIPPI S	STATE DEPARTM	NT OF HEAI	<u>итн</u>
Child	Care	<b>Facility</b>	Inspe	ection
			Date	1.6.2020

County HMAS	Date
Facility Name	License Number
Purpose KMWu / TA Caj	pacity_ 240
All Items In Red Are Critical  Qualified director present  Proper staff to child ratio present  Qualified director present  Qualified director present  Qualified director present  Qualified director present	Other Items - Must be corrected
Room and playground capacity met  Center capacity met  License/complaint visible  Certified food manager	Building and Grounds  Walls, ceilings, floors, toys, equipment clean and in good repair
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved Waste water system approved	Heating/cooling approved  Ventilation adequate  Glass approved and shielded  Telephone on premises, a vailable, and functioning
and functioning Food service approved  Possible Monetary Penalty	Electrical outlets protected  Large appliances located properly  Sinks and toilets working properly  Hot water at all sinks, not to
1	exceed 120°  Children barred from kitchen  Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order
5. Continue for count  Age/Child/Staff Name	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed/properly and in good working order
2. 12-44,-2,66	First aid kits stocked and easily accessible   Playground area clean, shaded, well
3. 3. 3. 3. 3. 4. 5. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3. 3.	drained and equipped and fence in good repair
6. Infunts - 3 CG	Pool area clean, fenced, and adequately maintained
Center Director/Individual Toblesdah Helu	Diaper changing stations adequate in number and each fully supplied (number)

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281

1635 BOLING ST, Jackson, MS 39213 Lic. 25CFPFA-1314 P. 601-366-0123

Attn: RASHEEDAH HOLMES



## Child Care Encounter

5	Child Care Encounter	1.10. 2000
District		Date
Name	License No	
Address		
1	Center/Organization/Individual	
Purpose	Director	
Mileage Start	Mileage End	——————————————————————————————————————
County JIMS	Telephone No	
Time In 8:01 a.m.	Time Out 10: 25 9.M. Total Tim	e
Findings/Comments 1001 ( Kasnedah Holme	irrival the LD. Met With	1 the alrector
The owness of and to provide	the visit is to conduct	a renewal inspection
During the Walk throw Subschaffer II Bu Deficiency: Bule	in of the facility the co-obs in dising and Grounds. 1.11.8(2) States in Dai	Served the following:
Dy Children She Homaintain the Hindings: Based	required temperation	The Lo-notice
no heat in class.	room 6 and 7 at the	+AGI, ty
LD. 18ff a green	Survey card with the	director Rasheedah
- What each abbreviation stands for: LO- (Licensing Official) POC- (Plan of Correction) TA- (Technical Assistance) CQS- (Corrected on Site)	Helpful Hints: mc Renewal Process see form: Re #289 do	ss I II violations may result in a onetary penalty. peated violations may result in the ubling of a monetary penalty, spension or revocation of license.
Amuedah tolk Center Director/Designee/Individual	Child Care Representative	White Copy - Facility File Yellow Copy - Operator

Lic. 25CFPFA-1314 P. 601-366-0123

Attn: RASHEEDAH HOLMES

Child Care Encounter (Continuation)

 $Page \frac{2}{2} of \frac{2}{2}$ Date  $\frac{1.6.2020}{1.6.2020}$ 

Facility Name	License No
200	Was his
Y.O.C Plan of a	rection
1. What measures will you put into place to	Trector Stated that the neatwas looked at
correct the violation and how will you prevent	onthe last day of school, And thata
recurrence of the violation?  2. Who will be responsible for monitoring	Ourt had to be ordered. The company
violation from recurrence?	Stiffed that the part would be back o
3. What is the date of completion?	on May, once it comes in mat
Men schedule +	o come on today's date 1.6.2020
to art it correct	ed. TA WAS Orowed With Phailing
once corrections	are made a follow up visit will be
Com an Md. If	not compressed when the children
THAMMS GON HON	norrow date, the W. encourage the
director to Mor	ve the children and Staff to
apother souce	and no also remain in stiff to child
VILLIO DIVICTOR SHIP	ryd mat the part come in early, but due to
Halin Deng Close f	or christmas, the correction could not be made
5th fit Courned o	n today, but Children Will Veturn buck
on tomorrow 1.	1.2020
3	
A	
Toplan laboral	Andre Etter White Copy - Facility File Yellow Copy - Operator
Carton Director/Designed/Individual	Child Chro Representative Yellow Copy - Operator



#### **Child Care Program Review**

Facility Name		License No Date 1.6.202
Yes / No	N/A	
1 0/0		Policies and procedures (Parent's Handbook) {Rule 1.4.1}
2. 0	_	Proof of Accident/Liability Insurance or documentation that parent has been notified that no
	_	insurance is in effect {Rule 1.4.1 (i) & (j)}
3.		Approved arrival and departure procedures {Rule 1.4.1 (2)}
4.		Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
5.		Attendance records for children and staff {Rule 1.6.3 (1)}
6.		Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
7. 🕠 🗆		Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}
8. 🔰 🗖		Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
9. 🗖 🗖	7	
10.		Immunization Records for Children and Staff {Rule 1.6.3 (8)}
11.		Personnel records (attach employee's records form) {Rule 1.6.4}
12.		Volunteer records {Rule 1.6.5 & Rule 1.6.6}
13.		Children records (attach children's records form) {Rule 1.6.7} Reports of serious occurences made as required {Rule 1.7.1}
14.		Communicable diseases reported as required {Rule 1.7.1}
16.		Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
17. 17.	ŏ	Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}
18. 🖫	ū	Age appropriate program of activities posted in each room {Subchapter 9}
19.	<u> </u>	Required toys present in infant room {Rule 1.10.1 (2)}
20.		Required toys present in toddler room {Rule 1.10.1 (3)}
21. 4	ā	Required toys present preschool room {Rule 1.10.1 (4)}
22. 🗓 🗖		Licensed pest control contractor {Rule 1.11.14}
23. 🗖 🔎		Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}
24.	à	Appropriate discipline policy followed {Subchapter 14}
25.		Appropriate transportation policy followed {Subchapter 15}
26.		Infant feeding schedules posted (Appendix C, VII)
Comment	s/Rec	commendations Go online to www.healthyms.com
		to complete your online application
		and pay fees and print your license on
		and pay fees and print your license on or before 531.2020, to avoid late
		fees and reinstatement fees.  Please submit the following for your
		renewal process: Fire Form
		2, 4, or 6 weeks menus
		Zoning Letter (Hinds County Only)
		Other contact hours
□ Pass –		
License	to he	issued: Regular Probational Restricted
□ Fail	.0 00	(Kad) O a aled
□ Follow-	up wit	hin days Donledon Holle Tollage
	F	Director Designee Child Cope Representative

## Food Service Facility Inspection Results

	Lity Nat WILLOWOOD DEVELO CENTER 1635 BOLING ST, Jack ATION Attn: RASHEFDAH HO	Date 1, 6, 2020	
No Critical Observed or Visit.	VII A Lianc	ILMES	TION PLAN AND SCHEDULE
<u>a</u>	1	Total Co	A-
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training  Permit Date	92010 Permit No Charge   92015 Permit 1 \$30.00   92011 Permit 2 \$100.00   92012 Permit 3 \$150.00   92013 Permit 4 \$200.00      Environmentalist Code	Facility Signature Environmentalist	Signature
Please Remit within 10 days to:		White Copy - Faci Yellow Copy - PIN Pink Copy- Enviro	4S

WILLOWOOD DEVELOPMENTAL

**CENTER** 

1635 BOLING ST, Jackson, MS 39213

Lic. 25CFPFA-1314 P. 601-366-0123

### Child Care Licensure Playground Checklist Attn: RASHEEDAH HOLMES

Child Care Licensure 1 127 g
Inspection Date 1.6.2020
Center Name
Center Name  YES NO N/A  Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with  Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60)
Playground fence less than 3 72 Homestern Playground fence less than 3 7
no gaps? (Rule 1.11.9 (0), Ps of
□ □ 2. 2 entrances/exits, with one being remote real and a contract of the co
3. Is surfacing adequates = 1.1.2 (5) mg 50)
AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)  AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
areast on playground of infoir play 8
No standing water present on party (1.11.11 (4), pg 61)  (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)  (CPSC 2.4.2.2(5), pg 10 & repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
Toys & equipment in good repair.  Toys &
Sidewalks provide smooth warking surface to the Areal holts and fencing
fence <2 threads beyond the nut: Ato an equipment & fence <2 threads beyond the nut: Ato an equipment & fence <2 threads beyond the nut: Ato an equipment & fence <2 threads beyond the nut: Ato an equipment & fence <2 threads beyond the nut: Ato an equipment & fence <2 threads beyond the nut: Ato an equipment & fence <2 threads beyond the nut: Ato an equipment & fence <2 threads beyond the nut: Ato an equipment & fence <2 threads beyond the nut: Ato an equipment & fence <2 threads beyond the nut: Ato an equipment & fence <2 threads beyond the nut: Ato an equipment & fence <2 threads beyond the nut: Ato an equipment & fence <2 threads beyond the nut: Ato an equipment & fence <2 threads beyond the nut: Ato an equipment & fence <1 threads beyond the nut: Ato an equipment & fence <1 threads beyond the nut: Ato an equipment & fence <1 threads beyond the nut: Ato an equipment & fence <1 threads beyond the nut: Ato an equipment & fence <1 threads beyond the nut: Ato an equipment & fence <1 threads beyond the nut: Ato an equipment & fence <1 threads beyond the nut: Ato an equipment & fence <1 threads beyond the nut: Ato an equipment & fence <1 threads beyond the nut: Ato an equipment & fence <1 threads beyond the nut: Ato an equipment & fence <1 threads beyond the nut: Ato an equipment & fence <1 threads beyond the nut: Ato an equipment & fence <1 threads beyond the nut: Ato an equipment & fence <1 threads beyond the nut: Ato an equipment & fence <1 threads beyond the nut: Ato an equipment & fence <1 threads beyond the nut: Ato an equipment & fence <1 threads beyond the nut: Ato an equipment & fence <1 threads beyond the nut: Ato an equipment & fence <1 threads beyond the nut: Ato an equipment & fence <1 threads & fence <
All bolts on equipment & fence <2 threads beyond the litt: 110 displayers from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) twists/wires facing a
1 17 above thay surration.
Tree limbs at least 711. above products of the state of t
□ □ 10. Are use zones adequate? If neg
☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐
\$.J.\$, po
☐ ☐ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency  (CPSC 5.3.6.4-5 pgs 34-3)
T D 12. If slide is present, is exit height/exit zone adequate? If not, state denoted (CPSC5.3.6.4-5 pgs 34-3)
12 (4STM 0 5 1-2 & CPSC J.J.7. P8 30 47
Are spring rockers a minimum of 6 ft. apart? (ASTM 7.3.772)  Are spring rockers a minimum of 6 ft. apart? (ASTM 7.3.772)  (Rule 1.10.2, pg  & CPSC 2.2.6, pg 6
Rule 1.10.2, pg   Rule 1.10.2, pg   Rule 1.20.2, pg   Rule 1.20.
156
T   D   15. Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg
☐ ☐ 15. Is playground area of the control of the c
Is playground and the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 50 decreases and the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 50 decreases and page 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & central and page 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & central and page 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & central and page 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & central and page 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & central and page 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & central and page 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & central and page 6") beneath the surface?
☐ ☐ 16. Is adequate shade present on the playground? (Rule 1.11.) (7) (Rule 1.11.) (7) (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
☐ ☐ 17. Are concrete footings for
☐ ☐ 17. Are concrete rootally    □ □ 17. Are concrete rootally   □ □ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CP)
255 ng (2)
Licensing Official
Director Domical Control

WILLOWOOD DEVELOPMENTAL CENTER

1635 BOLING ST, Jackson, MS 39213 Lic. 25CFPFA-1314 P. 601-366-0123

Attn: RASHEEDAH HOLMES

# Child Care Licensure Playground Checklist

Cinu Car	110000
	Inspection Date
no gaps? (Rule 1.11.5 (6), F3  \text{\sqrt{\sq}}}}}}}}}}} \signtarignta\signt{\sqrt{\sq}}}}}}}}}}}} \signtarignta\signt{\sqrt{\sintent{\sint{\sintexignactentent{\sint{\sint{\sint{\sign{\sq}}}}}}}}}} \signtarignta\sig	om surface. (Rule 1.11.9 (8), pg 60) In good repair, with emote from the building? (Rule 1.11.9 (8), pg 60) re is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
No standing water present on play  (CPSC 2.4.2.2(5), pg 10 & Rule 1.11  (CPSC 2.4.2.2(5), pg 10 of Rule 1.11  Toys & equipment in good repair  Sidewalks provide smooth walking  All bolts on equipment & fence of twists/wires facing away from the	ires inaccessible? (Rule 1.11.9 (5), pg 59)  yground or in/on playground equipment or walkways?  1.11 (4), pg 61)  ? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)  ng surface? (no trip hazards) (CPSC 3.6, pg 16-17)  <2 threads beyond the nut? Are all bolts and fencing he playground area? (Rule 1.11.9 (5), pg 59)  ay surfaces? Is fence free of brush/overgrowth? (CPSC where are they inadequate? (CPSC 5.3.9, pg 41)
☐ ☐ 10. Are use zones accoquation  If swings are present, are S-hoo	ks in good repair? If not, state deficiency (CPSC 3.2, pg 1- 2.5.2, pg 1 & 5.3.8.1, pg 37)
had bee	t/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-3: (CPSC 5.3.7. pg 36-37)
☐ ☐ 14. Is age-appropriate equipment t	& CPSC 2.2.6, pg 6
	ee of hazards? If not, state deficiency.  (Rule 1.11.11 (1), pg to the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)  (Rule 1.10.2 (2), pg 46 & cet least 6" heneath the surface? (Rule 1.10.2 (2), pg 46 & cet least 6")
are the footings located	the playground? (Kute 1.11.5 (*)) To the playground? (Kute 1.11.5 (*)) To the playground? (Kute 1.11.5 (*)) To the playground? (Kute 1.11.5 (*)) Pg 46 & CPSC 3.6, pg 16-17)  tion provided that wood has been properly treated. (CPSC 3.6)
2 5 5, pg 13)	censing Official Azelda CCC