

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

Child Care racii	,								
County Harrison	Date 2-7-202	0	African and a second						
Facility Name MGCCC - JO Farly Childhopdcense Number 4895									
Purpose Renewal Capacity 60									
All Items In Red Are Critical Qualified director present Proper staff to child ratio present Out COS N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	COS	N/A					
Room and playground capacity met Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair								
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,								
Waste water system approved and functioning Food service approved	and functioning Electrical outlets protected Large appliances located properly Sinks and toilets working properly								
Possible Monetary Penalty 1	Sinks and toilets working properly Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet								
3.	nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order								
5.	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers								
1. 2.	and thermometers placed properly and in good working order First aid kits stocked and easily accessible								
3. 4.	Playground area clean, shaded, well drained and equipped and fence in good repair			П					
5.	Playground equipment meets standards								
6. 7.	Pool area clean, fenced, and adequately maintained								
Diaper changing stations adequate in number and each fully supplied (number)									
Center Director/Individual	_ Child Care Representative	Origh	20 t	-aile					
White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health 12-10	0-08	l Fo	rm No.	. 281					



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

Child Care Encounter
Date 2 1-2020
Name MGCCC- JD Early Child hood Edicense No. 4895
Address 2226 Switzer Rd. Coult Dort, MS 39507
Purpose Kenewal Director Panela Jones
Mileage Start N A County Harrison Mileage End N A Telephone No. 228-897-3782
County Harrison Telephone No. 228-897-3782
Time In Time Out Total Time
Findings/Comments
no violations observated during inspection!
Denoual
application, complete
Fire Survey & Submit to liene Oppilal
Fire Survey & Slebmit to liver Official
theat hat I hank you for beesen the
Dolote Or 40. 5 Children dist
perpend of years.
Center Director/Pesignee/Individual White Copy - Facility File Yellow Copy - Operator Child Care Representative White Copy - Facility File Yellow Copy - Operator
Mississippi State Department of Health Revised 6-24-09 Form No. 287



Food Service Facility Inspection Results PIMS ID **Facility Name Facility Address** Date Gotta Lovett Wings and Things @ 6215260 2226 Switzer Rd 02/12/2020 MGCCC JDC Gulfport, MS 39507 **CRITICAL VIOLATIONS** CORRECTION PLAN AND SCHEDULE No critical violations Scheduled Permit No Charge Followup Permit 1 \$40.00 Complaint Permit 2 \$132.25 Consultation Permit 3 \$198.00 Plan Review/Const. \$224.25 Permit 4 \$264.50 No Inspection Restaurant Training Certified Manager Manager Id Permit Date Environmentalist Code 01/29/2020 HGLUAT MECCOTO



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Facility Name 7 1 6 CCC - TO License No. 4895 Date 2-1-2020
Ves. No. N/A 1.
Pass - Pending License to be issued: Regular Probational Restricted Fail Follow-up within days Director Resignee Child Care Representative

Mississippi State Department of Health

White Copy - Facility File Yellow Copy - Operator Revised 12-19-13

Form 289

Child Care Licensure Playground Checklist

Cente	er N	ame	11	GCCC - 30 Inspection Date 2-7-2020
YES	NO	N/A	1.	Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
	口		2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg. 48)
0	Ū		3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
0			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
			5.	No standing water present on playground or in/on playground equipment or walkways?
EV.	П		6.	(CPSC 2.4.2.2-5, pg 10) Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
	П		7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
	9		9. 10.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
]	Q/	11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13)
			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35)
]		13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
]]	14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36)
] {	J	15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 49)
] [J	16.	Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
b/ 5	1 []	17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
Q/E	I []	18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)
Director		T.	P	Licensing Official Monlage talende