



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

C	45CBPFA-6538	Date	06/14/2019
F	The Kids' World Center	License Number	45CBPFA-6538
P	Attn: Tomasa Sanchez	Capacity	7346 30
	470 Mannsdale Road		
	Madison, MS 39110		

Renewal / Technical Assistance

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	☒	☐	☐	☐
Proper staff to child ratio present	☒	☐	☐	☐
Room and playground capacity met	☒	☐	☐	☐
Center capacity met	☒	☐	☐	☐
License/complaint visible	☒	☐	☐	☐
Certified food manager	☒	☐	☐	☐

Sanitation Approved

Garbage and garbage bins maintained	☒	☐	☐	☐
Vector control maintained	☒	☐	☐	☐
Water system approved and functioning	☒	☐	☐	☐
Waste water system approved and functioning	☒	☐	☐	☐
Food service approved	☒	☐	☐	☐

Possible Monetary Penalty

	Monetary Penalty
1. Supervisory review	\$
2. required	\$
3.	\$
4.	\$
5.	\$

	Age/Child/Staff Name
1.	Infants / 4 / Caregiver #1
2.	1yrs-2yrs / 7 / Caregiver #2
3.	3yrs-4yrs / 12 / Caregiver #3
4.	
5.	Schoolagers / 3 / Caregiver #4 - Building
6.	Please see the envelope for #2
7.	dated 6/14/2019

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	☒	☐	☐	☐
Evacuation plans posted	☒	☐	☐	☐
Menus posted and served	☒	☐	☐	☐
Plan of activities	☒	☐	☐	☐

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	☒	☐	☐	☐
Lighting approved	☒	☐	☐	☐
Heating/cooling approved	☒	☐	☐	☐
Ventilation adequate	☒	☐	☐	☐
Glass approved and shielded	☒	☐	☐	☐
Telephone on premises, available, and functioning	☒	☐	☐	☐
Electrical outlets protected	☒	☐	☐	☐
Large appliances located properly	☒	☐	☐	☐
Sinks and toilets working properly	☒	☐	☐	☐
Hot water at all sinks, not to exceed 120°	☒	☐	☐	☐
Children barred from kitchen	☒	☐	☐	☐
Vending machine snacks meet nutritional guidelines, if present	☐	☐	☐	☒
Exits, doors and fastening devices single action approved and in good working order	☒	☐	☐	☐
Exits unobstructed	☒	☐	☐	☐
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	☒	☐	☐	☐
First aid kits stocked and easily accessible	☒	☐	☐	☐
Playground area clean, shaded, well drained and equipped and fence in good repair (TA)	☒	☐	☐	☐
Playground equipment meets standards	☒	☐	☐	☐
Pool area clean, fenced, and adequately maintained	☐	☐	☐	☒
Diaper changing stations adequate in number and each fully supplied (number 2)	☒	☐	☐	☐

Center Director/Individual

White Copy - Facility File

Mississippi State Department of Health

Yellow Copy - Facility Operator

12-10-08

Child Care Representative

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 5 Date 6/14/2019

Name 45CBPFA-6538 License No. 45CBPFA-6538

Address The Kids' World Center
Attn: Tomasa Sanchez
470 Mannsdale Road
Madison, MS 39110

Purpose Renewal / Technical Assistance Director Tommy Sanchez, Jackie Atkin

Mileage Start _____ Mileage End _____

County Madison Telephone No. (601) 421-5391

Time In 10:17am Time Out 12:00pm Total Time _____

Findings/Comments Upon arrival, MSOH licensing staff met with Tommy Sanchez, Owner/Director #1. The purpose of the visit was acknowledged and the following observations were made:

- No critical violations were observed regarding the facility building and grounds.

- Technical assistance was provided regarding the raking or replacement of loose fill materials on playground #1.

- No critical violations observed regarding the facility Kitchen food prep area.

- Technical assistance provided regarding labeling/dating of opened food items and infant bottles/cups (in the infant room refrigerator)

- Staff records: All staff records observed were in compliance with the MSOH regulatory guidelines, including FBT 205 and Form 1211s.

- Children's records: The facility will have 7 days to provide verification of one (1) child Form 121 (exp. 6/3/2019). Due

Please note, the Form 121's for the three (3) school age children present in Building #2 were observed due to the specified, approved hours for schoolage child, per MSOH administrative staff. All forms were in compliance. Director #1 states, that one child was a drop in, one child was a staff child and a friend. *Class I and Class II violations may result in a monetary penalty. Repeated violations may result in the doubling of penalties, suspension, or revocation of the license.

Tommy Sanchez
 Center Director/Designee/Individual

[Signature]
 Child Care Representative

White Copy - Facility File
 Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Facility Name _____ License No. 6538 Date 6/14/2019

- | Yes | No | N/A | |
|-------------------------------------|-------------------------------------|-------------------------------------|---|
| ☒ | ☐ | ☐ | 1. Policies and procedures (Parent's Handbook) {Rule 1.4.1} |
| ☒ | ☐ | ☐ | 2. Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)} |
| ☒ | ☐ | ☐ | 3. Approved arrival and departure procedures {Rule 1.4.1 (2)} |
| ☒ | ☐ | ☐ | 4. Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)} |
| ☒ | ☐ | ☐ | 5. Attendance records for children and staff {Rule 1.6.3 (1)} |
| ☒ | ☐ | ☐ | 6. Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)} |
| ☒ | ☐ | ☐ | 7. Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)} |
| ☒ | ☐ | ☐ | 8. Monthly records of fire/disaster drills {Rule 1.6.3 (5)} |
| ☐ | ☐ | ☒ | 9. Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)} |
| ☐ | ☒ | ☐ | 10. Immunization Records for Children and Staff {Rule 1.6.3 (8)} (one li) child - TA) |
| ☒ | ☐ | ☐ | 11. Personnel records (attach employee's records form) {Rule 1.6.4} |
| ☐ | ☐ | ☒ | 12. Volunteer records {Rule 1.6.5 & Rule 1.6.6} |
| ☒ | ☐ | ☐ | 13. Children records (attach children's records form) {Rule 1.6.7} |
| ☐ | ☐ | ☒ | 14. Reports of serious occurrences made as required {Rule 1.7.1} |
| ☐ | ☐ | ☒ | 15. Communicable diseases reported as required {Rule 1.7.3} |
| ☒ | ☐ | ☐ | 16. Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} |
| ☒ | ☐ | ☐ | 17. Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} |
| ☒ | ☐ | ☐ | 18. Age appropriate program of activities posted in each room {Subchapter 9} |
| ☒ | ☐ | ☐ | 19. Required toys present in infant room {Rule 1.10.1 (2)} |
| ☒ | ☐ | ☐ | 20. Required toys present in toddler room {Rule 1.10.1 (3)} |
| ☒ | ☐ | ☐ | 21. Required toys present preschool room {Rule 1.10.1 (4)} |
| ☐ | ☐ | ☐ | 22. Licensed pest control contractor {Rule 1.11.14} |
| ☐ | ☐ | ☒ | 23. Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6} |
| ☒ | ☐ | ☐ | 24. Appropriate discipline policy followed {Subchapter 14} |
| ☒ | ☐ | ☐ | 25. Appropriate transportation policy followed {Subchapter 15} |
| ☒ | ☐ | ☐ | 26. Infant feeding schedules posted (Appendix C, VII) |

Comments/Recommendations The facility will need to provide verification of:
one li) child Form 121

☒ Pass - <u>Pending</u>	☐ License to be issued: ☐ Regular ☐ Probational ☐ Restricted
☐ Fail	☐ Follow-up within _____ days
☐ Director	☐ Designee
 Child Care Representative	

Food Service Facility Inspection Results

45CBPFA-6538

The Kids' World Center
Attn: Tomasa Sanchez
470 Mannsdale Road
Madison, MS 39110

PIMS ID	Facility
---------	----------

Date

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

- No critical violations were observed during the inspection.
- Owner/Director #1 states that the kitchen area in building #1 will be used for meal/snack preparation.
- Technical assistance provided regarding labeling/dating of open food items.
- Letter grade "A" rec'd, with technical assistance.

☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00
Permit Date	Environmental Code
	TB, DS
Please Remit within 10 days to:	

Tommy Sanchez
Certified Manager

Tommy Sale
Licence Number
Exp. 6/15/2023

Facility Signature	<u>Tommy Sale</u>
Environmental Signature	<u>YB my CFTI</u>

White Copy - Facility
Yellow Copy - PIMS
Pink Copy- Environmentalist

45CBPFA-6538
The Kids' World Center
Attn: Tomasa Sanchez
470 Mannsdale Road
Madison, MS 39110

Child Care Licensure Playground Checklist

Center Name The Kid's World Center Preschool Inspection Date 6/14/2019
#6538

- | YES | NO | N/A | |
|-------------------------------------|-------------------------------------|-------------------------------------|---|
| ☒ | ☐ | ☐ | 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60) |
| ☒ | ☐ | ☐ | 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60) |
| ☐ | ☒ | ☐ | 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
<u>Recommendation for regrading or additional loose filled open gravel</u> |
| ☒ | ☐ | ☐ | 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
<u>Materials</u> |
| ☒ | ☐ | ☐ | 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) |
| ☒ | ☐ | ☐ | 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46) |
| ☒ | ☐ | ☐ | 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17) |
| ☒ | ☐ | ☐ | 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) |
| ☒ | ☐ | ☐ | 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16) |
| ☒ | ☐ | ☐ | 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41) |
| ☐ | ☐ | ☒ | 11. If swings are present, are S-hooks in good repair? If not, state deficiency
<u>2.5.2, pg 1 & 5.3.8.1, pg 37</u> |
| ☐ | ☐ | ☒ | 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency
<u>CPSC 5.3.6.4-5 pgs 34-3</u> |
| ☐ | ☐ | ☒ | 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) |
| ☒ | ☐ | ☐ | 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate
<u>(Rule 1.10.2, pg & CPSC 2.2.6, pg 6)</u> |
| ☒ | ☐ | ☐ | 15. Is playground area clean & free of hazards? If not, state deficiency.
<u>Recommendation for sweeping or removal of dirt and loose filled materials from the equipment on play #1</u> |
| ☒ | ☐ | ☐ | 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) |
| ☒ | ☐ | ☐ | 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17) |
| ☒ | ☐ | ☐ | 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15) |

Director

Tomasa Sanchez

Licensing Official

YB of CCEI