

MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

County Pike		Date_ 6.16.21				12
Facility Name Blessed Boo	inners	License Number 172	2			
A A SA A		pacity_30				
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	t COS N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	phhha	Out	cos	N/A
Room and playground capacity met Center capacity met License/complaint visible Certified food manager		Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair		-		
Ganitation Approved Garbage and garbage bins maintained Vector control maintained Vater system approved and functioning		Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,	HANN			
Vaste water system approved nd functioning Good service approved Cossible Monetary Penalty		and functioning Electrical outlets protected Large appliances located properly Sinks and toilets working properly	phy phy			
Monet \$\$\$\$	ary Penalty	Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices				
\$		single action approved and in good working order	1			
Age/Child/Staff Name		Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and				
School Age /4/11	aregiver 2	working order kits stocked and easily accessit	ole			
2-6 / 11 9	11 0	and area clean, shaded, well and equipped and fence in good				
		and equipment meets standards				
		a clean, fenced, and adequately maintained				
Center Director/Individual	Sattorson	Diaper changing stations adequate in number and each fully supplied (number) Child Care Representative	er			Sand
White Copy - Facility File Yellow Copy - Facil Mississippi State Department of Health	lity Operator 12-10)-08		For	rm No.	281

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

— Ciliu Cai	re Liicouiiler
District Blessed Beginners	Date $0 \cdot 10 \cdot 21$
Name 1210 26th Street	License No.
Address McComb, MS 39648	
601-250-0012 License #1726	ation/Individual
Purpose Mid - Year	Director U. Patterson
	Mileage End
County Pike	Telephone No
Time In 0'.50 Time Out 11'.20	
Findings/Comments Arrived at the	facility and met
with director J. Pate	erson Stated purpose
for today's visit.	
Subchapter 8: Staffin	a .
	J
Deficiency: Rule 1.8.2	(3) In mixed age groups
the age of the vounces	t child in the aroun
determines the staff-	to-child natio. Preschool
children shall not be g	rouped with school
age children in any sir	ngle area during normal and or water activities.
Elean and playgre	and or water activities.
Findings: Based on obse	ervations while touring
the tacility, the facili	ty failed to have present
children separated from	school-age children
there were (4) School ac	ge children mixed with
Il children ages 2-5 in	one classroom with (2)
Caregivers.	
Pacities director will	de els solis de escrito
P.O.C. The director will children are securated of	develop policy to ensure
The allered:	brooms each day. This
was corrected on site	when the director took
(4) school age children	to separate mon. Dac.
	6.16.21.
Sauce tellerson Selver	White Copy - Facility File Yellow Copy - Operator
Confer Director/Designee/Individual Child Care R	epresentative



Child Care Encou (Continuation)

License will be issued once renewal application, renewal fee, menus, fire survey form and contact hours are received. Please complete 30 days prior to expiration date.

Facility Name Bosed Beginners License No. 17	26
TA was provided on the following:	
9	
Rule 1.11.8(9) Thermometers on i	Herior walls
In every activity area at children	o's height.
1.0 observed no wall thermometer	rs in classrams
#1#2 and #3. Director agreed to	purchase new
thermometers at the end of day.	D.O.C. U. 17.21.
Rule 1.17.1 Cribs shall be labeled	so that the
child's name is visible. Each child	d Shall be
placed on a separate bed, crib, co	t, or mat.
I.O. observed (4) cribs not labele	a alrector
labeled cribs on site and will me to ensure compliance. D.O.C. u	conitor daily
To ensure compliance. D.O.C. u	0.10.21
Rule 150 Cining Dead 16	
Rule 1.5.2 Criminal Record (fin Child Abuse Central Registry Checks Offende Records Checks. L.O. of	yerprinting)
Offende Decort Checks I Och	S) and Sex
new Staff with expired Los. from	screen ()
facility. Director Stated new print	s were
mailed off 10.14.21. One prot	are received a
oppy will be sent to L.O. Call will be	e made to
fingerprints to ensure received.	
A Follow-up visit will be done in	ithin 7 days.
A green survey card was given to	director.
	Class I II violations may result in a
	monetary penalty.
	Repeated violations may result in the doubling of a monetary penalty,
Vanica Hotterson Kokah Sand 1	suspension or revocation of license.
Center Director/Designee/Individual Child Care Representative	Lenon Copy Opening

Food Service Facility Inspection Results

Blessed Beginners Director: Janice Patterson PIMS ID Facility N 1210 26th Street Date McComb, MS 39648 601-250-0012 License #1726 CRITICAL VIOLATIONS CORRECTION PLAN AND SCHEDULE No critical violations He time of sice Prittoson Turn 92020 Scheduled ☐ 92010 Permit No Charge Certified Manager ☐ 92030 Followup ☐ 92015 Permit 1 \$30.00 3.13.23. ☐ 92040 Complaint 92011 Permit 2 \$100.00 ☐ 92050 Consultation 92012 Permit 3 \$150.00 ☐ 92070 Plan Review/Const. 92013 Permit 4 \$200.00 ☐ 92080 No Inspection Facility Signature ☐ 92090 Restaurant Training Environmentalist Signature Permit Date Environmentalist Code White Copy - Facility Please Remit within 10 days to:

Yellow Copy - PIMS

Pink Copy- Environmentalist

Child Care Licensure Playground Checklist

Center Name	Inspection Date 10.10.2
YES NO N/A	FOREIG SHIPPAYIE
0 0 0 1.	Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
□ □ 2.	no gaps? (Rule 1.11.9 (8), pg 60) Lo observed opportunit entrance 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
Ø □ 3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
Ø □ □ 4.	AC units, high-voltage cabling wires maccessible? (Rule 1.11.9 (5), bg 59) 1109
Z 0 0 5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
D 0 0 6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
0 0 7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing
a a a 9.	twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC)
	3.4, 3.5, pg 16) LO observed trees hanging below 7++
D 0 10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
O O Ø 11.	If swings are present, are S-hooks in good repair? If not, state deficiency
4	(CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)
0 0 12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35)
0 0 14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46
	& CPSC 2.2.6, pg 6)
0 2 0 15.	Is playground area clean & free of hazards? If not, state deficiency.
Ø 0 0 16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
<u> </u>	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
0 0 18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg/15)
Director	we tallown Licensing Official Lekoha Sordy
U	