



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County HancockDate 11-14-19Facility Name Hancock Co. Stars west

License Number _____

Purpose mid-yearCapacity 100

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	☒	☐	☐	☐
Proper staff to child ratio present	☒	☐	☐	☐
Room and playground capacity met	☒	☐	☐	☐
Center capacity met	☒	☐	☐	☐
License/complaint visible	☒	☐	☐	☐
Certified food manager	☒	☐	☐	☐

Sanitation Approved

Garbage and garbage bins maintained	☒	☐	☐	☐
Vector control maintained	☒	☐	☐	☐
Water system approved and functioning	☒	☐	☐	☐
Waste water system approved and functioning	☒	☐	☐	☐
Food service approved	☒	☐	☐	☐

Possible Monetary Penalty

1. _____ Monetary Penalty \$ _____

2. _____ \$ _____

3. _____ \$ _____

4. _____ \$ _____

5. _____ \$ _____

1. _____

2. _____

3. _____

4. 11- 3+4 yr. olds

5. _____

6. _____

7. _____

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	☒	☐	☐	☐
Evacuation plans posted	☒	☐	☐	☐
Menus posted and served	☒	☐	☐	☐
Plan of activities	☒	☐	☐	☐

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	☒	☐	☐	☐
Lighting approved	☒	☐	☐	☐
Heating/cooling approved	☒	☐	☐	☐
Ventilation adequate	☒	☐	☐	☐
Glass approved and shielded	☒	☐	☐	☐
Telephone on premises, available, and functioning	☒	☐	☐	☐

Electrical outlets protected	☒	☐	☐	☐
Large appliances located properly	☒	☐	☐	☐
Sinks and toilets working properly	☒	☐	☐	☐
Hot water at all sinks, not to exceed 120°	☒	☐	☐	☐
Children barred from kitchen	☒	☐	☐	☐
Vending machine snacks meet nutritional guidelines, if present	☐	☐	☐	☒
Exits, doors and fastening devices single action approved and in good working order	☒	☐	☐	☐

Exits unobstructed	☒	☐	☐	☐
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	☒	☐	☐	☐

First aid kits stocked and easily accessible ☒ ☐ ☐ ☐

Playground area clean, shaded, well drained and equipped and fence in good repair	☒	☐	☐	☐
---	-------------------------------------	--------------------------	--------------------------	--------------------------

Playground equipment meets standards ☐ ☐ ☐ ☒

Pool area clean, fenced, and adequately maintained	☐	☐	☐	☒
--	--------------------------	--------------------------	--------------------------	-------------------------------------

Diaper changing stations adequate in number and each fully supplied (number _____) ☐ ☒ ☐ ☐Center Director/Individual Trinae StooChild Care Representative Trinae Stoo

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District IXDate 11-14-19

Name	Hancock County STARS-West	No.
Address	23350 HIGHWAY 43, Picayune, MS 39466	
	228-255-7641 Lic. No.: 6217	
	Director: Trinnae Flood	
Purpose	<u>mid-year</u>	
Mileage Start		Mileage End
County	<u>Hancock</u>	Telephone No.
Time In	<u>8:45</u>	Total Time
	Time Out	

Findings/Comments All in Compliance for mid-year inspection.
no deficiencies observed.

A survey was provided.

Trinnae Flood
 Center Director/Designee/Individual

[Signature]
 Child Care Representative

White Copy - Facility File
 Yellow Copy - Operator

Food Service Facility Inspection Results

PIMS ID	Facility Name	Date
	Hancock County STARS-West 23350 HIGHWAY 43, Picayune, MS 39466 228-255-7641 Lic. No.: 6217 Director: Trinnæ Flood	11-14-19

CRITICAL VIOLATIONS

ION PLAN AND SCHEDULE

none	A
-------------	----------

☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00
Permit Date	Environmental Code
Please Remit within 10 days to: 	

Trinnæ Flood ServSafe
 Certified Manager Licence Number

Facility Signature
Environmental Signature

White Copy - Facility
 Yellow Copy - PIMS
 Pink Copy - Environmentalist

Child Care Licensure Playground Checklist

Center Name Hancock Co. STARS West Inspection Date 11-14-19

YES NO N/A

- ☒ ☐ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
- ☐ ☐ ☒ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 8)
- ☒ ☐ ☐ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
- ☒ ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
- ☒ ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
- ☐ ☐ ☒ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
- ☒ ☐ ☐ 8. All bolts on equipment & fence < 2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
- ☒ ☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
- ☐ ☐ ☒ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
- ☐ ☐ ☒ 11. If swings are present, are S-hooks in good repair? If not, state deficiency _____ (CPSC 3.2, pg 13)
- ☐ ☐ ☒ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency _____ (CPSC 5.3.6.4-5 pgs 34-35)
- ☐ ☐ ☒ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
- ☒ ☐ ☐ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate _____ (Rule 1.10.2, pg 36)
- ☒ ☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency. _____ (Rule 1.11.11 (1), pg 49)
- ☒ ☐ ☐ 16. Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
- ☐ ☐ ☒ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
- ☒ ☐ ☐ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)

Director Inmae Hood Licensing Official Amanda K. [Signature]