

MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

County Lee Date 7-13-2020							
Facility Name Hoppy Food License Number 5454							
Purpose finducal Represent Cap	pacity50						
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	NANA =	Out	cos	NA 0000		
Room and playground capacity met Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair	Ø					
Sanitation Approved Garbage and garbage bins maintained Vector control maintained	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,	MANA					
Water system approved and functioning Waste water system approved and functioning	and functioning	Z					
Food service approved Possible Monetary Penalty	Electrical outlets protected Large appliances located properly Sinks and toilets working properly Hot water at all sinks, not to	MAN					
1 Monetary Penalty \$	exceed 120° Children barred from kitchen Vending machine snacks meet	N					
2 \$	nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good				N		
4	working order	Z					
5 \$	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and	М	Ш	Ш	П		
1 2-4- Careater#1	in good working order	Ø					
5 Infant-1-Carrecturate	First aid kits stocked and easily accessible	Z					
4. 4-12-Carecytver#3	Playground area clean, shaded, well drained and equipped and fence in good repair	Ø					
5.	Playground equipment meets standards	N					
6. 7.	Pool area clean, fenced, and adequately maintained				10		
Center Director/Individual	Diaper changing stations adequate in number and each fully supplied (number) Child Care Representative	K					
Center Director/individual	_ Cind Care Representative	TIM	VUE	my	July		

White Copy - Facility File Yellow Cop. Mississippi State Department of Health Yellow Copy - Facility Operator

12-10-08

Form No. 281



Mississippi State Department of Health Child Care Encounter

	Cinia Care Lincounter	000-
District		Date 1-13-2020
Name_H	uppy Feet License No. 5452	ł
Address_b	32 South Church St. Typelo, MS	38864
Purpose_\	Mural Renewal Director Ron Ford	
Mileage Sta	Mileage End	
County	Telephone No. 662-767	-3737
Time In)	0'.00 Time Out 10:34 Total Time_	
Findings/C	mments A vintual renewal inspecticion telli	0 lucis 3, 2020,
Mas	Fems that the Child Care Licensii received from the provider bel senaual Application	re Division
-	Approved fire form#333	
	Ackna Jedgment Letter	
_	Children Roster	
	Coasof fire/disaster drills	n July 13, 2026
_	Current vehicle insurance Letters Suitability	
Kitch	en received an "A"-no critical vi	obtions
Play	ground in compliance	
Emp	layers' Letters of Scutability in	compliance.
Center Direc	for/Designee/Individual Child Care Representative	White Copy - Facility File Yellow Copy - Operator

Mississippi State Department of Health

Revised 6-24-09

Form No. 287



Page 2 or 2

Date 7-13-2070

Facility Name Happy Feet License No. 5454 No Crystical Violations Cited during today's Virtual inspection.
Virtual inspection.
Contact hours have been received and approved.
The owner/director is responsible for ensuring the following are in compliance: - Staff and children's MSDH form #171 - Policy and Procedures
- Facility Records - Staff Records- - Children Records
Center Director/Designee/Individual White Copy - Facility File Yellow Copy - Operator Child Care Representative



Child Care Program Review

License No. 5454 Date 7-13-7070 Facility Name Happy Foot Yes No N/A Policies and procedures (Parent's Handbook) {Rule 1.4.1} Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect (Rule 1.4.1 (i) & (j)) Approved arrival and departure procedures {Rule 1.4.1 (2)} Letter of suitability for staff (Rule 1.5.2 & Rule 1.6.4 (1) (f)) Attendance records for children and staff (Rule 1.6.3 (1)) ☐ Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)} ☐ Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)} ☐ Monthly records of fire/disaster drills {Rule 1.6.3 (5)} ☐ Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)} ☐ Immunization Records for Children and Staff {Rule 1.6.3 (8)} Personnel records (attach employee's records form) {Rule 1.6.4} Volunteer records {Rule 1.6.5 & Rule 1.6.6} Children records (attach children's records form) {Rule 1.6.7} Reports of serious occurences made as required {Rule 1.7.1} Communicable diseases reported as required {Rule 1.7.3} Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} Staff present who hold valid CPR and First Aid Certification (Rule 1.8.1 (4) & (5)) Age appropriate program of activities posted in each room {Subchapter 9} Required toys present in infant room {Rule 1.10.1 (2)} Required toys present in toddler room {Rule 1.10.1 (3)} Required toys present preschool room {Rule 1.10.1 (4)} ☐ Licensed pest control contractor {Rule 1.11.14} Terrocx

Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6} Appropriate discipline policy followed (Subchapter 14) Appropriate transportation policy followed (Subchapter 15) Infant feeding schedules posted (Appendix C, VII) Comments/Recommendations ___ License to be issued: Regular Probational Restricted Follow-up within _____ days ☐ Designee Director

Yellow Copy - Operator

Food Service Facility Inspection Results

TIMS ID	Facility Name, Address Happ	reet	Date	
5454	130 Richards St	Shannon 3808	7-13-2020	
CRITICAL VIOLATIONS		CORRECTION PLAN AND SCHEDULE		
Litchen receipt no Critical in the Ki	eved an "A"- I Vidations	CORRECTION PLAN AN	ND SCHEDULE	
□ 92020 Scheduled □ 92030 Followup □ 92040 Complaint □ 92050 Consultation □ 92070 Plan Review/Const. □ 92080 No Inspection □ 92090 Restaurant Training Permit Date	92010 Permit No Charge 92015 Permit 1 \$30.00 92011 Permit 2 \$100.00 92012 Permit 3 \$150.00 92013 Permit 4 \$200.00 Environmentalist Code	Pen Ford Certified Manager Facility Signature Environmentalist Signature	5454 Licence Number	
Please Remit within 10 days to););	White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	V -	

Child Care Licensure Playground Checklist

YES NO N/A ☐ ☐ 1. Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 48) In good repair with no gaps? (Rule 1.11.9 (8), pg 48) ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48) ☐ ☐ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8) ☐ ☐ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47) ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkway (CPSC 2.4.2.2-5, pg 10) ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36) ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15) ☐ ☐ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing	020
with no gaps? (Rule 1.11.9 (8), pg 48) 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48) 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8) AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47) No standing water present on playground or in/on playground equipment or walkway (CPSC 2.4.2.2-5, pg 10) Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36) Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)	
□ □ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8) □ □ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47) □ □ 5. No standing water present on playground or in/on playground equipment or walkway (CPSC 2.4.2.2-5, pg 10) □ □ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36) □ □ □ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)	,
AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47) No standing water present on playground or in/on playground equipment or walkway (CPSC 2.4.2.2-5, pg 10) Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 30) Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)	
 □ □ 5. No standing water present on playground or in/on playground equipment or walkway (CPSC 2.4.2.2-5, pg 10) □ □ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 30.00) □ □ ✓ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15) 	
(CPSC 2.4.2.2-5, pg 10) ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 3 (2)) ☐ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)	
☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 30 ☐ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)	?
☐ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15))
☐ ☐ 8. All holts on equipment & fence threads beyond the nut? Are all holts and fencing</td <td></td>	
twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)	
☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSO 3.4, 3.5, pg 15)	
□ □ □ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)	
□ □ □ 11. If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg	(3)
☐ ☐ ☐ ☐ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-	35)
□ □ □ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)	
☐ ☐ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg	36)
☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg	
\square \square 16. Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)	
☐ ☐ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)	
□ □ ☑ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)	
DirectorLicensing Official Kimberly Clark	