

# **Child Care Facility Inspection Report**

OPTIMUM CARE DAY CENTER

License #: 5953

Director: ANGELA HOLMES

Inspection Date: 08/11/2023

Inspector: Teresa Liggins

Annual/Mid Inspection

# **Program Administration Violations Cited**

No violations cited

### **Kitchen Violations Cited**

No violations cited.

### **Nutritional Guidelines Violations Cited**

No violations cited.

## **Playground Violations Cited**

1. **Out of Compliance:** Adequate shade is present on playground area. (Rule 1.11.9(7) Page 60)

#### Plan of Correction

1. **POC:** The licensing official did not observe any shading present on the playground area at this time. Shading is needed on the playground area before the children utilize the play area.

**Person Responsible:** Angela Holmes - Owner/Director **Date for Completion:** Before The Children Utilize The Playground Area

#### **Infant Classroom Violations Cited**

Infant Classroom - 8 Month Old To 2 Year Olds - Patrice Ford, Doris Fountain - Classroom Number: 3

1. **Out of Compliance:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

#### Infant Classroom - Classroom Number: 3

1. **POC:** The licensing official observed there was no classroom thermometer present in the infant classroom. A classroom wall thermometer is needed on the interior wall of the classroom utilized by children before the licensure period expires.

**Person Responsible:** Angela Holmes - Owner/Director **Date for Completion:** Before The Licensure Period Expires 10/31/2023

#### **Preschool Classroom Violations Cited**

#### Preschool Classroom - 4 Year Olds - Carlnesha Holmes, Angela Holmes - Classroom Number: 1

1. **Out of Compliance:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

#### Preschool Classroom - Classroom Number: 1

1. **POC:** The licensing official observed there was no classroom thermometer present in the infant classroom. A classroom wall thermometer is needed on the interior wall of the classroom utilized by children before the licensure period expires.

**Person Responsible:** Angela Holmes - Owner/Director **Date for Completion:** Before the Licensure Period Expires 10/31/2023

#### Legend

COS: Corrected on SitePOC: Plan of Correction

angla Mo

# **Child Care Director Signature**

**MSDH Licensure Representative Signature**