



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County TishomingoDate 2/8/2021Facility Name Kids In Motion Daycare & Lrn. Ctr. License Number 6785Purpose Mid-YearCapacity 62

All Items In Red Are Critical

Qualified director present
 Proper staff to child ratio present
 Room and playground capacity met
 Center capacity met
 License/complaint visible
 Certified food manager

In	Out	COS	N/A
☒	☒	☐	☐
☒	☒	☐	☐
☒	☒	☐	☐
☒	☒	☐	☐
☒	☒	☐	☐

Sanitation Approved

Garbage and garbage bins maintained
 Vector control maintained
 Water system approved and functioning
 Waste water system approved and functioning
 Food service approved

In	Out	COS	N/A
☒	☐	☐	☐
☒	☐	☐	☐
☒	☐	☐	☐
☒	☐	☐	☐
☒	☐	☐	☐

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	Room 3: 8-2yo - Caregiver #1
2.	Room 2: 12-1yo - Caregiver #2 & #3
3.	Room 4: 16-3yo - Caregiver #4 & #5
4.	
5.	
6.	
7.	

Other Items - Must be corrected

Children's belongings separated/stored
 Evacuation plans posted
 Menus posted and served
 Plan of activities

In	Out	COS	N/A
☒	☐	☐	☐
☒	☐	☐	☐
☐	☒	☐	☐
☒	☐	☐	☐

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair
 Lighting approved
 Heating/cooling approved
 Ventilation adequate
 Glass approved and shielded
 Telephone on premises, available, and functioning

In	Out	COS	N/A
☐	☒	☐	☐
☒	☐	☐	☐
☒	☐	☐	☐
☒	☐	☐	☐
☒	☐	☐	☐

Electrical outlets protected
 Large appliances located properly
 Sinks and toilets working properly
 Hot water at all sinks, not to exceed 120°
 Children barred from kitchen
 Vending machine snacks meet nutritional guidelines, if present
 Exits, doors and fastening devices single action approved and in good working order

In	Out	COS	N/A
☐	☐	☒	☐
☒	☐	☐	☐
☒	☐	☐	☐
☒	☐	☐	☐
☒	☐	☐	☒
☒	☐	☐	☐
☒	☐	☐	☐

Exits unobstructed
 Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order

In	Out	COS	N/A
☒	☐	☐	☐
☒	☐	☐	☐

First aid kits stocked and easily accessible

In	Out	COS	N/A
☒	☐	☐	☐

Playground area clean, shaded, well drained and equipped and fence in good repair

In	Out	COS	N/A
☒	☐	☐	☐

Playground equipment meets standards

In	Out	COS	N/A
☐	☒	☐	☐

Pool area clean, fenced, and adequately maintained

In	Out	COS	N/A
☐	☐	☐	☒

Diaper changing stations adequate in number and each fully supplied (number 2)

In	Out	COS	N/A
☒	☐	☐	☐

Center Director/Individual

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Child Care Representative

Kimberly Clark
Kristen Taylor
 Form No. 1281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 2

Date 2/8/2021

Name	<u>Kids In Motion Daycare & Lrn. Ctr.</u>		License No.	<u>6785</u>
Address	<u>116 Eastport Rd; Iuka, MS 38852</u>			
Purpose	<u>Mid-Year</u>	Center/Organization/Individual		
Mileage Start	<u>—</u>	Director	<u>Kelly Johnson</u>	
Mileage End	<u>—</u>			
County	<u>Tishomingo</u>	Telephone No.	<u>662-423-6998</u>	
Time In	<u>11:13</u>	Time Out	<u>2:00</u>	Total Time

Findings/Comments Here to conduct Mid-Year Inspection.
Upon arrival CCFI met with Director Designee, Caregiver #5.

- Staff 105 in compliance
- Staff 121 in compliance
- Received TommySafe Certification

Subchapter 6: Records

Deficiency: Rule 1.6.3 (8) states in part ... MSDH Form #121 for both staff and children at the facility.

Findings: Upon CCFI reviewing records, six (6) children need POC: updated 121 Forms. Provider will send these updated 121s to CCFI by Tuesday, Feb. 22. Provider will review records monthly to ensure records are up to date. *hy*

[Signature]
 Center Director/Designee/Individual
 Mississippi State Department of Health

[Signature]
 Child Care Representative
 Kristin Taylor
 Revised 6-24-09

White Copy - Facility File
 Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter (Continuation)

Date 2/9/2021

Facility Name Kids In Motion Daycare & Kinder License No. 6785

Subchapter 11: Buildings and Grounds

Deficiency: Rule 1.11.1 (8) states in part.. "The ceiling, floor, and/or floor covering shall be properly installed, kept clean and in good condition."

Findings: During walkthrough of facility, CCFI observed 2 ceiling tiles in disrepair, insulation showing.

POC: Facility will repair ceiling tiles by Monday, Feb. 22.
Send pics to CCFI.

Subchapter 11: Buildings and Grounds

Deficiency: Rule 1.11.9 states in part.. "All playgrounds and playground equipment shall meet standards set forth in the Handbook for Public Playground Safety."

Findings: During walkthrough CCFI observed a Merry-Go-Round on the playground, no surfacing present around the equipment.

POC: Provider will make the decision to put surfacing around the Merry-Go-Round OR remove the merry-go-round from the playground. Provider will let CCFI know which decision she is going with on the merry-go round by Monday, Feb. 22.

Center Director/Designee/Individual

Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter (Continuation)

Date 2/8/2021

Facility Name Kids In Motion

License No. 6785

Subchapter 11: Buildings and Grounds

Deficiency: Rule 1.11.4 (6) states in part... "All kitchens providing food for child care facilities... shall ~~comply~~ comply with the MS State Dept. of Health's 10.0 regulation Food Code.

Findings: During walkthrough of kitchen, CCFI observed the following:

- Raw meat sitting on counter beside sink, not in container
- Toxic substances sitting between Yahoo's & Biscuits

POC: Provider will store raw products in refrigerator and/or freezer at all times. (COS)

Toxic substances will be stored and placed away from food & drinks at all times in a designated area. (COS)

Kitchen received a "B"

Subchapter 8: Staffing

Deficiency: Rule 1.8.1 (1) The staff-to-child ratio shall be maintained at all times, to include when children are arriving and departing the facility.

Findings: Upon entry of facility, CCFI & BDD observed Caregiver #5 walking from the kitchen into Room 4, where only one caregiver was present with 16 children. This was observed due to facility having half-walls. Room 4 had 16 children with Caregiver #4, before Caregiver #5 entered. The age of youngest child was 3 yo. Room 4 out of ratio by 2 children.

Center Director/Designee/Individual

Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter (Continuation)

Date 2/8/21

Facility Name Kids In Motion

License No. 6785

POC: Caregiver #5 returned to Room 4 putting the classroom in compliance with staff-to-child ratio. Provider will make sure there is enough staff on-site to cover all areas.


Subchapter 11: Buildings and Grounds

Deficiency: Rule 1.11.2 (1) states in part... "Every license shall set forth the licensed facility's maximum licensed capacity, which shall be based upon a minimum of thirty-five (35) sq. feet of usable indoor space per child."

Findings: During walkthrough of facility, CCFI observed Room 4 to have 16 children. The room capacity for Room 4 is 15 children. Room 4 was over capacity by 1 child.

POC: The facility will move the youngest child in Room 4, to Room 3 to put the room in compliance with capacity.


Center Director/Designee/Individual


Child Care Representative
Kristen Taylor

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter (Continuation)

Date 2/9/2021

Facility Name Kids In Motion

License No. 6785

Technical Assistance:

* Subchapter 16 - Diapering & Toileting (Rule 1.16.1)

Each room in which diaper-wearing children play shall contain a diapering area. A diapering area shall contain a hand washing lavatory with hot & cold running water, a smooth and easily cleanable surface, a plastic lined, covered garbage receptacle and sanitizing solution.

- CCFI observed child being changed on the floor in Room 3. Room 3 has no handwashing sink. All children in Room 3 must be in pull-ups and in process of being potty trained. Diaper changing station and diaper handwashing sink must be installed in Room 3 if children wear diapers.

* Subchapter 14: Discipline & Guidance (Rule 1.14.3)

"Time-out" is not allowed for children younger than three years of age.

- CCFI observed a 2 yo in Time-Out. Facility will go over appropriate discipline and guidance with all staff.

* Appendix C - Nutritional Guidelines (pg. 17)

Processed, pre-fried meats are not allowed; hot dogs, corn dogs, bologna, bacon, sausage, pancake sticks, small chicken nuggets, fish sticks, and steak fingers.

Findings: CCFI observed fries & fish sticks being served. and food being served did not match menu posted.

Center Director/Designee/Individual

Child Care Representative
Kristen Taylor

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter (Continuation)

Date 2/8/2021


Facility Name Kids In Motion


License No. 6785

POC: CCFI will send menus to Director to be filled out and ~~to be~~ Director will submit for approval. ~~to be~~

Director provided menus to CCFI.

"Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of the license."


Center Director/Designee/Individual


Child Care Representative

White Copy - Facility File
Yellow Copy - Operator

Food Service Facility Inspection Results

PIMS ID 6795	Facility Name, Address Kids In Motion Daycare & Lrn. Ctr. 116 Eastport Trl, Iuka, MS	Date 2/8/2021
-----------------	--	------------------

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

Kitchen received a "B" Food <u>not</u> separated and protected Toxic substances not properly stored.	Praw meat will be stored in refrigerator/freezer, not on kitchen counter. COS 2/8/21 Toxic substances will be stored away from food at all times. COS 2/8/21
---	--

☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	☒ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00
Permit Date	Environmental Code KP2
Please Remit within 10 days to:	

K. Johnson
Certified Manager

6795
Licence Number

Facility Signature <i>[Signature]</i>
Environmental Signature <i>[Signature]</i>

White Copy - Facility
 Yellow Copy - PIMS
 Pink Copy- Environmentalist


Child Care Licensure Playground Checklist

Center Name Kids In Motion Daycare & Lrn. Ctr. Inspection Date 2/9/2021

YES NO N/A

- ☒ ☐ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
- ☐ ☒ ☐ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
Merry-Go Round must have surfacing
- ☒ ☐ ☐ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
- ☒ ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
- ☒ ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
- ☒ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
- ☒ ☐ ☐ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
- ☒ ☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
- ☒ ☐ ☐ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
- ☐ ☐ ☒ 11. If swings are present, are S-hooks in good repair? If not, state deficiency
_____ (CPSC 3.2, pg13)
- ☐ ☐ ☒ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency
_____ (CPSC 5.3.6.4-5 pgs 34-35)
- ☐ ☐ ☒ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
- ☒ ☐ ☐ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate
_____ (Rule 1.10.2, pg 36)
- ☒ ☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency.
_____ (Rule 1.11.11 (1), pg 49)
- ☒ ☐ ☐ 16. Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
- ☐ ☐ ☒ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
- ☐ ☐ ☒ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)

Director



Licensing Official Kristen Taylor, CCFI 2

