

# **Child Care Facility Inspection Report**

THE LEARNING TREE DEVELOPMENT CENTER

Director: AMANDA TILLMAN

Inspection Date: 06/08/2022
Annual/Mid Inspection

Inspector: Azelda Ellis

# **Program Administration Violations Cited**

1. **Out of Compliance:** At least one staff member with valid CPR/First Aid certification is onsite. (Rule 1.8.1 Page 38)

#### Plan of Correction

License # 4384

1. **POC:** Director stated all staff have been enrolled to take cpr-first class on June 13-18 2022. Facility cpr-first expired on May 16, 2022.

**Person Responsible:** Director **Date for Completion:** Immediately

# **Kitchen Violations Cited**

1. **COS:** Food received from approved source is properly sealed and properly stored once opened from its original package (i.e., labeled and dated). (FC 3-101.11 & 3-202.15)

## **Nutritional Guidelines Violations Cited**

No violations cited.

# **Playground Violations Cited**

No violations cited.

### **Infant Classroom Violations Cited**

<u>Infant - Classroom Number: 5</u> No violations cited

Infant Classroom - Classroom Number: 5

### **Toddler Classroom Violations Cited**

#### Toddlers - Classroom Number: 4

1. **COS:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

Toddler Classroom - Classroom Number: 4

#### **Preschool Classroom Violations Cited**

Preschool - Classroom Number: 3

No violations cited.

Preschool Classroom - Classroom Number: 3

### **School Age Room Violations Cited**

School -age - Classroom Number: 1

No violations cited.

School Age Room - Classroom Number: 1

School-age - Classroom Number: 2

1. **COS:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

School Age Room - Classroom Number: 2

## Legend

COS: Corrected on SitePOC: Plan of Correction

# **Child Care Director Signature**



# **MSDH Licensure Representative Signature**

A. COO