

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County tumphly	Date3/W/19
Facility Name WECHELOUCAPE	License Number 27CDPFA-6972
Purpose lentral TA Ca	pacity 57
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities
Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available, and functioning
and functioning Food service approved Possible Monetary Penalty	Electrical outlets protected Large appliances located properly Sinks and toilets working properly Hot water at all sinks, not to
1	exceed 120° Children barred from kitchen Vending machine snacks meet nutritional guidelines, if present
3\$	Exits, doors and fastening devices single action approved and in good working order
5\$Age/Child/Staff Name	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and
1. 2-3 yrs 8 1 CAMPATICE	in good working order
3. School-Age (13) I CALIGNER 4.	Playground area clean, shaded, well drained and equipped and fence in good repair Sev Manual Cashy accessible
5. 6.	Playground equipment meets standards
7. Labar Leavy	maintained Diaper changing stations adequate in number and each fully supplied
Center Director/Individual Rhandon LCUL.	_ Child Care Representative

White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

2	Child Care Encounter	
District		Date 3 /26/19
Name WE CARE DATE	License No. 21C	OPFA-10972.
Address 13993 Hwy H9	N. BLOON NJ 39038 Center/Organization/Individual	
Purpose PlnWal HA	Director_BPROPLA	Cerry
Mileage Start	Mileage End	
County TUMPNEW	Telephone No. (ULL) 24	7-2400
Time In 305 PM	Time Out 423 pm Total Time	
Findings/Comments W MM	OSE TOL VISH IJ JOL A PENEWA	L Inspection.
Upon ential, licensing mene po	observed older male sitting I	N preschool classorm.
Afferschust chiedlen Classiusm. Per Barb IN the classiusm. Lie are not to be in the	L2) well observed pulling of the leavy 40 Children well of the lea	out of the Infant acting their "hooks" but Schunf-Age Children
An older Male was ob- Child Hat Appended to Ilstops Ucuszna Obselect building. The older M EN HOL PARLING THE LIC PRESIMENTED FRONT NO EN HOL FACILITY FOR	elved letyting out of the back. be wall the loop of the back. The Bit two males with child standing the life in th	SIDE OUT WHO A EDWY HIL CHILDRY WEFE ON AND SOL OF THE WERE OF HIM IN A CAR WOLVEY HOLL IT IS CO designated auxo
It is recommended need of the licensong SLAFE IN 23 ye old o the JOIL the licenson	HOL FACILITY (WE CRUNK) STAR OFFICIAL BATHARA LEANT IND LABRUM TO WATER TWO CLASS PUT 10 FICIAL.	A to conce the Observed Asking, my to reference
EMPLA STATT WAS OBJECT	red AllwIng AS I CONDING W	B COMPRESING Paperwoll
Rhando L Cul Late X Center Director/Designee/Individual	encies observed in Joday Jugar Leng Dan Mes Child Care Representative	White Copy - Facility File Yellow Copy - Operator
Mississippi State Department of Health	Revised 6-24-09	Form No. 287



Child Care Encounter (Continuation)

Date 3 74 19

Facility Name WE CARE WOULTH License No. 27 COFFA 4972
technical Assistance was projected on the importance of A vertor
A childcarle subrey was left with Rhonda Corl, designer.
THE TOO TO TO TO THE MALL MINE TO A MUNICIPAL DE MALL
Charles May resint an the compling of of ministrary
Parka Leary White Copy - Facility File Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Facility Name WE CAPE CONTROL License No. 4912 Date 3/26/19	
Policies and procedures (Parent's Handbook) {Rule 1.4.1} Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)} Approved arrival and departure procedures {Rule 1.6.4 (1) (f)} Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)} Letter of suitability for staff {Rule 1.5.3 & Rule 1.6.3 (1)} Letter of suitability for staff {Rule 1.6.3 (3)} Letter of suitability for staff {Rule 1.6.3 (3)} Monthly records of frie/disaster drills {Rule 1.6.3 (5)} Monthly records of fire/disaster drills {Rule 1.6.3 (8)} Monthly records of third the staff {Rule 1.6.3 (8)} Monthly records of third the staff {Rule 1.6.4} Volunteer records {Rule 1.6.5 & Rule 1.6.6} Letter of suitable the staff {Rule 1.6.7 } Reports of serious occurrences made as required {Rule 1.6.7 } Reports of serious occurrences made as required {Rule 1.7.4 } Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} Age appropriate program of activities posted in each room {Subchapter 9} Required toys present in infant room {Rule 1.10.1 (2)} Required toys present in infant room {Rule 1.10.1 (3)} Required toys present in roddler room {Rule 1.10.1 (3)} Required toys present in roddler room {Rule 1.10.1 (3)} Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6} Appropriate transportation policy followed {Subchapter 15} Appropriate transportation policy followed {Subchapter 15} Appropriate transportation policy fol	
A	
Pass – License to be issued: Regular Probational Restricted Fail Follow-up within days Director Designee Child Care Representative	

Food Service Facility Inspection Results

PIMS ID Faci	ility Name, Address	ngas that 40	Date
10000	E CALL OWNER	O Chest OCC MESOS	3/21/2019
0912 N	ICHR NUMOTIE	1341/m, 114 3903 8	3/01/017
CRITICAL VIOL		CORRECTION PLAN ANI	D SCHEDULE
no certical vio	1Ations	Mot complained	
observed.			
		FACILHY Recida!	A
			Tummyrge
92020 Scheduled 92030 Followup	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00	Čertified Manager / I	icence Number
92040 Complaint	92013 Termit 1 \$30.00		M. Olac
☐ 92050 Consultation	☐ 92012 Permit 3 \$150.00		0
92070 Plan Review/Const.	☐ 92013 Permit 4 \$200.00	Khada	I Cul-
☐ 92080 No Inspection		Facility Signature	9
☐ 92090 Restaurant Training		Mula	Loans
Permit Date	Environmentalist Code	Environmentalist Signature	
Please Remit within 10 days to:		White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	

Child Care Licensure Playground Checklist

Center Name	ECARL DAYLAR Inspection Date 3/26/19
YES NO N/A	
9 0 0 1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
D 0 0 2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
2 0 0 3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
9 0 0 4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
P 0 0 5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
D D D 6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
0 0 9 7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
Z □ □ 8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
□ □ ∠ 9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC)
	3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
	If swings are present, are S-hooks in good repair? If not, state deficiency
	2.5.2, pg 1 & 5.3.8.1, pg 37)
	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35)
	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46)
≠ □ □ 15.	& CPSC 2.2.6, pg 6)
	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61)
	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
□ □ □ 18.	Is wood smooth? Documentation provided that wood has been properly treated (CPSC)
Director Rhonda	2.5,5, pg 15) Bachan Leavy Licensing Official COM (2000)
	9