

### **Child Care Facility Inspection**

County Hinds	Date 7.8.2020
Facility Name Battlefield Park Commun	Hy License Number #3571
Purpose VIrtual Renewal Inspection Cap	pacity_70
All Items In Red Are Critical  Qualified director present  Proper staff to child ratio present	Other Items - Must be corrected  Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities
Room and playground capacity met  Center capacity met  License/complaint visible	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair
Certified food manager  Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning	Lighting approved  Heating/cooling approved  Ventilation adequate  Glass approved and shielded  Telephone on premises, available,
Vector control maintained  Water system approved and functioning  Waste water system approved  and functioning  Food service approved	and functioning
Possible Monetary Penalty  Monetary Penalty  S	Hot water at all sinks, not to exceed 120°  Children barred from kitchen
2\$	Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good
4.       \$         5.       \$	working order
Age/Child/Staff Name  1. VO Chyldner	and thermometers placed properly and in good working order
2. 3. envolled	Playground area clean, shaded, well drained and equipped and fence in good repair
4. <u></u>	Playground equipment meets standards
6.	Pool area clean, fenced, and adequately maintained
7.	Diaper changing stations adequate in number and each fully supplied (number)
Center Director/Individual	_ Child Care Representative Joy Line 1000

White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health

7.00000



District 5	ild Care Elicounter	Date_7.8.2020
Name Battlefield Park Commu	NITY CENTER License No.	
Address 953 W. Porter St	neef Jackson, MS 392 Tenter/Organization/Individual	04
Purpose VITTUAL Reneway Inspec		
Mileage Start	Mileage End	
County Hinds	Telephone No. 601-960-	1901
Time In 2:00 pm Time Out_	12:40pm Total Time_	
Findings/Comments The purpose inspection virually. Site licensing official w/ In	of this visit is to Managur angela v Spection.	onduct a renewa Vnite assisted
No children were enrolled	in the facility this	summer.
The following was observ	red!	
-No thermometers posted— -No Daily Schedule Post -No Evacuation Route po	ed-Rule 1.4.6(b)	
All of these items are place visible to the enstated that Hems will be	to be posted in a nployee and pavents e posted this week.	Conspicuous beg s. Site manages
Items needed: CPR-First Aid director's information (FB education createntials), and (	card on director, per letter, form#121,3 mand Contact hours for all S	est control bill, latory trainings and tast.
All Staff are required to year - Rule 1.5.8(4)	Submit 15 contact l	hours per licensume
Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or		
revocation of the license.	Mild Care Representative	White Copy - Facility File Yellow Copy - Operator
Comer Succession Succession 1		



## MISSISSIPPI STATE DEPARTMENT OF HEALTH

#### **Child Care Program Review**

	A .	1	3520	1.0.					
	Dollahald	2011			1 .	1		70000	. 0
Facility Name	Battlefield	TUIL	C · C ·	License No	-11	2471	Date	1. X /0)/2	20
racinty ranne.	120011001	TAN 1		License 110.		9/1-	Date_	10.00	2

Yes N	lo N/A	
	ם ב	Policies and procedures (Parent's Handbook) {Rule 1.4.1}
2.	ם כ	Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)}
3. 🗷 🗓		Approved arrival and departure procedures {Rule 1.4.1 (2)}
4.	<b>.</b>	Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
5.		Attendance records for children and staff {Rule 1.6.3 (1)}
	ם ב	Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
7. <b>a</b> (	ם כ	Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}
8. 🔎 🕻	ם כ	Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
9. 📭 🛚	ם כ	Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}
10. 🔾 🕻	ם כ	Immunization Records for Children and Staff (Rule 1.6.3 (8))
		Personnel records (attach employee's records form) {Rule 1.6.4}
12. 🗖 🗓		Volunteer records {Rule 1.6.5 & Rule 1.6.6}
	ם כ	Children records (attach children's records form) {Rule 1.6.7}
		Reports of serious occurences made as required {Rule 1.7.1}
		Communicable diseases reported as required {Rule 1.7.3}
	ם נ	Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
CORP. THE PROPERTY OF	ם כ	Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}
	ם נ	Age appropriate program of activities posted in each room {Subchapter 9}
		Required toys present in infant room {Rule 1.10.1 (2)}
		Required toys present in toddler room {Rule 1.10.1 (3)}
52		Required toys present preschool room {Rule 1.10.1 (4)}
		Licensed pest control contractor {Rule 1.11.14}
		Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}
		Appropriate discipline policy followed {Subchapter 14}
		Appropriate transportation policy followed (Subchapter 15)
26. 🗆 🗆		Infant feeding schedules posted (Appendix C, VII)
~~~~~	ta/Daa	amman dations
Commen	us/Rec	ommendations
□ Pass –		
		ssued: Regular Probational Restricted
☐ Fail		
	-up with	in days Cars IV. The
	- A19### 1000.000	☐ Director ☐ Designee Chità Care Representative

# Child Care Licensure Playground Checklist

Cent	er Na	ıme	But	Hesteld Park C.C. Inspection Date 7.8.2020
YES	NO □	N/A	1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
Ø			3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
6			5.	No standing water present on playground or in/on playground equipment or walkways?
A			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), ps 40)
1			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
P			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
D			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC
Z			10.	Are use zones adequate? If not, where are they inadequate? (CPSC 3.5.9, pg 41)
			11.	If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg 14;  2.5.2, pg 1 & 5.3.8.1, pg 37)
D			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency  (CPSC5.3.6.4-5 pgs 34-35)
П			13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
			14.	Is age-appropriate equipment being used? If not, state which pieces are mappropriate  (Rule 1.10.2, pg 46)
				& CPSC 2.2.6, pg 6)
Ø			15.	Is playground area clean & free of hazards? If not, state deficiency.  (Rule 1.11.11 (1), pg 61)
	П		16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
	- -		17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
		10	18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)
Dire	ector		-	Licensing Official Joyan Whole