After School Care, INC. 204 George Street Brandon, MS 39042 Ph.: 601-591-1455 Lic.: **61CCPFA-1822** Director: Frances Dotson



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection								
County_\(\sum{\lambda}\)		•		Date	. 12 .04 . 20	110		
Facility Name				Lic	ense Number			
Purpose Keneura T	A		Ca <sub>l</sub>	oacity	50			
All Items In Red Are Critical Qualified director present	In Out	cos	N/A	Children's l Evacuation	ms - Must be corrected belongings separated/stored plans posted ed and served vities	In Out	cos	N/A
Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible Certified food manager				Walls, ceiling clean and in	and Grounds ngs, floors, toys, equipment n good repair			
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved				Ventilation Glass appro	oling approved adequate oved and shielded on premises, available,			
and functioning Food service approved  Possible Monetary Penalty	12			Electrical o Large appli Sinks and t	utlets protected ances located properly oilets working properly at all sinks, not to			
1	Monetar \$\$\$\$	y Penai		exceed 120 Children ba Vending ma nutritional a Exits, doors	ourred from kitchen achine snacks meet guidelines, if present s and fastening devices			
5	\$ \$			working or Exits unobs Required si	structed moke detectors, carbon			
1. Year · Y · Coll 2. a-3 year · 2 · Coll	ff Name LONVEY.	1 1 a		and thermo in good wo	monitors, fire extinguishers meters placed properly and rking order ts stocked and easily accessib	le D		
3. Theams . U. Cours 4.	egiver.	3,	4	drained and repair	l area clean, shaded, well I equipped and fence in good			
5.					l equipment meets standards lean, fenced, and adequately		Ö	
6. 7.				maintained Diaper cha		20	DI A	
Center Director/Individual $\checkmark$	Novic	a f	Qea	(number _ Child C	are Representative	1.00		B

12-10-08

Mississippi State Department of Health



## **Child Care Encounter**

Page 1 of 2

Date 2.04.2018

Form No. 287

District
Name License No
Address Center/Organization/Individual
Purpose the Director
Mileage End
County Telephone No
Time In Total Time Total Time
Findings/Comments UNN UMVAU, THE MCHISING UTIAM THAT WITH alredor designee, mrs. monica peage.
the humse of this visit is to conduct a renewal
Mrs. Frances botson, director owner arrived @ 2:05 p.m.
Rule 19. (A)-Licensing official Observed V in infant room. Licensing official provided technical assistance explaining television viewing including video tapes and or electronic medicing is not allowed for allower under the age of two or for staff in the Unfant and todaler area the playing of Southing music in the Infant room and todaler how is acceptable.
Rule 1.5.8 (2)-States in part all staff shall be required to complete 15 contact hours of staff development.  **S (in house contact hours can be completed.)
online). A+M extension online (can be completed
Muca Pelas White Copy - Facility File Yellow Copy - Operator  Center Director/Designee/Individual  White Copy - Facility File Yellow Copy - Operator

Revised 6-24-09

After School Care, INC. 204 George Street Brandon, MS 39042 Ph.: 601-591-1455 Lic.: 61CCPFA-1822 Director: Frances Dotson



Page 2 of 2 2.04.2018

Facility Name	License No
Please Submit all before 12/31/20	Staff Contact hours on or 8.
Please submit dir qualifications.	ector designee, Monica bearis
Please submit fir menus. A Iso dayo	e form #333 and two weeki are van insurance.
customer survey ca	rd provided to, mrs. Frances Dotson.
pena doub	I and II violations may result in a monetary Ity. Repeated violations may result in the Jing of a monetary penalty, suspension or cation of the license.
Muci Lou Center Director/Designee/Individual	White Copy - Facility File Yellow Copy - Operator

Mississippi State Department of Health

White Copy - Facility File Yellow Copy - Operator

Form 289



Child Care Program Review

	Child Care Program Review
Facility Name	License No Date 12.04.2018
Dehdina	Policies and procedures (Purent's Handbook) {Rule 1.4.1} Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)} Approved arrival and departure procedures {Rule 1.4.1 (2)} Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)} Attendance records for children and staff {Rule 1.6.3 (1)} Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)} Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)} Monthly records of fire/disaster drills {Rule 1.6.3 (5)} Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)} Immunization Records for Children and Staff {Rule 1.6.3 (8)} Personnel records (attach employee's records form) {Rule 1.6.4} Volunteer records (attach employee's records form) {Rule 1.6.7} Reports of serious occurences made as required {Rule 1.7.1} Communicable diseases reported as required {Rule 1.7.3} Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} Age appropriate program of activities posted in each room {Subchapter 9} Required toys present in infant room {Rule 1.10.1 (2)} Required toys present in toddler room {Rule 1.10.1 (3)} Required toys present preschool room {Rule 1.10.1 (4)} Licensed pest control contractor {Rule 1.11.14} Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6} Appropriate transportation policy followed {Subchapter 15}
☐ Fail	pe issued: Regular Probational Restricted  within days

Revised 12-19-13

## Food Service Facility Inspection Results

PIMS ID Faci	After School Care, INC. 204 George Street Rrandon. MS 39042 Ph.: 601-591-1455 Lic.: 61CCPFA-1822 Director: Frances Dotson	Date   Da
Observed No. Chitical Violation	15	
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training Permit Date  Please Remit within 10 days to:	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00  Environmentalist Code	Certified Manager  Licence Number  Facility Signature  Environmentalist Signature  White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist

	C	hild Core Tierre Playground Checklist
Center Name	After So 204 Ge Brando	Inspection Date 12.04.2018  Inspection Date 12.04.2018
YES NO N/A	Direct	or: Frances Dotson Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with
		$a = a \circ O(R_{\rm o} I_0 I_1 I_1 I_1 O(R) \cdot n\sigma O(I)$
	2	entrances/exits, with one being remote from the building? (Rule 1.11.9 (0), pg 00)
0 0 1	3. I	is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
<b>p</b> 0 0	4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
000	5.	No standing water present on playground or in/on playground equipment or walkways?
	6	(CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
	7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
00		All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
+	9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC
	10.	3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
o o 🗣	11.	If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)
o o \$	12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35)
	12	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
	14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate  (Rule 1.10.2, pg 46  & CPSC 2.2.6, pg 6)
	15.	Is playground area clean & free of hazards? If not, state deficiency.  (Rule 1.11.11 (1), pg 61)
	16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
	17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
	18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)
Director	Mor	Uca Well Licensing Official