



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection Report

THE CHILDREN'S ACADEMY 2

License #: 7649

Director: JAMESIA ARCHIE

Inspection Date: 10/03/2022

Annual/Mid Inspection

Inspector: Tonya Broger

Program Administration Violations Cited

1. **Out of Compliance:** All staff members have a valid Letter of Suitability on file. (Rule 1.5.2 Page 21)
2. **Out of Compliance:** All child records are present and up-to-date. (Rule 1.6.7 Page 32)

Plan of Correction

1. **POC:** Please note, based on a review of the facility records, the facility is required to provide verification of a valid FBI LOS for one (1) staff member, per Subchapter 5, Rule 1.5.2.
Person Responsible: Jamesia Archie, Director **Date for Completion:** Immediately
2. **POC:** Please note, the facility will need to provide verification of a valid MS Form 121 for six (6) children, per Subchapter 6, Rule 1.6.3 (8).
Person Responsible: Jamesia Archie, Director **Date for Completion:** Immediately

Kitchen Violations Cited

No violations cited.

Nutritional Guidelines Violations Cited

No violations cited.

Playground Violations Cited

No violations cited.

Infant Classroom Violations Cited

Infants A - Classroom Number: 1

No violations cited.

Infant Classroom - Classroom Number: 1

Infant B - Classroom Number: 2

No violations cited.

Infant Classroom - Classroom Number: 2

Toddler Classroom Violations Cited

Toddler C Older One Year Olds - Classroom Number: 4

No violations cited.

Toddler Classroom - Classroom Number: 4

Toddler A Young One Year Olds - Classroom Number: 3

No violations cited.

Toddler Classroom - Classroom Number: 3

Toddler B One Year Olds - Classroom Number: 10

No violations cited.

Toddler Classroom - Classroom Number: 10

Twos Classroom Violations Cited

Older Two Year Olds B - Classroom Number: 6

No violations cited.

Twos Classroom - Classroom Number: 6

Two Year Olds A - Classroom Number: 5

1. **Out of Compliance:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

Twos Classroom - Classroom Number: 5

1. **POC:** Thermometers that do not present a hazard to children shall be placed on the interior walls in every activity area at children's height, per Subchapter 11, Rule 1.11.8 (9).

Person Responsible: Jamesia Archie **Date for Completion:** Immediately

Preschool Classroom Violations Cited

Four Year Old Room - Classroom Number: 9

No violations cited.

Preschool Classroom - Classroom Number: 9

Three Year Olds B - Classroom Number: 8

No violations cited.

Preschool Classroom - Classroom Number: 8

Three Year Olds A - Classroom Number: 7

No violations cited.

Preschool Classroom - Classroom Number: 7


Legend

- COS: Corrected on Site
- POC: Plan of Correction

Child Care Director Signature

A handwritten signature in black ink, consisting of a stylized 'L' followed by a cursive 'D' and a horizontal line.

MSDH Licensure Representative Signature

A handwritten signature in black ink, featuring a large, stylized 'S' followed by a horizontal line and the text 'CCS II'.