

40f7

Child Care Facility Inspection

County			Date 4.11. 2018				
Facility Name			License Number		_		
Purpose Midyear Inspe	ction	Capa	ncity_82				
All Items In Red Are Critical Qualified director present	Out COS	N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	S DO DE		COS	N/A
Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible			Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair	12			
Certified food manager Sanitation Approved Garbage and garbage bins maintained			Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded	SPIPE.			
Vector control maintained Water system approved and functioning Waste water system approved			Telephone on premises, available, and functioning				
and functioning Food service approved			Electrical outlets protected Large appliances located properly Sinks and toilets working properly				
Possible Monetary Penalty 1. Rule 1.8.1(4)	Monetary Penalt	y	Hot water at all sinks, not to exceed 120° Children barred from kitchen				
2. Rule 1.8.1(5)	\$	_	Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good				
4	\$		working order Exits unobstructed				
5	\$		Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and	Ша			Ш
Age/Child/Staff N 1. Infants/5/Caregiver	lame		in good working order	D			
2. Lyr olds/8/caregiv	ier 2		First aid kits stocked and easily accessible	e 🗌			
3. 2yr olds/8/ Careg	iver3 egiver4		Playground area clean, shaded, well drained and equipped and fence in good repair				
5. 4 yr olds / 10 / caregiver 5		Playground equipment meets standards					
6. Afterschoolers/8/Caregiver 6		Pool area clean, fenced, and adequately maintained				10	
7.	·		Diaper changing stations adequate in number and each fully supplied (number)		8	17	
Center Director/Individual	ou D	aus	_ Child Care Representative	DI	On	M	DEST



Child Care Encounter

District	Date_ 4. []. 20[8
Name	License No
Address	Center/Organization/Individual
Purpose Midyear Ins	spection Director Dovi6 Davis
Mileage Start	Mileage End
County	Telephone No. 601 · 346 · 8103
Time In 2:00pm	
lavis, director	this visit is to conduct a midyear to provide technical assistance.
***	e facility Staff to chird ratio was all m
Appendix C: Each and the date.	TA was provided.
was on the bo	les not labeled w/ hame nor date. Child's name Hom inside the refrigerator.
that include I	Infants and toddlers, the child care facility, to the child's parent, daily Written reports iquid intake, Child's disposition, bowel movements and sleep patterns
Staff had no provided.	daily written reports written out. TA was
- Records- Rule 1. 6.3: Each Containing Cop Compliance (M Compliance (M Center Director/Designee/Individual)	SOH Form #12D for both Staff and Children White Copy - Facility File Yellow Copy - Operator



 $Page \frac{2}{2} \text{ of } \frac{1}{4}$ $Date \frac{4 \cdot 11 \cdot 2018}{2018}$

(Continuation)

Facility Name License No	
at the facility. The notebook shall contain o	Separate current alghabet
ical rosters of both Staff and Children.	the certificates Shau
be filed in alphabetical order to match	the current Staff
and child rosters.	11.0
Lo observed roster not in alphabetical ord	er and the 121 form
book aid not match. 3 Staff w/ missing 19	21 forms, Staff may not refur
book aid not match. 3 Staff w missing 19 with form is submitted. 10 missing + 9 expires 12	I form so for Students. Submit
Rule 1.6.3 (2): A current alphabetical ros	ter of children enrolled
in the Childcare tacility to include the	Child's full hanse
and doB, (Date of Birth). Rule 1.6.3(9) +	Mohabertical roster of
Staff, along w/ name, date of birth, th	e initial hire date.
TA was provided.	
· ·	
Playground: Gwing Set use zones has to be both sides. Plastic boarder must be around use zones. (6 ft.) 9 in of mulch Shall be filled	file front, back and
both sides. Plastic boarder must be around	Dlay Structure Within
Use zones. (6 ft.) In of mulch Shall be fille	ed within borders.
According to Appendix D.	
Appendix D: Bolts should not expose more to	han two threads beyond
the end of the nut.	
Lo observed threads greater than 2 inches. TA	was provided.
Ants beds must be nemoved to prevent haza	rds. Rule 1.11.11 (1)
Gidewalks must provide a smooth Gurface walk	(ina) (CPSC 3.6)
Please submit director ocy credentials along by I	21 form, along W/ Vehicle
	"Class I and II violations may result in a
Green Survey Card was left w director.	monetary penalty. Repeated violations
	may result in the doubling of a monetary penalty, suspension, or revocation of the
	license"
Durin Danis Complant pools	White Copy - Facility File Yellow Copy - Operator
Center Director/Designee/Individual Child Care Representative	Yellow Copy - Operator



Page of 7

Date 4.11.2018

Facility Name noone he an Valid no one

Center Director/Designee/Individual

White Copy - Facility File Yellow Copy - Operator

50f7

Food Service Facility Inspection Results

County: Hinds District: V		
PIM Wood-Forest Preschool Ac	ademy ss	Date
2040 Raymond Road		4:11.2018
Jackson, MS 39204 License #25CDPFA-5519	-	1.11.2010
CRITICAL VIOL	ATIONS	CORRECTION PLAN AND SCHEDULE
All in Complian	CE	Facility Receive grade A"
92020 Scheduled 92030 Followup 92040 Complaint 92050 Consultation 92070 Plan Review/Const. 92080 No Inspection 92090 Restaurant Training Permit Date Please Remit within 10 days to:	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00 Environmentalist Code	Certified Manager Licence Number Eacility Signature Environmentalist Signature White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist

Child Care Licensure Playground Checklist

5	Cimu Curo Zzo
Center Name	Inspection Date 411.2018
YES NO N/A	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (6), pg 60)
□ 1 □ 3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3) Need Plactic Order around Swing at W/ Much inside AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59) Gee Encounter and actionment or walkways?
	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (3), pg 35)
□ □ 5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
□ □ 6.	Toys & equipment in good repair? (none broken/deteriorating) (1886-1884)
	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing
□ □ 9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)
□ □ □ 12.	
п п п 13	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
	ists againment being used? If not, state which pieces are mappropriate
	Mak food C ON Sonor of Diagonous
D 0 16	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
p p 17	01.0 = 0.710
□ □ □ □ 18	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)
Director D	Licensing Official Myster Cross