



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection Report

CONEHATTA EARLY CHILDHOOD CENTER

License #: 0987

Director: ALLISON SMITH

Inspection Date: 06/27/2023

Annual/Mid Inspection

Inspector: Miski Brown

Program Administration Violations Cited

No violations cited.

Kitchen Violations Cited

1. **Out of Compliance:** Hot and cold water are available, adequate pressure. (Rule 1.11.5 Page 56)

Plan of Correction

1. **POC:** During the facility review the hot water was in need of repair. The director sent a work order request to maintenance on May 23, 2023. Maintenance came out and stated that the hot water needed an element. The director sent a follow-up request to maintenance. A follow-up will be conducted in 14 days.
Person Responsible: Allison Smith **Date for Completion:** 14

Nutritional Guidelines Violations Cited

No violations cited.

Playground Violations Cited

No violations cited.

Infant Classroom Violations Cited

Coassroom # 7 - Classroom Number: 7

1. **Out of Compliance:** Daily reports are made available for infants and include: liquid intake, child's disposition, bowel movements, and eating and sleeping patterns. (Rule 1.7.4 Page 35)

Infant Classroom - Classroom Number: 7

1. **POC:** During the facility review Classrooms # 7 and #2 did not have toddler grams completed. To correct this violation the director will have a meeting with the teachers.

Person Responsible: Allison Smith **Date for Completion:** 14

Preschool Classroom Violations Cited

Classroom# 2 - Classroom Number: 2

No violations cited.

Preschool Classroom - Classroom Number: 2

Classroom # 5 - Classroom Number: 5

No violations cited.

Preschool Classroom - Classroom Number: 5

Legend

- COS: Corrected on Site
- POC: Plan of Correction

Child Care Director Signature

A handwritten signature in black ink that reads "Mrs. Smith". The letters are cursive and fluid.

MSDH Licensure Representative Signature

A handwritten signature in black ink, appearing to be "M. R.", written in a cursive style.