

## MISSISSIPPI STATE DEPARTMENT OF HEALTH

## **Child Care Facility Inspection**

| County Jackson Date March 25, 2021  |                  |   |            |        |       |
|---|------------------|---|------------|--------|-------|
| Facility Name Big Point Childrane License Number 4738   |                  |   |            |        |       |
| Purpose Renewal   |                  | Capacity 24   |            | ~      |       |
| All Items In Red Are Critical Qualified director present Proper staff to child ratio present                            | In Out COS N/A   | Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities |            | ut COS | N/A   |
| Room and playground capacity met Center capacity met License/complaint visible Certified food manager                   |                  | Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair  |            |        |       |
| Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning |                  | Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,             |            |        |       |
| Waste water system approved and functioning Food service approved   |                  | and functioning  Electrical outlets protected  Large appliances located properly  Sinks and toilets working properly                      |            |        |       |
| Possible Monetary Penalty  1  | Monetary Penalty | Hot water at all sinks, not to exceed 120°  Children barred from kitchen  Vending machine snacks meet                                     |            |        |       |
| 3.  | \$<br>\$         | nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order                    |            |        |       |
| 5   | \$<br>\$         | Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers   |            |        |       |
| Age/Child/Staff   | Name<br>B 3.43   | and thermometers placed properly and  |            |        |       |
| 3. 4.   | 0                | Playground area clean, shaded, well drained and equipped and fence in good repair   | <b>图</b> [ |        |       |
| 5.  |                  | Playground equipment meets standards  |            |        |       |
| 6   |                  | Pool area clean, fenced, and adequately maintained  |            |        |       |
| Center Director/Individual  | 211              | Diaper changing stations adequate in number and each fully supplied (number)  Child Care Representative                                   |            |        | Olic. |

White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health



| District9   | Date March 2521   |
|---|---|
| Name Big Point Cheldian   | License No. 4738  |
| Address 7534 Methodit Church F. Center/Org                      | Rd. Moss Point 39562  |
| Purpose Renewal   | Director Wanda Dreen  |
| Mileage Start   | Mileage End   |
| County Jackson  | Telephone No. 228 - 588 - 66 5 3                            |
| Time In 8 3 Time Out  | Total Time  |
| Findings/Comments   |   |
| Playgound-Due to wear<br>war roconducted a follow<br>Dater date | ther a playground inspection<br>) up will be conducted at a |
| Bulders - no Violation Obse                                     | wed   |
|   |   |
| Ch litter Reweis In compl                                       | lapee   |
| Staff Rewide In complia   | nd  |
|   |   |
|   |   |
| ·   |   |
|   |   |
|   |   |
|   |   |
|   |   |
| -   |   |
|   |   |
|   |   |
|   |   |
|   |   |
|   |   |
| Center Director/Designee/Individual Child Care                  | White Copy - Facility File Yellow Copy - Operator           |



## MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Facility Name Big Point Cheldran License No. 4738

| racinty Name Discrete No. 1750 Date   |
|---|
| Yes No N/A  1.  |
| License to be issued: Regular   Probational   Restricted     Fail   Follow-up within days   Director   Designee   Child Care Representative |