Kaleidoscope of Learning 335 Byram Drive Jackson, MS 39272 601-502-2990 Lic. No. 25CEPFA-4977 Director Dace Patrina



MISSISSIPPI STATE DEPARTMENT OF HEALTH **Child Care Facility Inspection** Date License Number Facility Name // Capacity Other Items - Must be corrected Out COS N/A Children's belongings separated/stored Evacuation plans posted All Items In Red Are Critical COS N/A Menus posted and served Qualified director present Plan of activities Proper staff to child ratio present Room and playground capacity met **Building and Grounds** Center capacity met Walls, ceilings, floors, toys, equipment License/complaint visible clean and in good repair Certified food manager Lighting approved Sanitation Approved Heating/cooling approved Garbage and garbage bins maintained Ventilation adequate Vector control maintained Glass approved and shielded Water system approved and functioning Telephone on premises, available, Waste water system approved and functioning and functioning Electrical outlets protected Food service approved Large appliances located properly Sinks and toilets working properly Possible Monetary Penalty Hot water at all sinks, not to Monetary Penalty exceed 120° Children barred from kitchen Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers Age/Child/Staff Name and thermometers placed properly and in good working order First aid kits stocked and easily accessible [Playground area clean, shaded, well drained and equipped and fence in good 4. repair Playground equipment meets standards 6. Pool area clean, fenced, and adequately maintained Diaper changing stations adequate in number and each fully supplied

(number



Child Care Encounter

District O	oa care	Literative	1 0 0
Mileage Start County Mileage Start County Mileage Start	Kaleidoscope of Learning 335 Byram Drive Jackson, MS 39272 601-502-2990 Lic. No. 25CEPFA-4977 Director Dace Patrina POCHIM / TA Di Milea Teleph	vidual rector ge End	Date 1. 26. 202
Findings/Comments 400	n arrival the Lo-	Met W/ the di	rector Patrina
provide Pechnic Great Inspe Thanks for se	ction!!	and families	Sin Missiccioni
Reminders: Helpful Hints: Renewal Process see form: #289	pe safe and we		TITIIISUISSIPYI
Class I II violations may result in monetary penalty. Repeated violations may result doubling of a monetary penalty suspension or revocation of lice	in the	LO- Licensing Official COS-Corrected on Site TA-Technical Assistance POC-Plan of Correction LOS-Letter of Suitability	Ţ.
Jahrna Dace enter Director/Designee/Indivi	dual Child Core Represe	Ellie Wentative	hite Copy - Facility File llow Copy - Operator



Child Care Program Review

	<u> </u>		Date 1.26.202	
Facility Name		License No	DateD	
Yes No N/A 1.				
Comments/Recommendations		Items needed to be submitted to your licensing official to complete your renewal process: -4 or 6 weeks menus -Fire form, zoning letter (Hinds County Only)		
to complete and pay fee or before	e your online application es and print your license on 1493, 2021, to avoid nd reinstatement fees.	-Catering Contract (If Applicable) —		
☐ Fail	to be issued: Regular Property Regular Disposition	Etrina Dace	ZUL Ellis aild eare Representative	

Food Service Facility Inspection Results

	Kaleidoscope of Learn 335 Byram Drive Jackson, MS 39272 60 Lic. No. 25CEPFA-4977 DLATI Director Dace Patrina	01-502-2990	Date 1.26.202
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00	Certified Manager Facility Signature	Licence Number
Permit Date Please Remit within 10 days to:	Environmentalist Code	Environmentalist Signature White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	Elin

Kaleidoscope of Learning -335 Byram Drive Jackson, MS 39272 601-502-2990

layground Checklist

Cent	er Na	me _		Jackson, MS 39272 601-502-2990 Lic. No. 25CEPFA-4977 ——————————————————————————————————
YES	NO	N/A □	1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
V			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 00)
	-[]	□	3	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
			5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
V			6.	Toys & equipment in good repair? (none broken/deteriorating) (Nate 1.10.2 (2), PS
0/	· .		7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
0			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC
(D)			10.	3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
Image: section of the content of the		1	11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 1)
				2.5.2, pg 1 & 5.3.8.1, pg 37)
O/			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-3.
1	_	П	13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
. 4			14.	Is age-appropriate equipment being used? If not, state which pieces are mappropriate (Rule 1.10.2, pg
	Mago			& CPSC 2.2.6, pg 6,
4			15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg
6/			16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5
			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
4			18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPS 2.5.5, pg 15)
Dire	ector	1	Det	Ma Ouco Licensing Official 2 Mb Chili