Fikes 2 Tots Family Child Care 213 Commerce Drive Pearl, MS 39208 Ph.: 601-825-3101 Lic.: **61CDPFA-5893** Director: Kimberly Langston



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

DANAIN			16			
County MIXIV		Date 09.20.20	16			
Facility Name License Number						
Purpose MANULUM	Cap	pacity				
All Items In Red Are Critical Qualified director present	In Out COS N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	COS	N/A	
Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible Certified food manager Sanitation Approved Garbage and garbage bins maintained Vector control maintained		Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,	0000			
Water system approved and functioning Waste water system approved and functioning Food service approved Possible Monetary Penalty	Monetary Penalty	and functioning Electrical outlets protected Large appliances located properly Sinks and toilets working properly Hot water at all sinks, not to	0000			
1	\$\$	exceed 120° Children barred from kitchen Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order				
4	\$\$	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and				
1. 3-4 year. 15	· Caregiver 1	in good working order First aid kits stocked and easily accessible				
2. 2-3 year 9 (4. Infants 9 (aregiver 3 Caregiver 4,5	Playground area clean, shaded, well drained and equipped and fence in good repair				
5. 1 year 4 . Cu	regiver 4,4	Playground equipment meets standards Pool area clean, fenced, and adequately maintained				
Center Director/Individual	Danal	Diaper changing stations adequate in number and each fully supplied (number) Child Care Representative	P	M	K	
0	Copy - Facilit Operator		F	orm No	. 281	

Director: Kimberly Langston



Child Care Encounter

Date 09 · 20 · 2018

District	
Name	License No
Address	Center/Organization/Individual
Mid-VAV TA	Director
Purpose //// /// // // // // // // // // // //	
Mileage Start	Mileage End (0) - 825 - 310
County	Telephone No. W OO STO
Time In 9: 10 M	Time Out 10.01 000 Clock Of Cold 100 of 11111
Findings/Comments JUVN W	nora mitcheel.
the Duringe of H	nic visit is to conduct a miduodic
inspection and phi	vide fechnical assistance.
mrs. lumberly langete	on almived @ 9:09 alm.
please Submit desi baid expenience Trainings.	ignee c.mitchell's two year letter and three mandatory
	<u> </u>
11.	Along the later than
Hangh Sirector Designee Individual	White Copy - Facility File Yellow Copy - Operator

Mississippi State Department of Health

Revised 6-24-09

Form No. 287

Tikes 2 Tots Family Child Care 213 Commerce Drive Pearl, MS 39208 Ph.: 601-825-3101

Lic.: 61CDPFA-5893 Director: Kimberly Langston



Page 2 of 2

(Continuation)

Facility Name	License No
	- Janeary
	and the second s
and the second of the second o	l= 100 = 125al a 1 = 1 = 1 = 1
Green survey and provided -	10, Mrs. Nimbony lungston.
	1 0
"Class I and II violations m monetary penalty. Repeat	
may result in the doubling	of a monetary
penalty, suspension, or rev	ocation of the
	Charlin
Center Direstor/Designee/Individual Child Care Representative	White Copy - Facility File Yellow Copy - Operator

Mississippi State Department of Health

Revised 07-27-09

Form No. 277

Food Service Facility Inspection Results

PIMS ID Facility Ni213 Commerce Drive Pearl, MS 39208 Ph.: 601-825-3101		Date (V. 20.20)
CRITICAL VIOL	Lic.: 61CDPFA-5893 ATIO Director: Kimberly Langston	CTION PLAN AND SCHEDULE
obsuld no critical Violation)	
y 92020 Scheduled	☐ 92010 Permit No Charge	Certified Manager Licence Number
☐ 92030 Followup	92015 Permit 1 \$30.00	U.
☐ 92040 Complaint	☐ 92011 Permit 2 \$100.00	exp:03/14/2021
☐ 92050 Consultation	92012 Permit 3 \$150.00	EVE. MILLIAMIN
☐ 92070 Plan Review/Const.	☐ 92013 Permit 4 \$200.00	
92080 No Inspection		Facility Signature Range
☐ 92090 Restaurant Training		
Permit Date	Environmentalist Code	Environmentalist Signature
Please Remit within 10 days to:		White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist

Child Care Licensura Playground Checklist

	bild Care Licensura.	vgroums a cold
	Tikes 2 Tots Family Child Care	- 09.30.2018
	213 Commerce Drive Pearl, MS 39208	_ Inspection Date
Center Name	Ph.: 601-825-3101	·
VES NO N/A	Director: Kimberly Langston	com surface. (Rule 1.11.9 (8), pg 60) In good repair, with
VES NO 1V21	Playground fence less than 3 ½ 11	Om States (
	no gaps? (Rule 1.11.9 (8), pg 60)	emote from the building? (Rule 1.11.9 (8), pg 60)
th 🗆 🗆 2.	2 entrances/exits, with one being i	CPSC 2 4.2. pg 9-10 & 4.3)
	To surfacing adequate? If not, whe	re is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
	- <u>Jan 1966 1966 19</u>	7 1 1 1 1 0 (5) ng 59)
	A Clarita high-voltage cabling/w	ires inaccessible? (Rule 1.11.9 (5), pg 59)
□ □, 4.	AC units, mgn versont on pla	yground or in/on playground equipment or walkways? 1.11 (4), pg 61)
□ □ □ 5.	No standing water present on place (CPSC 2.4.2.2(5), pg 10 & Rule 1.1	1.11 (4), pg 61)
4	(CPSC 2.4.2.2(5), pg 10 & Rute 1.2.	1.11 (4), pg 61) r? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46) (CPSC 3.6, pg 16-17)
\Box \Box \Box 6.	Toys & equipment in good repair	hogards) (CPSC 3.6, pg 16-17)
7 7	Sidewalks provide smooth walki	ng surface? (no trip hazards) (CPSC 3.6, pg 16-17)
d □ □ 7.		1 the nitt! Are all boils and I
п п 8.	All bolts on equipment & fence	<2 threads beyond the flut: 1110 the second the second the flut: 1110 the second the flut: 1110 the second the second the flut: 1110 the second t
V	twists/wires facing away nom a	expresses? Is fence free of brush/overgrowth? (CPSC)
П П 9.	Tree limbs at least 7ft. above pu	ay surfaces? Is fence free of brush/overgrowth? (CPSC)
	3.4, 3.5, pg 16)	where are they inadequate? (CPSC 5.3.9, pg 41)
	Are use zones adequate.	1 (*** 070)
	are present are S-hoc	oks in good repair? If not, state deficiency (CPSC 3.2, pg 14;
	If swings are present, as a	2.5.2, pg 1 & 5.3.8.1, pg 37)
		1to2 If not state deficiency
□ □ 12.	If slide is present, is exit heigh	t/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35)
	11 51100 1	of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
12	Are spring rockers a minimum	of 6 ft. apart? (ASIM)
	Laga appropriate equipment	being used: It not, 24th (Rule 1.10.2, pg 40)
	Is age-appropriate 1	& CPSC 2.2.6, pg 6)
		1-2 If not state deficiency.
□ N □ 15	Is playground area clean & fre	ee of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61)
	See # 3	the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
п п 16	Is adequate shade present on	the playground? (Rule 1.11.2 (2), pg 46 &
	Are concrete footings located	at least 0 ochodus — CPSC 3.6, pg 16-1/)
□ □ 17	. Ale concrete = 1	tion provided that wood has been properly reated. (CPSC
/ - 10	Ts wood smooth? Documenta	tion provided that wood has been provided that the provided the provided that
	2,5.5, pg 15)	(· \V
AX	Lie	censing Official
Director 4	ings	
	v .	