

## MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

County	Date 8.28.20			
Facility Name Safari Learning	License Number 350	95		
Purpose V. RoncWal Ca	pacity_112_			
All Items In Red Are Critical  Qualified director present  Proper staff to child ratio present  Room and playground capacity met	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	cos	<b>N/A</b>
Center capacity met  License/complaint visible  Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair	<b>/</b> 0		
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,	AND COURSE		
and functioning Food service approved  Possible Monetary Penalty	and functioning  Electrical outlets protected  Large appliances located properly  Sinks and toilets working properly			
Monetary Penalty  \$	Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices			
\$\$. 5\$	single action approved and in good working order  Exits unobstructed	N O		
1. 3yR/8/Caregiver 1	Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<b>/</b> -		
2. 4 YR / 1/ 1/ 2 3. 2 YR / 1/ 1/ 3	First aid kits stocked and easily accessib	ole 🗆 🗆		
4. Aftersche "4	Playground area clean, shaded, well drained and equipped and fence in good repair	<b>7</b> 0		
5. 148 7 24 7 11	Playground equipment meets standards			
7.	Pool area clean, fenced, and adequately maintained			
	Diaper changing stations adequate in number and each fully supplied (number)	7.7.2		
Center Director/Individual	_ Child Care Representative 1		WU	Kly
White Copy - Facility File Yellow Copy - Facility Operator	©			U

White Copy - Facility File Yellow Copy Mississippi State Department of Health



## **Child Care Encounter**

District	Dat 8 8 00.00.
Name Safari Lic	ense No. 35 95
Center/Organization/Individ	mit MS 39466.
Purpose Virtual RaceWal Director_	K. Taylor D. Designee
Mileage Start Mileage End_	
County Adams Telephone No.	V
Time In 9:00 Time Out 9', 30	Total Time
Findings/Comments The purpose for -	today's inspection
Renewal inspection wo	s completed with
No critical violations @ th	e time of visit.
D. Designee will bring conta and #333 to office on Mond be issued once items ove	or hours, Menus, oy license will received.
mone Repe doub	I II violations may result in a etary penalty.  ated violations may result in the ling of a monetary penalty, ension or revocation of license.

Center Director/Designee/Individual

Child Care Representative

White Copy - Facility File Yellow Copy - Operator



Child Care Program Review

Facility Name License No Date 8.28.20
Genter
Yes No N/A  1.
□ Pass − License to be issued: □ Regular □ Probational □ Restricted □ Fail □ Follow-up within days □ Director □ Designee Child Care Representative

## **Food Service Facility Inspection Results**

Call and the Call	191. 27		
PIMS ID Facility Name, Address		ori Learning	Date 8.28.20.
CRITICAL VIO	OLATIONS	CORRECTION PLAN AN	D SCHEDULE
No critic	col		
Violations			
		"Issued	d
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint	92010 Permit No Charge 92015 Permit 1 \$30.00 92011 Permit 2 \$100.00	Dorothy Rate L	12.18.2023 icence Number EXA
☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00	Facility Signature	
Permit Date	Environmentalist Code	Environmentalist Signature	ler
Please Remit within 10 days to:		White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	0

## Child Care Licensure Playground Checklist

	Се	nter l	Name		Ottori Learning Inspection Date
	YE	SNO	D N/A	à.	
	D			1.	Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
	V			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
	Ø			3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
	D			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
-				5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
-	D			б.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
	9	0		7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
	0			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
-				9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
				10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
			D	11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14,
			D	12.	2.5.2, pg 1 & 5.3.8.1, pg 37)  If slide is present, is exit height/exit zone adequate? If not, state deficiency  (CPSC5.3.6.4-5 pgs 34-35)
				13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
1				14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate  (Rule 1.10.2, pg 46
		_	SEE		& CPSC 2.2.6, pg 6)
1				15.	Is playground area clean & free of hazards? If not, state deficiency.  (Railé 1.11.11 (1), pg 61)
1	2			16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
5				17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
1	1			18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)
Di	irect	or			Licensing Official Albusha Sandifu