

Child Care Facility Inspection

| County Harrison | Horme | | Date 12-15-208 | 2 () | | |
|--|---------------------|--|---|--------------|-----|------------|
| County Handson | Hancock | | Date 101-15 000 | 10 | | |
| Facility Name Housin | rost | V (1,000-1,000-1,000-1,000-1,000-1,000-1,000-1,000-1,000-1,000-1,000-1,000-1,000-1,000-1,000-1,000-1,000-1,000 | License Number(|)/ | | |
| Purpose Revenuel | | _ Cap | acity | | • | |
| All Items In Red Are Critical Qualified director present Proper staff to child ratio present | In Out COS N | / A | Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities | In Out | COS | N/A |
| Room and playground capacity met Center capacity met License/complaint visible Certified food manager | | | Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair | <u>_</u> , _ | | |
| Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning | | | Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available, | | | |
| Waste water system approved | | _ | and functioning | 0 | | |
| and functioning Food service approved Possible Monetary Penalty | | | Electrical outlets protected Large appliances located properly Sinks and toilets working properly | | | |
| 1 | Monetary Penalty \$ | - | Hot water at all sinks, not to exceed 120° Children barred from kitchen | | | |
| 2. | \$ | - | Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices | B 0 | | |
| 4 | _ \$ | | single action approved and in good working order | d 0 | | |
| 5 | | | Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers | | | |
| 1. | | | and thermometers placed properly and in good working order | | | |
| 2. | | | First aid kits stocked and easily accessib | le 📗 🔲 | | |
| 3. 4. 10- 3/4 U | r old | | Playground area clean, shaded, well drained and equipped and fence in good repair | | | |
| 5. | | | Playground equipment meets standards | 40 | | |
| 6 | | | Pool area clean, fenced, and adequately maintained | | | - |
| ; 1 | -1 | . 1. | Diaper changing stations adequate in number and each fully supplied (number) | | 10 | |
| Center Director/Individual White Child Care Representative Child Care Representative | | | | | | |
| White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health 12-10-08 Form No. 281 | | | | | | . 281 |



Child Care Encounter

| District_ | Child Ca | re Encounter | Date 12-15 - 2020 | |
|--|----------------------------|----------------|--|--|
| NameAddress | The Hawk's Nest Child | iln, MS 39556 | Daic 100 1 5 1 5 1 5 1 | |
| Purpose | Director: Whitney McCardle | | | |
| Mileage Start | | Mileage End | | |
| County Harcock | | Telephone No | | |
| Time In 30 | Time Out | Total Time_ | | |
| Findings/Comments | | | | |
| are in Comp | Diance to | n Dereuso | Braspection | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| on Donewal | · · | | | |
| Fire 333 | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| . 1 | | | | |
| Mulul Center Director/Designee/Individua | I Child Care | Representative | White Copy - Facility File Yellow Copy - Operator | |

Mississippi State Department of Health

Revised 6-24-09

Form No. 287



Child Care Program Review

| Facility Name House No. Date 12-15-2020 | | | | |
|--|--|--|--|--|
| Yes No N/A 1. | | | | |
| | | | | |
| Pass – | | | | |
| License to be issued: Regular Probational Restricted Fail Follow-up within days Director Designee Child Care Representative | | | | |

Mississippi State Department of Health White Copy - Facility File

Yellow Copy - Operator

Child Care Licensure Playground Checklist

| Cent | er N | ame | N | awlis host Inspection Date 12-15-2020 |
|-------|------|-----|-----|---|
| YES | NO | N/A | 1. | Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48) |
| | | | 2. | 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48) |
| Ø | Q | | 3. | Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8) |
| Ø | | | 4. | AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47) |
| | | | 5. | No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10) |
| | | | 6. | Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36) |
| | | | 7. | Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15) |
| | | | 8. | All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47) |
| | | | 9. | Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4.3.5 pg. 15) |
| | | | 10. | Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40) |
| | | ġ | 11. | If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13) |
| | | | 12. | If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35) |
| | | D | 13. | Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15) |
| Ø | | | 14. | Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36) |
| Ð | | | 15. | Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 49) |
| | П | | 16. | Is adequate shade present on the playground? (CPSC 2.1.1, pg 5) |
| | | | 17. | Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36) |
| | | Ø | 18. | Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5) |
| Direc | tor | | | Licensing Official WWW |