

Child Care Encounter

District	Date 6, 30, 22
Name Mclaurin Family Acade	
Address 110 Evere++ St Hat	Liesburg MS 39401
	Director Brenda Newsone
Mileage Start	Mileage End
County Forrest	Telephone No. 601. 602, 6211
Time In Time Out	Total Time
Findings/Comments Renewal in	spection conducted.
No deficiencies ob	served.
Rec'd all staff contact	at hours, menus, and fire
form.	
Facility is in the process	of adding more shade
en Playgrand and surfaci	No.

Brenda Newsone Center Director/Designee/Individual White Copy - Facility File Yellow Copy - Operator Child Care Representative



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County Forrest					Date 6.30.2	2			
Facility Name McLaur	in Fa	mily	A	Coo			2		
Purpose Renewal)			Cap	pacity				
Il Items In Red Are Critical ualified director present roper staff to child ratio present	In Out	cos	N/A		Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities		Out	COS	N/A
oom and playground capacity met enter capacity met cense/complaint visible ertified food manager	ANDANA DODOOO				Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair	1			
anitation Approved arbage and garbage bins maintained actor control maintained ater system approved and functioning					Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded	Appa			
aste water system approved d functioning					Telephone on premises, available, and functioning	4			
od service approved ossible Monetary Penalty					Electrical outlets protected Large appliances located properly Sinks and toilets working properly	THA			
	Moneta \$	ry Pena	lty		Hot water at all sinks, not to exceed 120° Children barred from kitchen	44			
	\$ \$				Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices				
	\$				single action approved and in good working order	1			
R Age/Child/Staf	s				Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and				
1 infant ?	5 /					1			
					First aid kits stocked and easily accessib	le 🔲			
					Playground area clean, shaded, well drained and equipped and fence in good repair	4			
					Playground equipment meets standards	1			
					Pool area clean, fenced, and adequately maintained				
3					Diaper changing stations adequate in number and each fully supplied (number))
Center Director/Individual	unda 1	Dem	morra	2	_ Child Care Representative	ma	red	ha?	Be



Child Care Program Review

Facility Name	Iclaurin Family License No. 1432 Date 6.30,22
Yes No N/A	4
1. 4. 0 0	Policies and procedures (Parent's Handbook) {Rule 1.4.1}
2.	Proof of Accident/Liability Insurance or documentation that parent has been notified that no
	insurance is in effect {Rule 1.4.1 (i) & (j)}
3. 🔎 🗆	Approved arrival and departure procedures {Rule 1.4.1 (2)}
4. 🗖 🔲 🖸	
5. 🗖 🔲 🔾	Attendance records for children and staff {Rule 1.6.3 (1)}
6.	Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
7.	Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}
8.	Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
9.	Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}
10.	Immunization Records for Children and Staff {Rule 1.6.3 (8)}
11.20	Personnel records (attach employee's records form) {Rule 1.6.4}
	Volunteer records {Rule 1.6.5 & Rule 1.6.6}
13.	()
15.	Reports of serious occurences made as required {Rule 1.7.1}
16.	Communicable diseases reported as required {Rule 1.7.3}
17.	T I T T T T T T T T T T T T T T T T T T
18.	1
19.	Required toys present in infant room {Rule 1.10.1 (2)}
20.	Required toys present in toddler room {Rule 1.10.1 (2)}
21.	Required toys present in totalier room (Rule 1.10.1 (3)) Required toys present preschool room (Rule 1.10.1 (4))
22.	Licensed pest control contractor {Rule 1.11.14}
	Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}
24.	Appropriate discipline policy followed {Subchapter 14}
25.	Appropriate transportation policy followed {Subchapter 15}
26.	Infant feeding schedules posted (Appendix C, VII)
Comments/Red	commendations WA

Follow-up within days Brenda Newson Child Care Representative	0	Pass – License to be issued: Regular Fail Follow-up within days	Brenda Newson	Child Care Representative
---	---	---	---------------	---------------------------

Food Service Facility Inspection Results

PIMS ID F	acility Name, Address		Date
	nclaucia Fam	14 Academy	6.30.22
CRITICAL VIO	DLATIONS	CORRECTION PLAN AN	ND SCHEDULE
No critical	cal violations	AA	
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training Permit Date	92010 Permit No Charge 92015 Permit 1 \$30.00 92011 Permit 2 \$100.00 92012 Permit 3 \$150.00 92013 Permit 4 \$200.00 Environmentalist Code	Facility Signature	eusum
Please Remit within 10 days to:		White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	

Deater Name 🗘	nclourin Family Academy Inspection Date 6.30.20
YES NO NA	
	Playground fence less than 3 14" from surface. (Rule 1.11.9 (3), pg 48) in good repa with no gaps? (Rule 1.11.9 13), pg 48)
2 5 5 2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.7 18. pg 43)
<u> </u>	[5 surfaving adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8;
	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
<u> </u>	No standing water present on playground or in/on playground equipment or walkwa (CPSC 2.4.2.7-5, pg 10)
□ □ □ 5.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 2), pg
	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.5, pg 15)
<u> </u>	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5). pg 47)
<u> </u>	Tree limbs at least Fit above play surfaces? Is fence free of brush/overgrowth? (CP. 3.4, 3.5, pg 15)
□ □ 10.	
	He swings are present, are S-looks in good repair? If not, state deficiency (CPSC 3.2.)
□ □ □ 12.	Eslica is present, in exit beighterit zone adequate? E not, state deficiency (CFSC1.3.5.4-5 pgs 3
0 0 5 13.	Are spring rookers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
□ □ 14,	Is age-appropriate equipment being used? If not, state which pieces are inappropriate ————————————————————————————————————
2 0 0 15.	Is playground area clean & free of hazards? If not, state deficiency. [Rule I II. II /II.]
□ □ □ 15.	Is adequate shade present on the playground? (CPSC 1.1.1, pg 5)
a a a 17.	Are concrete footings located at least 5" beneath the surface? (Rule 1.10.3 /2), pg)
☐ ☐ 13.	(s wood smooth? Documentation provided that wood has been properly meated. (2)
irector Brande	Newsome Lizensing Official Shows Conner