Railroad Center Day Care 160 John Loflin Drive Florence, MS 39073 Ph.: 601-845-7171 Lic.: 61CEPFA-6637 Director: Mary Ellen Shramek



Child Care Facility Inspection

County	Date 2. 8.20	9		
Facility_Name	License Number			
Purpose	Capacity			
All Items In Red Are Critical Qualified director present In Out COS N/A U	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	cos	N/A
Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair			
Sanitation Approved Garbage and garbage bins maintained Vector control maintained	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,			
Water system approved and functioning Waste water system approved and functioning	and functioning Electrical outlets protected			
Food service approved	Large appliances located properly Sinks and toilets working properly			
Possible Monetary Penalty Monetary Penalty S	Hot water at all sinks, not to exceed 120° Children barred from kitchen			
2	Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices			
3\$	single action approved and in good working order			
4. \$ 5. \$	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers			
Age/Child/Staff Name	and thermometers placed properly and in good working order	b		
2. 3 Jean · 25 · C6 2, 3, 4	First aid kits stocked and easily accessi	ble 🔽 🗆		
3. 2 Jear. 15. CG 5, 6 2 Jear. 16. CG 7, 8	Playground area clean, shaded, well drained and equipped and fence in good repair			
5. 4 year. 13. CG 9	Playground equipment meets standards			
62 year. 16.CG 10,11,15, 15.CG 13,14,15	Pool area clean, fenced, and adequately maintained			
Center Director/Individual Thanhar Clust	Diaper changing stations adequate in number and each fully supplied (number) Child Care Representative	V-100	M	15
White Copy - Facility File Yellow Copy - Facility Operator	12-10-08	F	orm No	. 281



12.18.2019



Child Care Encounter

District	Date 12 10 201
Name	License No
Address	Center/Organization/Individual
Purpose	Director
Mileage St	Mileage End
County	Telephone No
Findings/C	Time Out U. ZUUM Total Time Total
thep	urpose of this visit was acconomically deal.
Pleas recel Subm Proce	e submit 3 staff FBI letters once it is ved. Staff letter of suitability has been litted to MSDH fingerprint alepartmentand is sing.
Subm	H Online application, fire form #333 and two menus for renewal.
Thank	you for all that you do !
	Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension or revocation of the license.

Center Director/Designee/Individual

Child Care Representative

White Copy - Facility File Yellow Copy - Operator

Mississippi State Department of Health

White Copy - Facility File Yellow Copy - Operator

Form 289



Child Care Program Review

	Child Care Program Review
Facility Name	License No Date Date
5.	Policies and procedures (Parent's Handbook) {Rule 1.4.1} Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)} Approved arrival and departure procedures {Rule 1.4.1 (2)} Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)} Attendance records for children and staff {Rule 1.6.3 (1)} Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
☐ Fail	be issued: **Defeational **Destricted** Probational **Destricted** Pr
☐ Follow-up v	within days Director Designee Child Care Representative

Revised 12-19-13

Food Service Facility Inspection Results

PIMS ID Face	Railroad Center Day Car ility Name, 1 160 John Loflin Drive Florence, MS 39073 Ph.: 601-845-7171	Date Date
CDITICAL VIOL	Lic.: 61CEPFA-6637	amek IN DI AN AND SCHEDULE
Opsided Michael Cal	TONS	amek ON PLAN AND SCHEDULE
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training Permit Date Please Remit within 10 days to:	92010 Permit No Charge 92015 Permit 1 \$30.00 92011 Permit 2 \$100.00 92012 Permit 3 \$150.00 92013 Permit 4 \$200.00 Environmentalist Code	Certified Manager Licence Number Facility Signature Environmentalist Signature White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist

Railroad Center Day Care 160 John Loflin Drive Florence, MS 39073 Ph.: 601-845-7171 Lic.: **61CEPFA-6637** Director: Mary Ellen Shramek

Child Care Licensure Playground Checklist

			Inspection Date 12.18.2019
Center N	iame_		mispection Date Date
YES NO	N/A	1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
b =		2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
d		3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, Z.4.2, pg 9-10 & 4.3)
P 0		4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
P 0		5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
0		6.	Toys & equipment in good repair? (none broken/deteriorating) (Nate 1.10.2 (2), pg 40)
0		7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
0		8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
4		9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC
0		10.	Are use zones adequate? If not, where are they madequate? (CPSC 5.3.9, pg 41)
- -	D.	11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)
		12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency. (CPSC5.3.6.4-5 pgs 34-35)
		13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
0		14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)
00		15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61)
		16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
		17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
40		18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)
Director	81	hau	un Clor Licensing Official Jemes Della S