



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

Date

3/10/21

District

8

Ashbury Playschool

Name

1331 Hwy 42 Petal, MS 39465

License No.

Address

601-582-4686 Lic. #3318

Director: Cindy McDonald

Individual

Purpose

Midyear

Director

Mileage Start

Mileage End

County

Telephone No.

Time In

10:55a.m.

Time Out

11:55a.m.

Total Time

Findings/Comments

A midyear was conducted and there were no deficiencies found during the inspection, all in compliance.

Great job!

Survey card was given to the director.

"Class I and II violations may result in a monetary penalty. Repeated violation may result in the doubling of a monetary penalty, suspension or revocation of the license."

Cynthia K. McDonald
Center Director/Designee/Individual

Syronica Bennett
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



Ashbury Playschool
1331 Hwy 42 Petal, MS 39465
601-582-4686 Lic. #3318
Director: Cindy McDonald

DEPARTMENT OF HEALTH

Inspection

County Forrest

Date 3/10/21

Facility Name _____

License Number _____

Purpose Midyear

Capacity 15

All Items In Red Are Critical

Qualified director present
Proper staff to child ratio present
Room and playground capacity met
Center capacity met
License/complaint visible
Certified food manager

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained
Vector control maintained
Water system approved and functioning
Waste water system approved and functioning
Food service approved

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	
2.	See encounter 2
3.	
4.	
5.	
6.	
7.	

Other Items - Must be corrected

Children's belongings separated/stored
Evacuation plans posted
Menus posted and served
Plan of activities

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, ceilings, floors, toys, equipment
clean and in good repair

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Lighting approved
Heating/cooling approved
Ventilation adequate
Glass approved and shielded
Telephone on premises, available,
and functioning

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Electrical outlets protected
Large appliances located properly
Sinks and toilets working properly
Hot water at all sinks, not to
exceed 120°

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Children barred from kitchen
Vending machine snacks meet
nutritional guidelines, if present
Exits, doors and fastening devices
single action approved and in good
working order

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Exits unobstructed
Required smoke detectors, carbon
monoxide monitors, fire extinguishers
and thermometers placed properly and
in good working order

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

First aid kits stocked and easily accessible

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Playground area clean, shaded, well
drained and equipped and fence in good
repair

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Playground equipment meets standards

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Pool area clean, fenced, and adequately
maintained

In	Out	COS	N/A
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Diaper changing stations adequate in
number and each fully supplied
(number 0)

In	Out	COS	N/A
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Center Director/Individual

Cynthia L. McDonald

Child Care Representative

Symonica A. Vaneet

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter
(Continuation)Date 3/10/21

Ashbury Playschool
1331 Hwy 42 Petal, MS 39465
601-582-4686 Lic. #3318
Director: Cindy McDonald

Facility Name _____ License No. _____

C101 - 3yrs - 6

C104 - 3yrs - 6

C107 PreK - 8

C110 3yrs - 7

A102 4yrs - 12

A103 4yrs - 10

Cynthia R. McDonald
Center Director/Designee/Individual

Symonica Swartz
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator

Ashbury Playschool
1331 Hwy 42 Petal, MS 39465
601-582-4686 Lic. #3318
Director: Cindy McDonald

ground Checklist

Center Name _____

Inspection Date

3/21/21

YES NO N/A

☒ ☐ ☐

1.

Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)

☒ ☐ ☐

2.

2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)

☒ ☐ ☐

3.

Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)

☒ ☐ ☐

4.

AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)

☒ ☐ ☐

5.

No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)

☒ ☐ ☐

6.

Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)

☒ ☐ ☐

7.

Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)

☒ ☐ ☐

8.

All bolts on equipment & fence < 2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)

☒ ☐ ☐

9.

Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)

☒ ☐ ☐

10.

Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)

☐ ☐ ☒

11.

If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)

☒ ☐ ☐

12.

If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35)

☐ ☐ ☒

13.

Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)

☒ ☐ ☐

14.

Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)

☒ ☐ ☐

15.

Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61)

☒ ☐ ☐

16.

Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)

☒ ☐ ☐

17.

Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)

☒ ☐ ☐

18.

Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)

Director

Cathy K. McDonald

Licensing Official

Dyanica A. H. [Signature]