

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

tack	LIDIO			
County Forrest Petal YMCA	Date 7 2 18			
547 Hillcrest Loop, Petal, MS 39465	Tinana Nama			
Facility Name 601-583-9399 Lic. No.: 3869 Director: Chris Phillips	License Number			
Purpose Program renowal ca	pacity <u>289</u>			
	Other Items - Must be corrected	In Out	COS	N/A
	Children's belongings separated/stored			
All themselve Bod Arts Coldinal The Cold COS NVA	Evacuation plans posted			
All Items In Red Are Critical In Out COS N/A Qualified director present	Menus posted and served Plan of activities		H	
Proper staff to child ratio present				
Room and playground capacity met	Building and Grounds Walls, ceilings, floors, toys, equipment			
icense/complaint visible	clean and in good repair		П	
Certified food manager	Lighting approved		_	_
Sanitation Approved	Heating/cooling approved			
Garbage and garbage bins maintained	Ventilation adequate			
Vector control maintained	Glass approved and shielded Telephone on premises, available,		Ш	
Water system approved and functioning	and functioning			
and functioning	Electrical outlets protected		П	
Food service approved	Large appliances located properly	444		
Possible Monetary Penalty	Sinks and toilets working properly Hot water at all sinks, not to			
Monetary Penalty	exceed 120°	44		
	Children barred from kitchen Vending machine snacks meet			
2	nutritional guidelines, if present			
3.	Exits, doors and fastening devices single action approved and in good			
	working order	0		
	Exits unobstructed	A D		
s	Required smoke detectors, carbon		1	
Age/Child/Staff Name	monoxide monitors, fire extinguishers and thermometers placed properly and			
*	in good working order			
Can and and	First aid kits stocked and easily accessib	ole T		П
see 2nd encounter				_
3,	Playground area clean, shaded, well drained and equipped and fence in good			
4.	repair	-		
5.	Playground equipment meets standards			
7.	Pool area clean, fenced, and adequately maintained			
	Diaper changing stations adequate in number and each fully supplied (number))	10	-
Center Director/Individual Norm 1 Mclow	_ Child Care Representative 💆	msey	20m	sseu
White Copy - Facility File Yellow Copy - Facility Operator	-			
	0-08	Fo	rm No.	281



Child Care Encounter

	Care Encounter
District 8	Date 42/18
Name Petal YMCA 547 Hillcrest Loop, Petal, MS 39465	License No
Address 601-583-9399 Lic. No.: 3869 Director: Chris Phillips	/Organization/Individual
Purpose Program Renewal	Director
Mileage Start	Mileage End
County Forrest	Telephone No
Time In 2:50 p.m Time Out 4	Total Time
Findings/Comments All M Compliance;	no deficiencies observed.
	the link and your
pin # to access the	online license renewal
application.	
Email or fax the	fire form 333 5. contact
hours when comple	ted, 2. menus.
On a O - lincour tour	ssaint@msdh.ms.gov
	O .
or fax @ 601 731-	2417.
A Survey 2. busines	a card were given to
· ·	•
director designee D.	Miller.
	^
Center Director/Designee/Individual Child	White Copy - Facility File Yellow Copy - Operator



d Care Program Review Petal YMCA 54

547 Hillcrest Loop, Petal, MS 39465 601-583-9399 Lic. No.: 3869	License No	Date 4 2 18	
Director: Chris Phillips			

ſ	,	Ves	No	N/A				
1		les les			Policies and procedures (Parent's Handbook) {Rule 1.4.1}			
1 -		8	ā	_	Proof of Accident/Liability Insurance or documentation that parent has been notified that no			
٦			_		insurance is in effect {Rule 1.4.1 (i) & (j)}			
3		1			Approved arrival and departure procedures {Rule 1.4.1 (2)}			
4		2			Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}			
5		1			Attendance records for children and staff {Rule 1.6.3 (1)}			
6		2			Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}			
7	. '	D			Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}			
8		4			Monthly records of fire/disaster drills {Rule 1.6.3 (5)}			
9		1			Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}			
		4			Immunization Records for Children and Staff (Rule 1.6.3 (8))			
		4			Personnel records (attach employee's records form) {Rule 1.6.4}			
					Volunteer records {Rule 1.6.5 & Rule 1.6.6}			
		4			Children records (attach children's records form) {Rule 1.6.7}			
		4			Reports of serious occurences made as required {Rule 1.7.1}			
					Communicable diseases reported as required {Rule 1.7.3}			
					Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}			
		D			Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}			
		J			Age appropriate program of activities posted in each room {Subchapter 9}			
					Required toys present in infant room {Rule 1.10.1 (2)}			
					Required toys present in toddler room {Rule 1.10.1 (3)} Required toys present preschool room {Rule 1.10.1 (4)}			
					Licensed pest control contractor {Rule 1.11.14}			
					Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}			
					Appropriate discipline policy followed {Subchapter 14}			
		5			Appropriate discipline policy followed {Subchapter 14}			
					Infant feeding schedules posted (Appendix C, VII)			
-	0.	_		-	main recaing selectaics posted (Appenaix O, 11)			
0	Comments/Recommendations							
`	_				 			
-	_							
-								
	-							

l	X	Pass –				\wedge 1
1	•	License to be issued:	Regular	Probational	Restricted	
1		Fail		n 1	000 40	Dian In Ala +
1		Follow-up within	days	Donne J	Mille	of mount on slynt
۱				☐ Director	Designee	Child Care Representative

Child Com Timere Playground Checklist

			/ Imal M	U I Take / Ja
Center Na	ame _	601-5	illcrest Loop, Petal, MS 39465 83-9399 Lic. No.: 3869 tor: Chris Phillips	Inspection Date 4218
YES NO	N/A □	1.	Playground fence less than 3 1/2	7" from surface. (Rule 1.11.9 (8), pg 48) In good repair, pg 48)
		2.	2 entrances/exits, with one being	ng remote from the building? (Rule 1.11.9 (8), pg 48)
Z 0		3.		where is it inadequate? (CPSC, 2.4.2, pg8)
		4.	AC units, high-voltage cabling	/wires inaccessible? (Rule 1.11.9 (5), pg 47)
A 0		5,	No standing water present on p	playground or in/on playground equipment of wateways:
		6.	Toys & equipment in good rep	pair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
		7	Sidewalks provide smooth wa	lking surface? (no trip hazards) (CPSC 3.6, pg 15)
1 1		8.		the playground area? (Rule 1.11.9 (5), pg 47)
A 0		9.	Tree limbs at least 7ft. above	play surfaces? Is fence free of brush/overgrowth? (CPSC t, where are they inadequate? (CPSC 5.3.9, pg 40)
-		10.		
	N	11.		ooks in good repair? If not, state deficiency (CPSC 3.2, pgl.
	d	12.		ht/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-3)
	-	13.	Are spring rockers a minimur	n of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
		14,	Is age-appropriate equipment	being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg :
		15.	Is playground area clean & fr	ee of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 4
		16.	Is adequate shade present on	the playground? (CPSC 2.1.1, pg 5)
		17.	Are concrete footings located	I at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
		18.	2.5.5)	ition provided that wood has been properly treated. (CPSC
Director _	Do	nra	f Miller Lie	censing Official