



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County Hinds Date 06.17.2021

Facility Name The Learning Tree Dev. Center License Number #4384

Purpose Mid-year Inspection / TA Capacity 50

All Items In Red Are Critical

Qualified director present
Proper staff to child ratio present
Room and playground capacity met
Center capacity met
License/complaint visible
Certified food manager

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained
Vector control maintained
Water system approved and functioning
Waste water system approved
and functioning
Food service approved

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

1. _____ Monetary Penalty \$ _____
2. _____ Monetary Penalty \$ _____
3. _____ Monetary Penalty \$ _____
4. _____ Monetary Penalty \$ _____
5. _____ Monetary Penalty \$ _____

Age/Child/Staff Name

1.	10/11	2	1	CG
2.	Toddler B	2	2	CG
3.	Infant	0	2	CG
4.				
5.				
6.				
7.				

Other Items - Must be corrected

Children's belongings separated/stored
Evacuation plans posted
Menus posted and served
Plan of activities

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, ceilings, floors, toys, equipment
clean and in good repair

In	Out	COS	N/A
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Lighting approved
Heating/cooling approved
Ventilation adequate
Glass approved and shielded
Telephone on premises, available,
and functioning

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Electrical outlets protected
Large appliances located properly
Sinks and toilets working properly
Hot water at all sinks, not to
exceed 120°

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Children barred from kitchen
Vending machine snacks meet
nutritional guidelines, if present
Exits, doors and fastening devices
single action approved and in good
working order

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Exits unobstructed
Required smoke detectors, carbon
monoxide monitors, fire extinguishers
and thermometers placed properly and
in good working order

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

First aid kits stocked and easily accessible

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Playground area clean, shaded, well
drained and equipped and fence in good
repair

In	Out	COS	N/A
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Playground equipment meets standards

In	Out	COS	N/A
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Pool area clean, fenced, and adequately
maintained

In	Out	COS	N/A
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Diaper changing stations adequate in
number and each fully supplied
(number 3)

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual Amanda TillmanChild Care Representative Azela Evers

White Copy - Facility File Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 5Date 06.17.2022

Name The Learning Tree Dev. Center License No. #4384
 Address 14011 Hwy. 18 West Raymond, MS 39154
 Center/Organization/Individual
 Purpose Mid-Year Inspection / TA Director Amanda Tillman
 Mileage Start _____ Mileage End _____
 County Hinds Telephone No. _____
 Time In 10:01 a.m. Time Out 12:15 p.m. Total Time _____

Findings/Comments Upon arrival the LO met w/ both Antionette Davis and Amanda Tillman on today's visit.

The purpose of this visit to conduct a mid-year inspection and to provide Technical assistance w/ the facility.

Subchapter 11: BUILDINGS AND GROUNDS
 Deficiency: Rule 1.11.1 (8) States in part, ceilings, floor, and/or floor covering shall be properly installed, kept clean and in good condition, and maintained in good repair.

Findings: While touring the facility the LO observed in both after school classrooms torn carpet. TA was provided w/ facility that flooring shall be properly kept clean and in good condition, and maintained in good repair.

P.O.C

1. What measures will you put into place to correct the violation and how will you prevent recurrence of the violation? 2. Who will be responsible for monitoring violation from recurrence? 3. What is the date of completion?

Director stated she will need to speak w/ the church or how they will repaired or replaced the torn carpet. Dated of completion? Friday July 30, 2021.

Amanda Tillman
 Center Director/Designee/Individual

Azella Ellis
 Child Care Representative

White Copy - Facility File
 Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter (Continuation)

Date 06.17.2021

Facility Name The Learning Tree Dev. Center License No. #4384

Subchapter 11: BUILDINGS AND GROUNDS

Rule 1.11.11(1) Is playground area
clean & free of of hazardous or
potentially hazardous objects.

Findings: LO observed on facility playground fence
broken in one place and concrete footing needs to
be at least 6" beneath the surfacing.

TA was provided w/ the facility fence must be in good
repair w/ no gaps, and concrete footing need to be
at least 6" beneath the surfacing.

P.O.C

1. What measures will you put into place to
correct the violation and how will you prevent
recurrence of the violation? 2. Who will be
responsible for monitoring violation from
recurrence? 3. What is the date of completion?

Director stated she will have
someone to come out to look at
the fence to have it repaired.

Dated completion? Friday, July
16, 2021. Director, stated she will add

more pea gravel to the playground to cover concrete footing.
The LO left a green survey card w/ the director
Amanda Tillman.

LO- Licensing Official
COS-Corrected on Site
TA-Technical Assistance
POC-Plan of Correction
LOS-Letter of Suitability

Class I II violations may result in a
monetary penalty.
Repeated violations may result in the
doubling of a monetary penalty,
suspension or revocation of license.

White Copy - Facility File
Yellow Copy - Operator

Amanda Tillman
Center Director/Designee/Individual

Azelda P. Ellis
Child Care Representative

Food Service Facility Inspection Results

PIMS ID #4384	Facility Name, Address The Learning Tree Dev. Center 14011 Highway 18 West Raymond, MS 39154	Date 06.17.2021
------------------	--	--------------------

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

No critical violations observed on today's.

(A)

<input checked="" type="checkbox"/> 92020 Scheduled <input type="checkbox"/> 92030 Followup <input type="checkbox"/> 92040 Complaint <input type="checkbox"/> 92050 Consultation <input type="checkbox"/> 92070 Plan Review/Const. <input type="checkbox"/> 92080 No Inspection <input type="checkbox"/> 92090 Restaurant Training	<input type="checkbox"/> 92010 Permit No Charge <input type="checkbox"/> 92015 Permit 1 \$30.00 <input type="checkbox"/> 92011 Permit 2 \$100.00 <input type="checkbox"/> 92012 Permit 3 \$150.00 <input type="checkbox"/> 92013 Permit 4 \$200.00
Permit Date	Environmental Code

Please Remit within 10 days to:

Amanda Tillman S/S
 Certified Manager Licence Number

Facility Signature Amanda Tillman
Environmental Signature A. Zeldu Ellis

White Copy - Facility
 Yellow Copy - PIMS
 Pink Copy - Environmentalist

Child Care Licensure Playground Checklist

Center Name

The Learning Tree Dev.
Center

Inspection Date

06.17.2021

YES NO N/A

- ☐ ☒ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
- ☒ ☐ ☐ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
- ☒ ☐ ☐ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
- ☒ ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
- ☐ ☐ ☒ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
- ☒ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
- ☒ ☐ ☐ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
- ☒ ☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
- ☒ ☐ ☐ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
- ☐ ☐ ☒ 11. If swings are present, are S-hooks in good repair? If not, state deficiency
(CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)
- ☐ ☐ ☒ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency
(CPSC 5.3.6.4-5 pgs 34-35)
- ☐ ☐ ☒ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
- ☐ ☐ ☒ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate
(Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)
- ☐ ☒ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency.
#17 / #1 (Rule 1.11.11 (1), pg 61)
- ☒ ☐ ☐ 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
- ☐ ☒ ☐ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
- ☒ ☐ ☐ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)

Director

Amanda Tillman

Licensing Official

Azelda

Ellen