

MISSISSIPPI STATE DEPARTMENT OF HEALTH

## **Child Care Facility Inspection**

County Mimi's Playhouse 439 Old Corinth Rd, Petal, MS 39465	Date 10 3 18				
601-584-6107 Lic. No.: 18C4PFA-4018  Facility Name Director: Sherri Sundeen					
	1100				
Purpose Cap	acity				
All Items In Red Are Critical  Qualified director present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities		Out (	COS	<b>N/A</b>
Proper staff to child ratio present  Room and playground capacity met  Center capacity met  License/complaint visible  Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair	4			
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,				
Waste water system approved and functioning and functioning Food service approved	and functioning  Electrical outlets protected  Large appliances located properly  Sinks and toilets working properly				
Possible Monetary Penalty  1 Monetary Penalty  \$	Hot water at all sinks, not to exceed 120° Children barred from kitchen				
2\$\$	Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good				
	working order				
5\$Age/Child/Staff Name	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and				
1.	in good working order				
2. See 2nd encounter	First aid kits stocked and easily accessib	ole-			
3. 4.	Playground area clean, shaded, well drained and equipped and fence in good repair				
5.	Playground equipment meets standards				
6.	Pool area clean, fenced, and adequately maintained				
Grand Director Testinists of Manual A	Diaper changing stations adequate in number and each fully supplied (number)	PL		D	T
Center Director/Individual	_ Child Care Representative	1 00	"VU	ייטעני	7

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

	District VIII District VIII Detail 0 3 18	
	Name Mimi's Playhouse	
	Address Director: Sherri Sundeen  **r/Organization/Individual  Purpose_Program Renewal Director	Managan
	Mileage Start Mileage End	
	County Forrest Telephone No	
	Time In 11:45am Time Out 2:10pm Total Time	
	Here for a program renewal.  Contact hours are complete Online renewal has been completed too. Fire form will be Submitted when complete.	Q
	A Survey card was given to director.	
-		
-	White Copy - Facility File Yellow Copy - Operator  Child Care Representative	problem management



Mimi's Playhouse 439 Old Corinth Rd, Petal, MS 39465 601-584-6107 Lic. No.: 18C4PFA-4018

Director: Sherri Sundeen

Child Care Program Review

License No. \_\_\_\_\_

Date _	0	3	18
_			

Yes_No	N/A	
		Policies and procedures (Parent's Handbook) {Rule 1.4.1}
		Proof of Accident/Liability Insurance or documentation that parent has been notified that no
		insurance is in effect {Rule 1.4.1 (i) & (j)}
3.		Approved arrival and departure procedures {Rule 1.4.1 (2)}
4.		Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
5.		Attendance records for children and staff {Rule 1.6.3 (1)}
6.		Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
7. 2 0		Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}
8.		Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
9. 🗆 🗆		Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}
10.		Immunization Records for Children and Staff (Rule 1.6.3 (8))
11.		Personnel records (attach employee's records form) {Rule 1.6.4}
12. 🗆 🗖		Volunteer records {Rule 1.6.5 & Rule 1.6.6}
13. 🗆 🔾	1	Children records (attach children's records form) {Rule 1.6.7}
14. 🗆 🔾		Reports of serious occurences made as required {Rule 1.7.1}
15 🗇 🔾		Communicable diseases reported as required {Rule 1.7.3}
16. 🗆 🗖	1	Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
17.		Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}
18.		Age appropriate program of activities posted in each room {Subchapter 9}
19. 🗆 🖸	1	Required toys present in infant room {Rule 1.10.1 (2)}
20. 🗆 🔾	1	Required toys present in toddler room {Rule 1.10.1 (3)}
21.		Required toys present preschool room {Rule 1.10.1 (4)}
22. 🗆 🗖		Licensed pest control contractor {Rule 1.11.14}
23. 🗆 🖸	2	Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}
24 🔲		Appropriate discipline policy followed {Subchapter 14}
25.		Appropriate transportation policy followed {Subchapter 15}
26. 🗆 🔾	1	Infant feeding schedules posted (Appendix C, VII)
Comment	s/Rec	ommendations

Pass – License to be issued: Regular Probational Restricted  Fail Follow-up within days Director Designee	Child Care Representative
---	---------------------------

## Food Service Facility Inspection Results

Mimi's Playhouse
439 Old Corinth Rd, Petal, MS 39465

PIMS ID Fac 601-584-6107 Lic. No.: 18C4PFA-4018
Director: Sherri Sundeen

THVS ID	Director: Sherri Sundeen	FA-4018
CRITICAL V	IOLATIONS	CORRECTION PLAN AND SCHEDULE
no critica	e violations served. II A'S	mone required.
92020 Scheduled 92030 Followup 92040 Complaint 92050 Consultation 92070 Plan Review/Const. 92080 No Inspection 92090 Restaurant Training Permit Date	92010 Permit No Charge 92015 Permit 1 \$30.00 92011 Permit 2 \$100.00 92012 Permit 3 \$150.00 92013 Permit 4 \$200.00  Environmentalist Code	Certified Manageri Licence Number  Facility Signature  Environmentalist Signature
Please Remit within 10 days t		White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist

Child Care I iconsure Playground Checklist Mimi's Playhouse 439 Old Corinth Rd, Petal, MS 39465 Inspection Date 601-584-6107 Lic. No.: 18C4PFA-4018 Center Name Director: Sherri Sundeen Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with 1. no gaps? (Rule 1.11.9 (8), pg 60) 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60) 2. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3) 3. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59) 4. No standing water present on playground or in/on playground equipment or walkways? 5. (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46) 6. П Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17) 7. All bolts on equipment & fence < threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) 8-Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 9. 3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41) 10. If swings are present, are S-hooks in good repair? If not, state deficiency 11. (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate 14. (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency. 15. (Rule 1.11.11 (1), pg 61) Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) 16. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & 17. CPSC 3.6, pg 16-17) Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)