

MISSISSIPPI STATE DEPARTMENT OF HEALTH

## **Child Care Facility Inspection**

| County Washington  |                     | Date 12/17/2020   | 3       |     |     |
|--|---------------------|---|---------|-----|-----|
| Facility Name Happy Shi  | les Funner Camp     | License Number 386  | 4       |     |     |
| Purpose Renewal Ins  | 1,000               |   |         |     |     |
| All Items In Red Are Critical Qualified director present Proper staff to child ratio present                     | In Out COS N/A      | Other Items - Must be corrected<br>Children's belongings separated/stored<br>Evacuation plans posted<br>Menus posted and served<br>Plan of activities | In Out  | cos | N/A |
| Room and playground capacity met Center capacity met License/complaint visible Certified food manager            |                     | Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair  |         |     |     |
| Sanitation Approved Garbage and garbage bins maintained Vector control maintained                                |                     | Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,                         |         |     |     |
| Water system approved and functioning<br>Waste water system approved<br>and functioning<br>Food service approved |                     | and functioning  Electrical outlets protected  Large appliances located properly  |         |     |     |
| Possible Monetary Penalty  1   | Monetary Penalty \$ | Sinks and toilets working properly Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet                |         |     |     |
| 3  | \$\$<br>\$          | nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order                                |         |     |     |
| 5  | _ \$<br>_ \$        | Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers   |         |     |     |
| 1. No children prese   |                     | and thermometers placed properly and in good working order  First aid kits stocked and easily accessit  | ole 🔲 🗆 |     |     |
| 3.<br>4.   |                     | Playground area clean, shaded, well drained and equipped and fence in good repair   |         |     |     |
| 5.   |                     | Playground equipment meets standards  |         |     | 4   |
| 6.<br>7.   |                     | Pool area clean, fenced, and adequately maintained  |         |     | 4   |
| Center Director/Individual   | Jense Colo          | Diaper changing stations adequate in number and each fully supplied (number)  Child Care Representative   | erifi   | ,   |     |

White Copy - Facility File Yellow Copy Mississippi State Department of Health

Yellow Copy - Facility Operator



### **Child Care Encounter**

| District   |                                      | Date 12/17/2020                                      |
|--|--------------------------------------|--|
| Name Happy Smiles Symmer Camp  | License No. 76 CBPFA                 | 1-3864   |
| Address 1141 S. Delasseps Street, Green Verser/Org   | ille, MS 38701 vanization/Individual |  |
| Purpose Renewal Inspection/TA  | _ Director_ Irene Cole               | 1  |
| Mileage Start  | Mileage End                          |  |
| County Washington  | Telephone No. 662 - 822 - 5          | 994  |
| Time In 1:27 pm. Time Out 1:35   | P.m. Total Time                      |  |
| Findings/Comments The licensing official   | met with, director to                | re Coles   |
| The purpose for this Visit was of assistance visit,  | or a renewal inspection              | and (TA) technical                                   |
| Here were no deficiency noted on,  | today's visit.                       |  |
| A green child care surey card  |                                      | Cole.  |
| For fiture questions or concerns, ple  | case contact Serry Figgs             | in child care  |
|  | 662-378-260                          | · Pax  |
|  | email: Teresa. Ligg                  | ins@msdh.ms-gov                                      |
|  |                                      |  |
|  |                                      |  |
|  |                                      |  |
|  |                                      |  |
|  |                                      |  |
| Class T and II Violations may s<br>Violations may result in the do<br>or revocation of the liene | esult in a monetary,                 | penalty, Repeated anothy, suspension,                |
| Center Director/Designee/Individual Child Car  | e Representative                     | White Copy - Facility File<br>Yellow Copy - Operator |



MISSISSIPPI STATE DEPARTMENT OF HEALTH

#### **Child Care Program Review**

Facility Name Happy Smiles Summer Comp License No. 3864 Date 12/17/2020

|                   | Yes No     | N/A         |  |
|-------------------|------------|-------------|--|
| 1.                | 60         |             | Policies and procedures (Parent's Handbook) {Rule 1.4.1}                                     |
| 2.                | 9 0        |             | Proof of Accident/Liability Insurance or documentation that parent has been notified that no |
|                   |            |             | insurance is in effect {Rule 1.4.1 (i) & (j)}  |
| 3.                | 4          |             | Approved arrival and departure procedures {Rule 1.4.1 (2)}                                   |
| 4.                |            |             | Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}                            |
| 5.                | <b>5</b> 0 |             | Attendance records for children and staff {Rule 1.6.3 (1)}                                   |
| 6.                |            |             | Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}            |
| 7.                |            |             | Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}                |
| 8.                |            |             | Monthly records of fire/disaster drills {Rule 1.6.3 (5)}                                     |
| 9.                |            |             | Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}                    |
| 10.               | 0          |             | Immunization Records for Children and Staff {Rule 1.6.3 (8)}                                 |
| F. E. S. S. S. C. | 50         |             | Personnel records (attach employee's records form) {Rule 1.6.4}                              |
| 2000000           |            | 0           |  |
| 1996-100          | 0          |             | Children records (attach children's records form) {Rule 1.6.7}                               |
| 2000 0000         |            | ā           | Reports of serious occurences made as required {Rule 1.7.1}                                  |
|                   | 0          |             | Communicable diseases reported as required (Rule 1.7.3)                                      |
|                   |            | 1           |  |
|                   | 5          |             | Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}          |
| 1000000           |            |             | Age appropriate program of activities posted in each room {Subchapter 9}                     |
|                   | ā ā        |             | Required toys present in infant room {Rule 1.10.1 (2)}                                       |
| 53000 C           | <u> </u>   | 9           | 7.1 1 0.00   |
| NORMAN            |            |             | Required toys present in todaler room {Rule 1.10.1 (3)}                                      |
|                   |            |             | Licensed pest control contractor {Rule 1.11.14}  |
| 1                 |            |             | Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}       |
|                   |            | ū.          | Appropriate discipline policy followed {Subchapter 14}                                       |
| 0.000             |            | <u> </u>    | Appropriate transportation policy followed {Subchapter 15}                                   |
|                   |            |             |  |
|                   |            |             |  |
| C                 | omment     | Rec         | commendations CPA+ First aid is good will 5/13/2022 here Cole                                |
| _                 |            | SSS IIII II |  |
| _                 |            |             |  |
|                   |            |             |  |
| Ь                 | Pass -     |             |  |
|                   |            | to be       | issued: Regular Probational Restricted   |
|                   | Fail       |             | 1000   |
| ā                 | Follow-    | up wi       | thin days Director Designee Child Care Representative  |
|                   |            |             | Distriction Designed Citat Care Representative   |

# **Food Service Facility Inspection Results**

| PIMS ID  | Facility Name, Address Happy   | Smile Summer Camp   | Date                                      |
|--|--|---|---|
| 3864   | Facility Name, Address Happy S<br>1141. S. Delesseps street  | et Greenville, Ms   | 12/17/2000                                |
| CRITICAL VI  |  | CORRECTION PLAN   | AND SCHEDULE                              |
| - observed no c  | ritical violations   | Facility received a a   | rudo & "A"                                |
| □ 92020 Scheduled □ 92030 Followup □ 92040 Complaint □ 92050 Consultation □ 92070 Plan Review/Const. □ 92080 No Inspection □ 92090 Restaurant Training Permit Date  Please Remit within 10 days to | □ 92010 Permit No Charge □ 92015 Permit 1 \$30.00 □ 92011 Permit 2 \$100.00 □ 92012 Permit 3 \$150.00 □ 92013 Permit 4 \$200.00  Environmentalist Code | Certified Manager  Environmentalist Signature  White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist | Serv So fe Licence Number  Exp 11/15/2022 |

# Child Care Licensure Playground Checklist

| Cen               | ter N | ame | Ha                              | ppy Smiles Summer Cany Inspection Date 12/17/2020  |
|-------------------|-------|-----|---------------------------------|--|
| YES               | NO    | N/A |                                 |  |
| B                 |       |     | 1.                              | Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)  |
| U                 |       |     | 2.                              | 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)   |
|                   |       | U   | 3.                              | Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)  |
| 172               |       |     | 4.                              | AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)  |
| 4                 |       |     | 5.                              | No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)  |
|                   |       | CÓ/ | 6.                              | Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)  |
| H                 |       |     | 7.                              | Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)   |
|                   |       |     | 8.                              | All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)  |
|                   |       |     | 9.                              | Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC   |
|                   | _     |     | 10                              | 3.4, 3.5, pg 16)   |
| Current area (tra |       |     | 10.                             | Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)   |
|                   |       |     | ender producedos                | If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg 14:   |
|                   |       |     | ender producesco                | If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)  If slide is present, is exit height/exit zone adequate? If not, state deficiency   |
|                   |       |     | 11.                             | If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)   |
|                   |       |     | 11.                             | If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)  If slide is present, is exit height/exit zone adequate? If not, state deficiency  (CPSC 5.3.6.4-5 pgs 34-35)  Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)  Is age-appropriate equipment being used? If not, state which pieces are inappropriate  (Rule 1.10.2, pg 46)  |
|                   |       |     | 11.<br>12.<br>13.               | If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)  If slide is present, is exit height/exit zone adequate? If not, state deficiency  (CPSC 5.3.6.4-5 pgs 34-35)  Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)  Is age-appropriate equipment being used? If not, state which pieces are inappropriate  (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)  Is playground area clean & free of hazards? If not, state deficiency.  |
|                   |       |     | 11.<br>12.<br>13.<br>14.        | If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)  If slide is present, is exit height/exit zone adequate? If not, state deficiency  (CPSC 5.3.6.4-5 pgs 34-35)  Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)  Is age-appropriate equipment being used? If not, state which pieces are inappropriate  (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)   |
|                   |       |     | 11.<br>12.<br>13.<br>14.        | If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)  If slide is present, is exit height/exit zone adequate? If not, state deficiency  (CPSC 5.3.6.4-5 pgs 34-35)  Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)  Is age-appropriate equipment being used? If not, state which pieces are inappropriate  (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)  Is playground area clean & free of hazards? If not, state deficiency.  (Rule 1.11.11 (1), pg 61)   |
|                   |       |     | 11.<br>12.<br>13.<br>14.<br>15. | If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)  If slide is present, is exit height/exit zone adequate? If not, state deficiency  (CPSC 5.3.6.4-5 pgs 34-35)  Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)  Is age-appropriate equipment being used? If not, state which pieces are inappropriate  (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)  Is playground area clean & free of hazards? If not, state deficiency.  (Rule 1.11.11 (1), pg 61)  Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)  Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & |