

Mississippi State Department of Health Child Care Facility Inspection

County Harrison			Date 4-5-19				
Facility Name Cater P	Mar Dev. We	so/mar	ke/License Number 7345	5			
Purpose Rengual		Capaci	1.1.				
All Items In Red Are Critical Qualified director present	In Out COS N/A	C E M	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Clan of activities	In Darie	Out	COS	N/A
Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible Certified food manager		cl	Building and Grounds Walls, ceilings, floors, toys, equipment lean and in good repair				
Sanitation Approved Garbage and garbage bins maintained Vector control maintained		H V G	ighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Celephone on premises, available,				
Water system approved and functioning Waste water system approved and functioning Food service approved		ar E L	nd functioning Electrical outlets protected Large appliances located properly Sinks and toilets working properly				
Possible Monetary Penalty 1.	Monetary Penalty	e C	Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet				
	-	n E	nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order				
		E R n	Exits unobstructed Required smoke detectors, carbon nonoxide monitors, fire extinguishers				
	. 8	iı	and thermometers placed properly and n good working order First aid kits stocked and easily accessibl				
	. 12	F	Playground area clean, shaded, well drained and equipped and fence in good repair				
	-15		Playground equipment meets standards				
	-5		Pool area clean, fenced, and adequately maintained				
Center Director/Individual	walk k	1 (Diaper changing stations adequate in number and each fully supplied (number) Child Care Representative) E	 INI	_ - عد	tairle
	Copy - Facility Operator Th	12-10-08	• , ,	1	For	m No	281



MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Encounter

Child Care Encounter
District Date 7-3-17
Name Caterpillar Development Cen. Woodmarkeense No. 7345
Address 9319 Woolmarket Rd. Biloxi, US 39532 Center/Organization/Individual
Purpose Renewal Director Savannah Fountain
Mileage Start Mileage End
County Harrison Telephone No. 228-207-6087
Time In Time Out Total Time
Findings/Comments
Building - No volation observered during majortion.
Playpaind - No valations absenced during inspections.
Staff Records- In compliance
Kitchen - A
Children's Keignas - The Children's MSDH Form Ill
assistance has given on Subchapter 6: Records)
Rule 1.6. 2. (8) states in Rait-Food facility Phall maintain
a notobook Containing a copy of the MOSPH Certificate
of Immenipation Compliance (NSDH Form # 121) for
tack stop and Children.
POC The Owner called their Ragents to matily them.
that this Child Can't return to the Center we had
On updatod 121 70m.
Pleas poud a capy of store 12/ Forms within
14 horling days of this Inspection.
White Copy - Facility File Control Director Director Director Designee Individual Child Care Representative White Copy - Operator
fississippi State Department of Health
Revised 6-24-09



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter (Continuation)

Page 2 of 4

Date 4-5-19

Facility Name Caterpillar - Woolmarket License No. 7345	
Peneral,	
Fire Lervey > Submit to licer appeal	
2 menus +	
	A3****
Child Care Representative	White Copy - Facility File Yellow Copy - Operator

Mississippi State Department of Health

Revised 07-27-09





MISSISSIPPI STATE DEPARTMENT OF HEALTH

Facility Name Caterpillar Dev. Woolmarketicense No. 7345 Date 4-5-19

	Yes	No	N/A			
1	4			Delision and muse divine (Denis (L. 141)		
1.				Policies and procedures (Parent's Handbook) {Rule 1.4.1}		
2.	3			Proof of Accident/Liability Insurance or documentation that parent has been notified that no		
				insurance is in effect {Rule 1.4.1 (i) & (j)}		
3.	4			Approved arrival and departure procedures {Rule 1.4.1 (2)}		
4.	0			Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}		
5.	9			Attendance records for children and staff {Rule 1.6.3 (1)}		
6.	9			Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}		
7.	1			Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}		
8.				Monthly records of fire/disaster drills {Rule 1.6.3 (5)}		
9.				Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}		
				Immunization Records for Children and Staff (Rule 1.6.3 (8))		
11.		7		, , , , ,		
				Personnel records (attach employee's records form) {Rule 1.6.4}		
12.				Volunteer records {Rule 1.6.5 & Rule 1.6.6}		
				Children records (attach children's records form) {Rule 1.6.7}		
	un			Reports of serious occurences made as required {Rule 1.7.1}		
15.	9			Communicable diseases reported as required {Rule 1.7.3}		
16.	4			Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}		
17.	4			Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}		
18.	1			Age appropriate program of activities posted in each room {Subchapter 9}		
19.				Required toys present in infant room {Rule 1.10.1 (2)}		
				Required toys present in toddler room {Rule 1.10.1 (3)}		
		<u> </u>		Required toys present in todaler room {Rule 1.10.1 (3)} Required toys present preschool room {Rule 1.10.1 (4)}		
22.	/					
				Licensed pest control contractor {Rule 1.11.14}		
				Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}		
				Appropriate discipline policy followed {Subchapter 14}		
				Appropriate transportation policy followed {Subchapter 15}		
26.				Infant feeding schedules posted (Appendix C, VII)		
Co	mm	ents	Rec	ommendations		
-						
			AMANAMAT REPORTED AND A SECOND			
	/		ON THE RESERVE			
W	Pas					
	Lic	ense t	o be i	ssued: Regular Probational Restricted		
	Fail			Vinallich , M. T. I		
	Follow-up within days Willful Will Johnson Family					
				Director Designee Child Care Representative		

Mississippi State Department of Health

White Copy - Facility File Yellow Copy - Operator Revised 12-19-13

Form 289

Food Service Facility Inspection Results

PIMS ID Fac	lity Name, Address	Date			
	1	1. Center Woolmarket 4-5-19			
CRITICAL VIOI	ATIONS	CORRECTION PLAN AND SCHEDULE			
No Violation	a Olaranaed				
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training Permit Date Please Remit within 10 days to:	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00 Environmentalist Code	Facility Signature Environmentalist Signature White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist			

Mississippi State Department of Health

Child Care Licensure Playground Checklist

Cer	nter N	Vame	<u>Co</u>	terpillar Dev. Wodmarket Inspection Date 4-5-19
YE:	S NO	N/A	A 1.	Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
0	Q		2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
t	Ö		3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
10/			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
			5.	No standing water present on playground or in/on playground equipment or walkways?
		П	6.	(CPSC 2.4.2.2-5, pg 10) Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
		П	7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 13)
			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing tracts/wares facing away from the playground area? (Rule 1.11.9 (5), pg 47)
			9. 10.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
3			11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13)
I			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35)
7	П	EV	13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
			14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36)
2			15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 49)
4	P		16.	Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
- 1			18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC
recto		- W 7	ul	Licensing Official Chique Fauly
(